



MARKET RATE SYSTEM

MRS-2015

APRIL-JUNE, (Q-2) 2015

**CSR CELL, FINANCE DEPARTMENT
GOVERNMENT OF KHYBER PAKHTUNKHWA**

PREFACE

The Government of Khyber Pakhtunkhwa intends to install a competitive environment in the province with fairness and transparency. The Composite Schedule of Rates (CSR) has already been transformed into Market Rate System (MRS). In this regard CSR Cell was established in Finance Department. The Cell had undertaken the task of updating Market Rate System (MRS) through survey on bi-annual basis from the current financial year. All the Nation Building Departments, Bureau of Statistics and the representative from Contractors Association were consulted and their inputs and suggestions were incorporated in MRS.

2. The document of MRS has been updated on the basis of market rate of Materials, Labour and Equipments finalized by the CSR Cell of the Finance Department. It is pertinent to mention that MRS-2015 as compared to MRS-2013 would result into increase in the cost estimates of newly approved development projects within a range of 4% to 10% depending on the nature of project.

3. The CSR Cell, established in the Finance Department, will maintain/operate the market rate system and perform all other functions necessary to regulate this system on regular basis.



**GOVERNMENT OF KHYBER PAKHTUNKHWA
FINANCE DEPARTMENT
CSR CELL**

NOTIFICATION

No CSR Cell/FD/1-7/Rates/2014-15. The competent authority is pleased to approve the Market Rate System Document-2015 (Q-2) with effect from 1st April, 2015. All the Departments generally and Nation Building Departments shall especially follow the Market Rate System Document 2015 (Q-2) for preparation of PC-1 and execution of works in the province by observing the following criteria:-

- I. The PC-1s/cost estimates of all new developmental unapproved schemes shall be prepared on MRS-2015.
- II. The PC-1s/cost estimates of approved schemes but not tendered yet, shall be updated, in line with MRS-2015.

2. The Market Rate System (MRS) will be updated on bi-annual basis by CSR Cell, Finance Department on regular basis.

3. The MRS-2015 (Q-2) is also available on Finance Department's official web portal <http://www.financekpp.gov.pk/> for prompt action.

**SECRETARY FINANCE
GOVT. OF KHYBER PAKHTUNKHWA**

Endst: No. CSR Cell/FD/1-7/Rates/2014-15

Dated Peshawar, the 26/03/2015

Copy of above is forwarded for information and necessary action to:-

1. All the Administrative Secretaries to Govt. of Khyber Pakhtunkhwa.
2. The Secretary to Governor, Khyber Pakhtunkhwa, Peshawar.
3. The Principal Secretary to Chief Minister, Khyber Pakhtunkhwa, Peshawar.
4. The Accountant General, Khyber Pakhtunkhwa, Peshawar.
5. The Secretaries to Govt. of the Punjab, Sindh, & Balouchistan, Finance Department, Lahore, Karachi and Quetta for information.
6. All Commissioners in Khyber Pakhtunkhwa.
7. All Deputy Commissioners in Khyber Pakhtunkhwa.
8. All Heads of Attached Departments in Khyber Pakhtunkhwa.
9. The Registrar, Peshawar High Court, Peshawar.
10. The Chief Engineers, Communication & Works, Irrigation Departments, Public Health & Engineering Departments, Peshawar.
11. The Chief Infrastructure, P&D Department, Khyber Pakhtunkhwa.
12. The Director, FMIU, Finance Department, Peshawar with request to upload the same on main page of Finance Deptt's web portal.
13. All the Districts/Agency Accounts Officers in Khyber Pakhtunkhwa.
14. PSO to Chief Secretary, Khyber Pakhtunkhwa, Peshawar.
15. PS to Addl: Chief Secretary, P& D Deptt. Khyber Pakhtunkhwa, Peshawar.
16. PS to Secretary Finance Department Khyber Pakhtunkhwa.
17. PS to Special Secretary Finance Department Khyber Pakhtunkhwa.
18. All the Budget Officers/Sections Officers in Finance Department, Peshawar.
19. The Section Officers/(Admn), Administration Department, Peshawar.
20. PA to Addl: Secretaries/Deputy Secretary in Finance Department.


Deputy Secretary (Dev-1)



**GOVERNMENT OF KHYBER PAKHTUNKHWA
FINANCE DEPARTMENT
CSR CELL**

Room# 002, Basement B-Block, Civil Secretariat, Peshawar
Phone: 091-9223634, 9210745

NOTIFICATION

NO.CSR CELL/FD/1-7/Rates/2014-15. In pursuance of the approval of the competent authority, the following mechanism shall be adopted to regulate the **Market Rates System (MRS)** with immediate effect.

- 1) Chief Engineers of Engineering Departments shall collect input rates of materials, labor and machinery (District wise) of relevant items of work related to their field and send these to CSR Cell, Finance Department by **26th of each month**, both in hard and soft forms.
- 2) The input rates referred above shall be scrutinized, updated and placed by Finance Department on website on the last day of each month.
- 3) The Chief Engineers on the basis of input rates fixed by Finance Department shall fix the rate of each item of work for rough cost estimates for Administrative Approval and detail estimate for technical sanction. One hard copy of these rates shall be retained for record.
- 4) Rate analysis and specifications standardized by Finance Department shall be the basis for market rate of an item, however these can be modified, replaced and added to with the approval of the Finance Department.
- 5) The CSR Cell, established in the Finance Department, shall maintain/operate the market rate system and perform all other functions necessary to regulate this system.

**SECRETARY FINANCE
GOVT. OF KHYBER PAKHTUNKHWA**

Endst. Number & Date even.

Dated the Peshawar the 26th March, 2015

Copy for information and necessary action to the:

- i. Secretary, C&W Department, Govt. of Khyber Pakhtunkhwa.
- ii. Secretary, Irrigation Department, Govt. of Khyber Pakhtunkhwa.
- iii. Secretary, PHE Department, Govt. of Khyber Pakhtunkhwa.
- iv. Secretary, LG&RD Department, Govt. of Khyber Pakhtunkhwa
- v. All Deputy Commissioners, Govt. of Khyber Pakhtunkhwa.
- vi. Director, Bureau of Statistics, Govt. of Khyber Pakhtunkhwa.
- vii. PSO to Chief Secretary, Govt. of Khyber Pakhtunkhwa.
- viii. P.S to Additional Chief Secretary P&D Deptt., Govt. of Khyber Pakhtunkhwa.
- ix. PS to Secretary Finance Department Khyber Pakhtunkhwa.
- x. PS to Special Secretary Finance Department Khyber Pakhtunkhwa


Deputy Secretary (Dev-I)

CONVERSION TABLES

To Convert From	Into	Multiply by
<u>LENGTH</u>		
Inch	Millimeter	25.40000
Millimeter	Inch	0.039370
Foot	Meter	0.304800
Meter	Foot	3.280840
Mile	Kilometer	1.609344
Kilometer	Mile	0.621371
Canal Mile (5000 ft)	Kilometer	1.524000
Kilometer	Canal Mile	0.656168
Mile International Nautical (6076 12 ft)	Kilometer	1.852001
Mile US Nautical (6000 ft)	Kilometer	1.853184
<u>MASS WEIGHT</u>		
Pound	Kilogram	0.453592
Kilogram	Pound	2.204625
Ounce	Gram	28.349523
Gram	Ounce	0.035274
Quintal	Kilogram	100.0000
Grain	Milligram	64.798910
Hundred Weight	Kilogram	50.802345
Tonne	Hundred Weight	19.684130
Ton	Kilogram	1,016.046909
Ton	Tonne	1.016047
Tonne	Ton	0.984207
Seer	Kilogram	0.933104
Maund	Kilogram	37.324172
Tola	Gram	11.663803
Short Ton (2000 lbs)	Tonne	0.907185
<u>AREA</u>		
Square inch	Square Millimeter	645.16000
Square Millimeter	Square inch	0.001550
Square Foot	Square Meter	0.092903
Square Meter	Square Foot	10.763910
Square Yard	Square Meter	0.836127
Square Meter	Square Yard	1.195990
Decare	Square Meter	1,000.000
Acre	Square Meter	4,046.856422
Acre	Hectare	0.040469
Hectare	Decare	10.000
Hectare	Acre	2.471054

Hectare	Square Meter	10,000.000
Square Mile	Square Kilometer	2.589988
Square Kilometer	Square Mile	0.386102
Square Mile	Hectare	258.998811
Hectare	Square Mile	0.003861
<u>CAPACITY, VOLUME, MODULUS OF SECTION</u>		
Dry pint	Litre	0.550610
Liquid pint	Litre	0.473176
Gallon (Imperial)	Litre	4.546090
Cubic Foot	Litre	28.316847
Cubic meter	Litre	1,000.0000
Litre	Cubic Foot	0.035315
Cubic Inch	Milliliter	16.387064
Fluid Ounce	Milliliter	29.573530
Avoirdupois Ounce	Milliliter	28.349523
Litre	Gallon (Imperial)	0.219269
Cubic Inch	Cubic Milliliter	16.387064
Cubic Foot	Cubic Meter	0.028317
Cubic Meter	Cubic Foot	35.314667
Hectare Meter	Acre Feet	8.107133
Acre Foot	Hectare Meter	0.125349
<u>VELOCITY, SPEED</u>		
Foot Per Second	Meter Per Second	0.304800
Foot Per Minute	Meter Per Second	0.005080
Foot Per Second	Kilometer Per Hour	1.097280
Kilometer Per Hour	Foot Per Second	0.911344
Mile Per Hour	Foot Per Second	1.466667
Kilometer Per Hour	Mile Per Hour	0.621371
Mile Per Hour	Kilometer Per Hour	1.609344
<u>FORCE</u>		
Kilogram Force	Newton	9.806650
Pound Force (Avoirdupois)	Newton	4.448221
Ton Force	Kilo Newton	9.964017
Newton	Pound Force	0.224809
Kilo Newton	Ton Force	0.100361
<u>FORCE PER UNIT LENGTH</u>		
Pound Force Per ft	Newton Per Meter	14.593901
<u>PRESSURE STRESS MODULUS OF ELASTICITY</u>		
Pound Force per Square Foot	Pascals	47.880300
Pound Force Per Square Inch	Kilo Pascals	6.894760

Ton Force Per Square Foot	Kilo Pascals	107.252000
Kilo Pascals	Pound Force Per Square Foot	28.835400
Ton Force per Square Inch	Mega Pascals	15.444300
Mega Pascals	Pound Force Per Square Inch	145.038000
<u>MASS PER UNIT LENGTH</u>		
Pound Per Foot	Kilogram Per Meter	1.488160
Kilogram Per Meter	Pound Per Foot	0.671969
Ton Per Mile	Tonne Per Kilometer	0.631342
<u>MASS PER UNIT AREA</u>		
Ton Per Square Mile	Kilogram Per Square Kilometer	392.298000
Pound Per Square Foot	Kilogram Per Square Meter	4.882430
Kilogram Per Square Meter	Pound Per Square Foot	0.284616
<u>MASS PER UNIT VOLUME</u>		
Pound Per Cubic Foot	Kilogram Per Cubic Meter	16.018500
Pound Per Cubic Foot	Grams Per Liter	16.018500
Kilogram Per Cubic Meter	Pound Per Cubic Foot	0.062428
Grams Per Liter	Pound Per Cubic Foot	0.062428
<u>VOLUME RATE OF FLOW</u>		
Cubic Foot/Second (Cusec)	Cubic Meter/Second (Cusec)	0.028317
Cubic Foot/Second (Cusec)	Liter Per Second	28.316847
Gallon Per Minute	Liter Per Second	0.075768
Cubic Foot/Thousand Acre	Liter Per Hectare	0.069970
Cubic Foot/Thousand Acre	Cubic Meter/ Square Kilometer	0.006997
<u>FUEL CONSUMPTION</u>		
Gallon Per Mile	Litre Per Kilometer	2.825000
Mile Per Gallon	Kilometer Per Liter	0.354000
<u>MOVEMENT OF FORCE, TORQUE</u>		
Pound Force Foot	Newton Meter	1.355820
Pound Force Inch	Newton Meter	0.112820
Ton Force Foot	Kilo Newton Meter	3.027030
Ton Force Inch	Kilo Newton Meter	0.253090
<u>SECOND MOVEMENT OF AREA</u>		
Inch (4 Times)	Millimeter (4 Times)	416,231.420000
Degree	Radian	0.017453
<u>WORK, ENERGY, POWER</u>		
Kilo Watt Hour	Kilo Joule	3,600.00000
Foot Pound Force	Joule	1.355820
Horse Power	Kilowatt	0.745700
Horse Power	Kilogram Force Meter/Second	76.040200

TABLE OF CONTENTS

<u>Chapter No</u>	<u>Chapter Name</u>	<u>Page No</u>
Chapter 01	CARRIAGE.....	1
Chapter 02	LOADING, UNLOADING & STACKING.....	4
Chapter 03	EARTHWORK (EXCAVATION & EMBANKMENT).....	6
Chapter 04	DISMANTLING (DEMOLITION).....	16
Chapter 05	MORTAR.....	20
Chapter 06	CONCRETE.....	22
Chapter 07	BRICK MASONARY.....	30
Chapter 08	STONE MASONARY.....	41
Chapter 09	ROOFING.....	44
Chapter 10	FLOORING.....	49
Chapter 11	SURFACE RENDERING.....	55
Chapter 12	WOOD WORK, WOODEN/ALUMINIUM JOINERY.....	59
Chapter 13	PAINTING AND VARNISHING.....	73
Chapter 14	PLUMBING, SANITARY INSTALLATION & GAS FITTINGS.....	77
Chapter 15	ELECTRIC INSTALLATION.....	87
Chapter 16	ROAD & BRIDGES.....	99
Chapter 17	LINING OF CANALS.....	107
Chapter 18	SHEET PILING.....	109
Chapter 19	PROTECTION & DIVERSION WORKS.....	110
Chapter 20	OUTLETS.....	118
Chapter 21	SINKING OF WELLS.....	120
Chapter 22	SURFACE DRAINAGE.....	124
Chapter 23	SEWERAGE.....	126
Chapter 24	TUBEWELL AND WATER SUPPLY.....	130
Chapter 25	IRON WORK.....	148
Chapter 26	MISCELLANEOUS.....	151



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 01 CARRIAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
01-01-a	Carriage of 100 cft / 5 tonne of all materials by truck or other means : 1st 50 meter	50 Meter	0.00	85.40	50 m	0.00	85.40		a) Cement carried in containers other than bags will be paid according to this item
01-01-b	Carriage of 100 cft / 5 tonne of all materials by truck or other means : 2nd 50 meter	50 Meter	0.00	18.30	50 m	0.00	18.30		b) Word, pipes and specials, covers GI, CI, AC, RCC, PCC, PVC and steel pipes and specials.
01-01-c	Carriage of 100 cft / 5 tonne of all materials by truck or other means : 3rd to 5th 50 meter	50 Meter	0.00	12.20	50 m	0.00	12.20		c) Reduce the rate in case of carriage of 1000 NO. Tiles by:- 33% for 12"x6"x1" size
01-01-d	Carriage of 100 cft / 5 tonne of all materials by truck or other means : 250 to 1000 meter	250 Meter	0.00	61.00	250 m	0.00	61.00		33% for 12"x6"x1" size
01-01-e	Carriage of 100 cft / 5 tonne of all materials by truck or other means : 1st kilometer	km	0.00	183.00	km	0.00	183.00		25% for 12"x6"x1.5" size
01-01-f	Carriage of 100 cft / 5 tonne of all materials by truck or other means : 2nd - 5th kilometer	km	0.00	73.20	km	0.00	73.20		20% for 12"x6"x1.25" size
01-01-g	Carriage of 100 cft / 5 tonne of all materials by truck or other means : 6th to 10th kilometer	km	0.00	61.00	km	0.00	61.00		
01-01-h	Carriage of 100 cft / 5 tonne of all materials by truck or other means : 11th & subsequent kilometer	km	0.00	36.60	km	0.00	36.60		
01-02-a	Carriage of 1000 Nos. bricks or load upto 3 tonne by truck etc : 1st 50 meter	50 Meter	0.00	53.80	50 m	0.00	53.80		Reduce the rate by 33% for tile size 9"x4.5"x1.5"
01-02-b	Carriage of 1000 Nos. bricks or load upto 3 tonne by truck etc : 2nd 50 meter	50 Meter	0.00	11.53	50 m	0.00	11.53		
01-02-c	Carriage of 1000 Nos. bricks or load upto 3 tonne by truck etc : 3rd to 5th 50 meter	50 Meter	0.00	7.69	50 m	0.00	7.69		
01-02-d	Carriage of 1000 Nos. bricks or load upto 3 tonne by truck etc : 250 - 1000 meter	50 Meter	0.00	38.43	250 m	0.00	38.43		
01-02-e	Carriage of 1000 Nos. bricks or load upto 3 tonne by truck etc : 1st kilometer	km	0.00	115.29	km	0.00	115.29		
01-02-f	Carriage of 1000 Nos. bricks or load upto 3 tonne by truck etc : 2nd - 5th kilometer	km	0.00	46.12	km	0.00	46.12		
01-02-g	Carriage of 1000 Nos. bricks or load upto 3 tonne by truck etc : 6th - 10th kilometer	km	0.00	38.43	km	0.00	38.43		
01-02-h	Carriage of 1000 Nos. bricks or load upto 3 tonne by truck etc : 11th & subsequent kilometer	km	0.00	23.06	km	0.00	23.06		
01-03-a	Carriage of cement(bag), bitumen/lubricants (drum) by truck or other means : 1st 50 meter	Tonne/50 M	0.00	17.08	tonne/50	0.00	17.08		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 01 CARRIAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
01-03-b	Carriage of cement (bag) bitumen/lubricant (drum) by truck or other means : 2nd 50 meter	Tonne/50 M	0.00	3.66	tonne/50	0.00	3.66		
01-03-c	Carriage of cement (bag), bitumen/lubricant (drum) by truck or other means : 3rd to 5th 50 meter	Tonne/50 M	0.00	2.44	tonne/50	0.00	2.44		
01-03-d	Carriage of cement(bag), bitumen/lubricant (drum) by truck or other means : 250 to 1000 meter	Tonne/250 M	0.00	12.20	t/250m	0.00	12.20		
01-03-e	Carriage of cement(bags), bitumen/lubricant (drum) by truck or other means : 1st kilometer	Tonne/1 K	0.00	36.60	tonne/km	0.00	36.60		
01-03-f	Carriage of cement(bag), bitumen/lubricant (drum) by truck or other means : 2nd - 5th kilometer	Tonne/1 K	0.00	14.64	tonne/km	0.00	14.64		
01-03-g	Carriage of cement(bag), bitumen/lubricant (drum) by truck or other means : 6th - 10th kilometer	Tonne/1 K	0.00	12.20	tonne/km	0.00	12.20		
01-03-h	Carriage of cement(bag), bitumen/lubricant (drum) by truck or other means : 11th & subsequent km	Tonne/1 K	0.00	7.32	tonne/km	0.00	7.32		
01-04-a	Carriage of 100cft of sarkanda, pilchi, frash etc by road or boat : 1st 50 meter	50 Meter	0.00	51.24	50 m	0.00	51.24		
01-04-b	Carriage of 100cft of sarkanda, pilchi, frash etc by road or boat : 2nd 50 meter	50 Meter	0.00	10.98	50 m	0.00	10.98		
01-04-c	Carriage of 100cft of sarkanda, pichi, frash etc by road or boat : 3rd to 5th kilometer	50 Meter	0.00	7.32	50 m	0.00	7.32		
01-04-d	Carriage of 100cft of sarkanda, pilchi, frash etc by road or boat : 250 to 1000 meter	250 Meter	0.00	36.60	250 m	0.00	36.60		
01-04-e	Carriage of 100cft of sarkanda, pichi, frash etc by road or boat : 1st kilometer	km	0.00	109.80	km	0.00	109.80		
01-04-f	Carriage of 100cft of sarkanda, pilchi, frash etc by road or boat : 2nd - 5th kilometer	km	0.00	43.92	km	0.00	43.92		
01-04-g	Carriage of 100cft of sarkanda, pilchi, frash etc by road or boat : 6th - 10th kilometer	km	0.00	36.60	km	0.00	36.60		
01-04-h	Carriage of 100cft of sarkanda, pilchi, frash etc by road or boat : 11th & subsequent kilometer	km	0.00	21.96	km	0.00	21.96		
01-05-a	Carriage of small consignments upto 250kg 1st 50 meter	50 Meter	0.00	4.27	50 m	0.00	4.27	For consignment weighing over 250 kg, the rate shall be increased on pro-rate basis.	
01-05-b	Carriage of small consignments upto 250 kg 2nd 50 meter	50 Meter	0.00	0.92	50 m	0.00	0.92		
01-05-c	Carriage of small consignments upto 250 kg 3rd to 5th 50 meters	50 Meter	0.00	0.61	50 m	0.00	0.61		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 01 CARRIAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
01-05-d	Carriage of small consignments upto 250 kg 250 - 1000 meter	250 Meter	0.00	3.05	250 m	0.00	3.05		
01-05-e	Carriage of small consignments upto 250 kg 1st kilometer	km	0.00	9.15	km	0.00	9.15		
01-05-f	Carriage of small consignments upto 250 kg 2nd to 5th kilometer	km	0.00	3.66	km	0.00	3.66		
01-05-g	Carriage of small consignments upto 250 kg 6th to 10th kilometer	km	0.00	3.05	km	0.00	3.05		
01-05-h	Carriage of small consignments upto 250 kg 11th & subsequent kilometer	km	0.00	1.83	km	0.00	1.83		
01-06-a	Carriage of consignments (odd job) Coolie load	km	62.00	62.50	km	62.00	62.50		
01-06-b	Carriage of consignments (odd job) Donkey load	km	0.00	36.60	km	0.00	36.60		
01-06-c	Carriage of consignments (odd job) Cart Load	km	0.00	32.03	km	0.00	32.03		
01-06-d	Carriage of consignments (odd job) Camel load	km	0.00	73.20	km	0.00	73.20		
01-07-a	Hire Charges of Truck	Day	0.00	9,429.95	Day	0.00	9,429.95		a) This item shall be allowed with prior concurrence of Superintending Engineer b) The rate includes pay of driver and cleaner only. The cost of repairs shall be borne by the owner and the cost of POL, loading/unloading shall be paid by the borrower .
01-07-b	Hire charges of Tractor with trolley	Day	0.00	9,430.60	Day	0.00	9,430.60		
01-07-c	Hire charges of Tractor without trolley	Day	0.00	6,188.08	Day	0.00	6,188.08		
01-08-a	Hand shunting loaded railway wagons Upto 500 meter	Each	930.00	937.50	Each	930.00	937.50		
01-08-b	Hand shunting loaded railway wagons Upto 1 kilometer	Each	1,395.00	1,406.25	Each	1,395.00	1,406.25		
01-08-c	Hand shunting loaded railway wagons Upto 2 kilometer	Each	1,705.00	1,718.75	Each	1,705.00	1,718.75		
01-08-d	Hand shunting loaded railway wagons 3rd & subsequent kilometer	Each	775.00	781.25	Each	775.00	781.25		
01-09-a	Hand shunting empty railway wagons Upto 500 meter	Each	465.00	468.75	Each	465.00	468.75		
01-09-b	Hand shunting empty railway wagons Upto 1 kilometer	Each	697.50	703.13	Each	697.50	703.13		
01-09-c	Hand shunting empty railway wagons Upto 2 kilometer	Each	852.50	859.38	Each	852.50	859.38		
01-09-d	Hand shunting empty railway wagons 3rd & subsequent kilometer	Each	387.50	390.63	Each	387.50	390.63		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 02 LOADING, UNLOADING AND STACKING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
02-01	Load into or unload from railway wagons within 50m shingle, sand, ballast, tiles, etc, laid & stacked	100 cft	620.00	625.00	m3	218.95	220.72		
02-02-a	Load into or unload from railway wagons within 50m laid & stacked : Bricks 10" size	1000 No.	775.00	781.25	1000 No.	775.00	781.25		
02-02-b	Load into or unload from railway wagons within 50m laid & stacked : Bricks 9" or smaller size	1000 No.	620.00	625.00	1000 No.	620.00	625.00		
02-03	Load into or unload from railway wagons, cement in bags and stacking within 50m.	100 No.	775.00	781.25	100 No.	775.00	781.25		
02-04	Load into or unload from railway wagons, empty cement bags and stacking	1000 No.	694.40	700.00	1000 No.	694.40	700.00		
02-05	Load into or unload from railway wagons and stacking white lime in bags	tonne	155.00	156.25	tonne	155.00	156.25		
02-06	Load into or unload from railway wagons structural steel, RS joists, rails, rail fastenings etc	tonne	372.00	375.00	tonne	372.00	375.00		
02-07	Load into or unload from 45 gallon drums full, into or from railway wagons, lead upto 50m	Each	49.60	50.00	Each	49.60	50.00		
02-08	Loading or unloading packages of all sorts upto 50 kg.	Each	43.40	43.75	Each	43.40	43.75		Except cement in Jute or paper bags
02-09-a	Load or unload sleepers other than wooden, incl stacking, lead upto 50 m : Broad gauge	100 No.	1,550.00	1,562.50	100 No.	1,550.00	1,562.50		
02-09-b	Load or unload sleepers other than wooden, including stacking, lead upto 50 m : Metre gauge &	-	-	-	-	-	-		DELETED
02-10	Load or unload timber logs or shuttering into or from railway wagons, including stacking within 50m	tonne	204.60	206.25	tonne	204.60	206.25		
02-11	Loading or unloading bhoosa in railway wagons lead upto 50 m.	tonne	465.00	468.75	tonne	465.00	468.75		
02-12	Load or unload timber scrap or wooden plugs into or from railway wagons & stacking within 50m	tonne	310.00	312.50	tonne	310.00	312.50		
02-13	Load or unload pitching stone/spawl from railway wagons of any guage including clearing 1.5m away	100 cft	229.40	231.25	m3	81.01	81.67		
02-14	Loading or unloading building stone including clearing away 1.5m from rails	100 cft	297.60	300.00	m3	105.10	105.94		
02-15-a	Unloading oil,bitumen or tar etc : Crude Oil (to be pumped from tank wagon into tank)	1000 ltr	186.00	187.50	1000 ltr	186.00	187.50		The rate include checking and weighing the tins
02-15-b	Unloading oil,bitumen or tar etc Crude oil (drained by gravity)	1000 ltr	186.00	187.50	1000 ltr	186.00	187.50		
02-15-c	Unloading oil,bitumen or tar etc Crude oil materials from railway wagons	Ton	35.34	35.63	Ton	35.34	35.63		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 02 LOADING, UNLOADING AND STACKING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
02-15-d	Unloading oil, bitumen or tar etc : Fuel Oil from tank into empty drums including stacking within 50 m	-	-	-	-	-	-		DELETED
02-15-e	Unloading oil,bitumen or tar etc Petrol (2 gallon tin)	-	-	-	-	-	-		DELETED
02-15-f	Unloading oil, bitumen or tar etc Kerosine oil (4 gallon tin)	100 No.	775.00	781.25	100 No.	775.00	781.25		
02-15-g	Unloading oil,bitumen or tar etc Tar & Bitumen in drums with carriage upto 1 km	100 No.	0.00	213.50	100 No.	0.00	213.50		
02-16-a	Removing and stacking within 50m. lead Stone, spawl, brick bats, shingle, sand, lime etc	100 cft	310.00	312.50	m3	109.48	110.36		
02-16-b	Removing and stacking within 50m. lead Bricks	1000 No.	899.00	906.25	1000 No.	899.00	906.25		
02-16-c	Removing and stacking within 50m. lead Broad gauge wooden sleepers	100 No.	496.00	500.00	100 No.	496.00	500.00		
02-16-d	Removing and stacking within 50m. lead Metre gauge or narrow guage wooden sleepers	100 No.	283.34	285.63	100 No.	283.34	285.63		
02-16-e	Removing and stacking within 50m. lead Rails, girders, pipes, cement etc.	tonne	142.60	143.75	tonne	142.60	143.75		
02-16-f	Removing and stacking within 50m. lead Bridge and crossing timbers, etc.	100 No.	1,655.40	1,668.75	100 No.	1,655.40	1,668.75		
02-17	Load into wagons girders, rails, MS bars, pipes etc. including 50m lead & stacking inside wagons	tonne	396.80	400.00	tonne	396.80	400.00		
02-18	Unload from wagons girders, rails, MS bars, girder etc. including 50m lead but excluding stacking	tonne	155.00	156.25	tonne	155.00	156.25		
02-19	Load into wagons wooden baord guage sleepers including 50m lead & stacking	100 No.	1,240.00	1,250.00	100 No.	1,240.00	1,250.00		
02-20	Unload wooden broad guage sleepers from wagons including 50m lead and stacking	100 No.	620.00	625.00	100 No.	620.00	625.00		
02-21	Loading metre gauge or narrow guage wooden sleepers including 50m lead & stack inside wagons	100 No.	682.00	687.50	100 No.	682.00	687.50		
02-22	Unloading metre gauge or narrow guage wooden sleepers including 50m lead but excluding stacking	100 No.	328.60	331.25	100 No.	328.60	331.25		
02-23	Loading bridge and crossing timber including 50m lead & stacking	100 No.	620.00	625.00	100 No.	620.00	625.00		
02-24	Unloading bridge and crossing timbers including 50m lead but excluding stacking	100 No.	310.00	312.50	100 No.	310.00	312.50		
02-25	Load or unload bitumen, asphalt, tar in drums, into or from railway wagons, lead upto 50m	tonne	310.00	312.50	tonne	310.00	312.50		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-01-a	Earth excavation undressed upto single throw of kassi phaorah or shovel etc : in ashes, sand, soft soil or silt clearance	1000 Cft	2,325.00	2,343.75	m3	82.11	82.77		
03-01-b	Earth excavation undressed upto single throw of kassi phaorah or shovel etc : in ordinary soil,	1000 Cft	2,790.00	2,812.50	m3	98.53	99.32		
03-02	Earth excavation in ashes, sand & soft soil or silt clearance, undressed lead upto 25m.	1000 Cft	3,410.00	3,437.50	m3	120.42	121.39		
03-03-a	Bed clearance and dressing slopes of drains including removing of weeds and roots etc. Excavated material undressed within 25m	1000 Cft	4,340.00	4,375.00	m3	153.27	154.50		The rate is applicable where the earth of the bed to be removed is of the type of ordinary soil. When it is silt or soft soil, it will be paid per item No 03-01-a, 03-01-b or 03-02 above, whichever is applicable. The XEN will specify drains of each category
03-03-b	Bed clearance and dressing slopes of drains including removing of weeds and roots etc. Excavated material dressed within 25m lead	1000 Cft	4,798.80	4,837.50	m3	169.47	170.83		
03-04-a	Borrowpit excavation undressed lead upto 50m in Ordinary soil	1000 Cft	4,340.00	4,375.00	m3	153.27	154.50		
03-04-b	Borrowpit excavation undressed lead upto 50m in Hard soil	1000 Cft	5,332.00	5,375.00	m3	188.30	189.82		
03-04-c	Borrowpit excavation undressed lead upto 50m in shingle/gravel formation	1000 Cft	10,540.00	10,625.00	m3	372.22	375.22		
03-05-a	Embankment formation in ordinary soil & compaction by mechanical means at optimum moisture content to 95% to 100% max. modified AASHTO dry density (borrow area)	1000 Cft	1,283.40	11,122.07	m3	45.32	392.77		The rate includes hire charges of machinery, cost of fuel, lubricants, pay of driver and cleaner. The rate also includes clearing and grubbing where necessary.
03-05-b	Embankment formation in ordinary soil & compaction by mechanical means at optimum moisture content to 90% max. modified AASHTO dry density (borrow area)	1000 Cft	1,267.28	11,008.22	m3	44.75	388.75		
03-05-c	Embankment formation in ordinary soil & compaction by mechanical means at optimum moisture content to 85% max. modified AASHTO dry density (borrow area)	1000 Cft	1,251.16	10,894.37	m3	44.18	384.73		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-06-a	Earth fill in lawns including dressing & compaction with earth available from cutting/excavation	1000 Cft	2,976.00	3,000.00	m3	105.10	105.94		
03-06-b	Earth fill in lawns including dressing & compaction with suitable earth borrowed.	1000 Cft	5,518.00	5,562.50	m3	194.87	196.44		
03-07-a	Earth excavation in open cut upto 1.5m depth for drains etc & disposal : in Ordinary Soil	1000 Cft	4,588.00	4,625.00	m3	162.02	163.33		
03-07-b	Earth excavation in open cut upto 1.5m depth for drains etc & disposal : in Hard Soil	1000 Cft	5,735.00	5,781.25	m3	202.53	204.16		
03-07-c	Earth excavation in open cut upto 1.5m depth for drains etc & disposal : in Very hard Soil	1000 Cft	5,964.40	6,012.50	m3	210.63	212.33		
03-07-d	Earth excavation in open cut upto 1.5m depth for drains etc & disposal : in Gravel & shingle	1000 Cft	6,652.60	6,706.25	m3	234.93	236.83		
03-08-a	Earth excavation in open cut 1.5m - 3m depth for S.W.Drains etc & disposal : in Ordinary Soil	1000 Cft	6,200.00	6,250.00	m3	218.95	220.72		
03-08-b	Earth excavation in open cut 1.5m - 3m depth for S.W.Drains etc & disposal : in Hard Soil	1000 Cft	7,006.00	7,062.50	m3	247.41	249.41		
03-08-c	Earth excavation in open cut 1.5m - 3m depth for S.W.Drains etc & disposal : in Very Hard Soil	1000 Cft	8,060.00	8,125.00	m3	284.64	286.93		
03-08-d	Earth excavation in open cut 1.5m - 3m depth for drains etc & disposal : in Gravel & shingle	1000 Cft	13,888.00	14,000.00	m3	490.45	494.41		
03-09-a	Excavation in shingle or gravel formation & rock not requiring blast, undressed, 50m lead : Dry	1000 Cft	11,780.00	11,875.00	m3	416.01	419.36		
03-09-b	Excavation in shingle or gravel formation & rock not requiring blast, undressed, 50m lead : Wet	1000 Cft	13,640.00	13,750.00	m3	481.69	485.58		
03-09-c	Excavation in shingle or gravel formation & rock not req. blast, undressed, 50m lead : in Flowing Water	1000 Cft	17,360.00	17,500.00	m3	613.06	618.01		
03-10-a	Earth excavation in irrigation channels/drains & disposal upto 25m. & dressing : in Ordinary Soil	1000 Cft	5,084.00	5,125.00	m3	179.54	180.99		
03-10-b	Earth excavation in irrigation channels/drains & disposal upto 25m. & dressing : in Hard Soil	1000 Cft	6,076.00	6,125.00	m3	214.57	216.30		
03-10-c	Earth excavation in irrigation channels/drains & disposal upto 25m. & dressing : in Very Hard Soil	1000 Cft	7,130.00	7,187.50	m3	251.79	253.82		
03-10-d	Earth excavation in irrigation channels/drains & disposal upto 25m. & dressing : in Shingle/Gravel	1000 Cft	13,268.00	13,375.00	m3	468.56	472.33		
03-11-a	Rock Excavation, dressing & disposal up to 50m Soft Rock, slate, shale, schist or laterite	1000 Cft	17,112.00	17,250.00	m3	604.31	609.18	Tools and plants shall be the liability of the contractor.	
03-11-b	Rock Excavation, dressing & disposal up to 50m Medium hard rock, requiring occasional blasting	1000 Cft	19,176.60	20,063.25	m3	677.22	708.53		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-12-a	Excavation in hard rock requiring blasting and disposal upto 25m & dressing : Grade I	1000 Cft	14,074.00	14,919.50	m3	497.02	526.88		a) Tools and plants required shall be the liabilities of the contractor.
03-12-b	Excavation in hard rock requiring blasting and disposal upto 25m & dressing : Grade II	1000 Cft	15,438.00	16,782.50	m3	545.19	592.67		b) Reduce the rate by 8 % if the excavated section is not dressed or levelled to design section.
03-12-c	Excavation in hard rock requiring blasting and disposal upto 25m & dressing : Grade III	1000 Cft	18,693.00	20,307.75	m3	660.14	717.16		
03-12-d	Excavation in hard rock requiring blasting and disposal upto 25m & dressing : Grade IV	1000 Cft	20,925.00	22,801.75	m3	738.96	805.24		
03-12-e	Excavation in hard rock requiring blasting and disposal upto 25m & dressing : Grade V	1000 Cft	23,250.00	25,389.50	m3	821.07	896.62		
03-12-f	Excavation in hard rock requiring blasting and disposal upto 25m & dressing : Grade VI	1000 Cft	25,048.00	27,446.00	m3	884.56	969.25		
03-13-a	Excavation in hard rock requiring blasting but blasting prohibited, dispose & dress within 25 m : Grade I	1000 Cft	28,148.00	28,375.00	m3	994.04	1,002.05		a) Tools and plants required shall be the liabilities of the contractor.
03-13-b	Excavation in hard rock requiring blasting where blasting prohibited, dispose & dress within 25 m : Grade II	1000 Cft	30,876.00	31,125.00	m3	1,090.38	1,099.17		b) Reduce the rate by 8 % if the excavated section is not dressed or levelled to design section.
03-13-c	Excavation in hard rock requiring blasting where blasting prohibited, dispose & dress within 25 m: Grade III	1000 Cft	37,386.00	37,687.50	m3	1,320.28	1,330.92		
03-13-d	Excavation in hard rock requiring blasting where blasting prohibited, dispose & dress within 25 m: Grade IV	1000 Cft	41,850.00	42,187.50	m3	1,477.92	1,489.84		
03-13-e	Excavation in hard rock requiring blasting where blasting prohibited, dispose & dress within 25 m: Grade V	1000 Cft	46,500.00	46,875.00	m3	1,642.13	1,655.38		
03-13-f	Excavation in hard rock requiring blasting where blasting prohibited, dispose & dress within 25 m: Grade VI	1000 Cft	50,096.00	50,500.00	m3	1,769.13	1,783.39		
03-14-a	Rehandling of earthwork Lead upto a single throw of kassi, shovel, phaorah	1000 Cft	1,550.00	1,562.50	m3	54.74	55.18		
03-14-b	Rehandling of earthwork upto a lead of 25 m.	1000 Cft	2,170.00	2,187.50	m3	76.63	77.25		
03-15	Rehandling of gravel work or excavated rock, lead upto 25m.	1000 Cft	6,200.00	6,250.00	m3	218.95	220.72		
03-16-a	Filling, watering and ramming earth under floor with surplus earth from foundation, etc	1000 Cft	3,224.00	3,250.00	m3	113.85	114.77		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-16-b	Filling, watering and ramming earth under floor with earth excavated from outside lead upto 50m	1000 Cft	6,634.00	6,687.50	m3	234.28	236.17		
03-17-a	Extra for every 25 m extra lead or part thereof for earthwork soft, ordinary, hard & very hard	1000 Cft	186.00	187.50	m3	6.57	6.62		This rate shall be applicable upto 250m total distance, including the lead covered in the item of earth work.
03-17-b	Extra for every 25 m extra lead or part thereof for gravel, shingle or rock.	1000 Cft	248.00	250.00	m3	8.76	8.83		
03-18-a	Transportation of earth all types beyond 250 m and upto 500 m.	1000 Cft	4,402.00	4,437.50	m3	155.46	156.71		This rate will be paid in addition to the rate of earth work, without deducting the lead covered in the item of earth work
03-18-b	Transportation of earth all types for every 100m extra lead beyond 500m upto 1.5 km.	1000 Cft	682.00	687.50	m3	24.08	24.28		
03-18-c	Transportation of earth all types for every 500m extra lead beyond 1.5 km. upto 8 km.	1000 Cft	620.00	625.00	m3	21.90	22.07		
03-18-d	Transportation of earth all types for every 1 km extra lead or part thereof beyond 8 km.	1000 Cft	434.00	437.50	m3	15.33	15.45		
03-19-a	Dressing & levelling earth to designed sections Ashes, sand, silt or soft soil upto cut or fill 6 inches	1000 Cft	223.20	225.00	m3	7.88	7.95		
03-19-b	Dressing & levelling earth to designed sections Ordinary or hard soil upto cut or fill 6 inches	1000 Cft	446.40	450.00	m3	15.76	15.89		
03-19-c	Dressing & levelling earth to designed section Gravel work or soft rock not requiring blasting upto cut or fill 6 inches	1000 Cft	1,178.00	1,187.50	m3	41.60	41.94		
03-20	Dowel dressing	1 Chain	248.00	250.00	m	8.14	8.20		This rate is in addition to pavement for dressed earth work
03-21	Dressing slopes of banks or ground surface	1000 Sft	930.00	937.50	m2	10.01	10.09		a) To be paid only when exclusively dressing is done and no earth work is carried out in embankment or cutting.



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-22	Dressing of earthwork (done by machinery or otherwise & left undressed) to designed section	1000 Sft	1,004.40	1,012.50	m2	10.81	10.89		b) The surface area dressed is to be taken for measurement (ii) The item is applicable where the dressing is done by the contractor other than the one who executed the work
03-23-a	Excavation in foundation of building, bridges etc complete : in sand, ashes or loose soil	1000 Cft	5,704.00	5,750.00	m3	201.44	203.06		
03-23-b	Excavation in foundation of building, bridges etc complete : in ordinary soil	1000 Cft	6,696.00	6,750.00	m3	236.47	238.37		
03-23-c	Excavation in foundation of building, bridges etc complete : in hard soil or soft murum	1000 Cft	7,502.00	7,562.50	m3	264.93	267.07		
03-23-d	Excavation in foundation of building, bridges etc complete : in shingle/gravel	1000 Cft	8,531.20	8,600.00	m3	301.28	303.71		
03-24	Cutting hard rock such as granite, ballast, hard lime etc with chisels/hammers for small foundation	1000 Cft	46,872.00	63,176.81	m3	1,655.27	2,231.07		Tools and plants required shall be the liability of the contractors.
03-25	Extra for excavation requiring shoring	1000 Cft	868.00	1,128.76	m3	30.65	39.86		Composite rate includes material, i.e plank, etc
03-26-a	Mixing & moistening of earthwork to OMC in layers for compaction etc complete	1000 Cft	607.60	612.50	m3	21.46	21.63		The rate does not include hire charges of the Roller to be supplied by the Department or through other agencies.
03-26-b-01	Compaction by rolling with animal driven roller or hand rammed : Soft or sandy soil	1000 Cft	1,302.00	1,312.50	m3	45.98	46.35		
03-26-b-02	Compaction by rolling with animal driven roller or hand rammed : Ordinary soil	1000 Cft	1,550.00	1,562.50	m3	54.74	55.18		
03-26-b-03	Compaction by rolling with animal driven roller or hand rammed : Hard soil	1000 Cft	2,208.44	2,226.25	m3	77.99	78.62		
03-26-b-04	Compaction by rolling with animal driven roller or hand rammed : Admixture of shingle	1000 Cft	3,857.64	3,888.75	m3	136.23	137.33		
03-26-c	Ramming earthwork (all types of soil)	1000 Cft	930.00	937.50	m3	32.84	33.11		
03-26-d	Ramming earthwork behind retaining wall	1000 Cft	1,240.00	1,250.00	m3	43.79	44.14		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-27-a	Compaction of earth with power road roller 95% to 100% max. mod. AASHTO dry density	1000 Cft	2,852.00	6,535.00	m3	100.72	230.78		The rate also include hire charges of machinery, cost of fuel, lubricant, pay of driver and cleaner etc
03-27-b	Compaction of earth with power road roller 90% max. mod. AASHTO dry density	1000 Cft	2,139.00	5,209.91	m3	75.54	183.99		
03-27-c	Compaction of earth with power road roller 85% max. mod. AASHTO dry density	1000 Cft	1,798.00	4,252.50	m3	63.50	150.18		
03-28	Extra for wet earthwork	1000 Cft	2,170.00	2,187.50	m3	76.63	77.25		That will support a man's weight.
03-29	Extra for slush or daldal including dewatering	1000 Cft	4,960.00	5,610.00	m3	175.16	198.12		That will not support a man's weight
03-30	Extra for puddling.	1000 Cft	3,875.00	3,906.25	m3	136.84	137.95		
03-31	Earthwork on small rain water drains, along canal banks, roads, drains, etc complete	Rft	6.20	6.25	m	20.34	20.51		
03-32	Filling and Compacting Soil, Earth and Boulders behind retaining walls (Available material)	1000 Cft	5,580.00	5,625.00	m3	197.06	198.65		
03-33	Dag belling 75 mm deep.	2500 Rft	1,041.60	1,050.00	km	1,364.50	1,375.50		Dag belling for layout of borrow pit, to be done by contractor at their own cost.
03-34	Turfing slopes of banks or lawns with grass sods including ploughing, laying, setting & watering	1000 Sft	2,480.00	2,500.00	m2	26.68	26.90		
03-35-a	Berm cutting : Lead upto single throw of phaorah or shovel, without dressing	1000 Cft	2,790.00	2,812.50	m3	98.53	99.32		
03-35-b	Berm cutting : Upto 25 m lead (including dressing)	1000 Cft	4,340.00	4,375.00	m3	153.27	154.50		
03-36-a	Berm trimming both sides of channels Upto 1 m depth	Mile	8,928.00	9,000.00	km	5,547.86	5,592.60		
03-36-b	Berm trimming both sides of channels Over 1m to 1.5m depth	Mile	11,842.00	11,937.50	km	7,358.62	7,417.96		
03-36-c	Berm trimming both sides of channels Over 1.5m to 2.5m depth	Mile	18,786.00	18,937.50	km	11,673.62	11,767.76		
03-37-a	Ploughing and levelling borrow pits Upto 1m depth	Acre	3,224.00	3,250.00	ha	7,966.50	8,030.75		Area ploughed to be measured
03-37-b	Ploughing and levelling borrow pits Exceeding 1m depth	Acre	4,950.08	4,990.00	ha	12,231.65	12,330.29		
03-38-a-01	Making boundary or service roads complete in unploughed land : From 3 m to 6 m wide	Chain	992.00	1,000.00	50 m	1,626.88	1,640.00		
03-38-a-02	Making boundary or service roads complete in unploughed land : Over 6 m to 12 m wide	Chain	1,364.00	1,375.00	50 m	2,236.96	2,255.00		
03-38-b-01	Making boundary or service roads complete in ploughed land : From 3 m to 6m wide	Chain	1,151.96	1,161.25	50 m	1,889.21	1,904.45		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-38-b-02	Making boundary or service roads complete in ploughed land : Over 6 m to 12 m wide	Chain	1,664.08	1,677.50	50 m	2,729.09	2,751.10		
03-39-a	Earthwork by boats, Digging and loading into boats, upto 25m lead	1000 Cft	4,650.00	4,687.50	m3	164.21	165.54		For ordinary soil
03-39-b	Earthwork by boats, including hire of boats Carriage by boats upto 250m.	1000 Cft	9,300.00	9,375.00	m3	328.43	331.08		
03-39-c	Earthwork by boats, including hiring of boats Extra for every additional 50m beyond 250m	1000 Cft	620.00	625.00	m3	21.90	22.07		
03-39-d	Earthwork by boats, Unloading earth from boats	1000 Cft	2,170.00	2,187.50	m3	76.63	77.25		
03-40	Unloading earth from BG trucks and clearing 1.5m from rail	1000 Cft	1,860.00	1,875.00	m3	65.69	66.22		
03-41	Earthwork by tramway, digging and loading in trucks, upto 25m lead	1000 Cft	4,340.00	4,375.00	m3	153.27	154.50		
03-42	Unloading earth from BG trucks and spreading upto 5m from rail	1000 Cft	2,790.00	2,812.50	m3	98.53	99.32		
03-43	Supplying clean and screened river or pit sand within 150m including removal of loose earth or overburden.	1000 Cft	22,320.00	22,500.00	m3	788.22	794.58		The rate include a) Removal of top crust of earth overburden. b) Royalty to the government or cost to the private owner
03-44-a	Excavation in open cut for sewers & manhole except shingle, gravel & rock : Upto 2m	1000 Cft	5,580.00	5,625.00	m3	197.06	198.65		a) The rate does not include back filling after laying of sewer, which is payable separately b) If the timbering and shutting is not actually done at site, the composite rate may be reduced by 5 %
03-44-b	Excavation in open cut for sewers & manholes except shingle, gravel & rock : 2m to 5m	1000 Cft	7,440.00	7,500.00	m3	262.74	264.86		
03-44-c	Excavation in open cut for sewers & manholes except shingle, gravel & rock : Below 5m depth	1000 Cft	9,920.00	10,000.00	m3	350.32	353.15		
03-45-a	Trench Excavation in open cutting below water level for sewers & manholes : Upto 1.25m depth	1000 Cft	7,936.00	11,854.59	m3	280.26	418.64		The rate does not include back filling after laying of sewer, which is payable separately.
03-45-b	Trench Excavation in open cutting below water level for sewers & manholes : 1.25m to 2.5m depth	1000 Cft	9,920.00	15,483.90	m3	350.32	546.81		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-45-c	Trench Excavation in open cutting below water level for sewers & manholes : Exceeding 2.5m depth	1000 Cft	14,384.00	24,857.80	m3	507.97	877.85		
03-46	Excavation of trench in all kinds of soils except cutting in rock for pilelines upto 1.5m depth	1000 Cft	4,650.00	4,687.50	m3	164.21	165.54		
03-48-a	Uprooting stump and removing within 50 m upto 2 m girth	Each	1,550.00	1,562.50	Each	1,550.00	1,562.50		
03-48-b	Uprooting stump and removing within 50 m above 2 m girth	Each	2,170.00	2,431.50	Each	2,170.00	2,431.50		
03-48-c	Uprooting stump and removing within 50 m upto 2 m girth including sand filling and tranches	Each	1,550.00	2,469.98	Each	1,550.00	2,469.99		
03-48-d	Uprooting stump and removing within 50 m above 2 m girth including sand filling and tranches	Each	2,170.00	3,853.48	Each	2,170.00	3,853.48		
03-49-a	Jungle clearance and removing within 50m Light Jungle	Decare	3,335.60	3,362.50	Decare	3,335.60	3,362.50		
03-49-b	Jungle clearance and removing within 50m Thick Jungle	Decare	6,671.20	6,725.00	Decare	6,671.20	6,725.00		
03-50	Uprooting sarkanda growth & disposal within 50m	1000 Sft	806.00	812.50	m2	8.67	8.74		
03-51	Ploughing 3 times	ha	8,575.84	8,645.00	ha	8,575.84	8,645.00		
03-52	Levelling, dressing and making lawns	1000 Sft	6,820.00	6,875.00	m2	73.38	73.97		
03-53	Turfing of lawn with Dacca Grass	1000 Sft	6,820.00	19,075.00	m2	73.38	205.25		
03-54	Excavation and Clearance of shingle, gravel including sand, soft soil and silt deposits in channel bed upto 25m	1000 Cft	11,780.00	11,875.00	m3	416.01	419.36		
03-55-a	Clearance of choked up syphon including dewatering upto 1.25m dia	100 Ft	31,000.00	31,250.00	m	1,017.06	1,025.26		
03-55-b	Clearance of choked up syphon including dewatering Exceeding 1.25m dia	100 Ft	55,800.00	56,250.00	m	1,830.71	1,845.47		
03-56	Clearing & Grubbing	1000 Sft	535.68	2,512.98	m2	5.76	27.04		
03-57-a	Removal of Tree : Girth 150mm - 300mm including removal of stump & backfilling with sand	No	41.54	511.48	No	41.54	511.48		
03-57-b	Removal of Tree : Girth 300mm - 600mm including removal of stump & backfilling with sand	No	83.08	1,022.95	No	83.08	1,022.96		
03-57-c	Removal of Tree : Girth over 600mm including removal of stump & backfilling with sand	No	249.24	2,500.39	No	249.24	2,500.39		
03-58	Compaction of Natural Ground	1000 Sft	478.02	1,545.04	m2	5.14	16.62		
03-59-a	Roadway Excavation in Surplus / Unsuitable Common Material	1000 Cft	350.92	10,302.85	m3	12.39	363.84		
03-59-b	Roadway Excavation in Surplus / Unsuitable Rock (Hard) Material requiring blasting.	1000 Cft	6,952.31	21,446.83	m3	245.52	757.39		
03-59-c	Roadway Excavation in Surplus / Unsuitable Rock (Medium) Material requiring blasting	1000 Cft	3,951.51	17,689.83	m3	139.55	624.71		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-60-a	Structural Excavation in Common Material	1000 Cft	5,793.28	10,158.80	m3	204.59	358.75		
03-60-b	Structural Excavation in Rock Material requiring blasting	1000 Cft	27,949.48	49,353.34	m3	987.03	1,742.90		
03-60-c	Structural backfill using Common Material available at site.	1000 Cft	8,777.96	13,978.61	m3	309.99	493.65		
03-60-d	Structural Backfill using Granular Material brought from outside	1000 Cft	2,194.80	39,062.36	m3	77.51	1,379.48		
03-61-a	Formation of Embankment from Roadway Excavation in Common Material including compaction by power roller.	1000 Cft	350.92	10,681.66	m3	12.39	377.22		
03-61-b	Formation of Embankment from Roadway Excavation in Rock Material requiring blasting and compaction of embankment by power roller.	1000 Cft	6,952.31	24,312.73	m3	245.52	858.60		
03-61-c	Formation of Embankment from Borrow Excavation in Common Material including compaction by power roller.	1000 Cft	351.54	23,466.85	m3	12.41	828.72		
03-61-d	Formation of Embankment from Roadway Excavation in granular Material including compaction by power roller.	1000 Cft	620.00	10,952.91	m3	21.90	386.80		
03-62-a	Subgrade Preparation in Earth Cut	1000 Sft	478.02	2,675.13	m2	5.14	28.78		
03-62-b	Subgrade Preparation in Rock Cut	1000 Sft	1,434.68	7,682.58	m2	15.44	82.66		
03-62-c	Subgrade Preparation on Existing Road	1000 Sft	956.04	4,372.13	m2	10.29	47.04		
03-63-a	Earthwork by mechanical means in drains and irrigation channels in DRY soil dressed to designed section, grades profile/with excavated material, disposed off within 50 feet (15.2 m) lead and dressed as directed.	1000 Cft	155.00	2,410.81	m3	5.47	85.14		
03-63-b	Earthwork by mechanical means in drains and irrigation channels in DRY & WET soil dressed to designed section, grades profile/with excavated material, disposed off within 50 feet (15.2 m) lead and dressed as directed.	1000 Cft	155.00	2,579.90	m3	5.47	91.11		
03-63-c	Earthwork by mechanical means in drains and irrigation channels in WET & SLUSH soil dressed to designed section, grades profile/with excavated material, disposed off within 50 feet (15.2 m) lead and dressed as directed.	1000 Cft	229.40	3,064.48	m3	8.10	108.22		
03-63-d	Earthwork by mechanical means in drains and irrigation channels in SLUSH soil dressed to designed section, grades profile/with excavated material, disposed off within 50 feet (15.2 m) lead and dressed as directed.	1000 Cft	229.40	3,489.43	m3	8.10	123.23		
03-63-e	Earthwork by mechanical means in drains and irrigation channels in DRY & WET to that of SLUSH (1:2) soil dressed to designed section, grades profile/with excavated material, disposed off within 50 feet (15.2 m) lead and dressed as directed.	1000 Cft	310.00	3,358.21	m3	10.95	118.59		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-63-f	Earthwork by mechanical means in drains and irrigation channels in BORROW AREA soil dressed to designed section, grades profile/with excavated material, disposed off within 50 feet (15.2 m) lead and dressed as directed.	1000 Cft	155.00	2,784.52	m3	5.47	98.33		
03-63-g	Earthwork by mechanical means in drains and irrigation channels in UNDER WATER soil dressed to designed section, grades profile/with excavated material, disposed off within 50 feet (15.2 m) lead and dressed as directed.	1000 Cft	620.00	4,734.45	m3	21.90	167.20		
03-64	Provide, place and compact impervious clay core in dam embankment of specified grading, permeability i/c leveling dressing and haulage obtaining 95% modified ASHTO dry density	100 Cft	0.00	1,009.67	m3	0.00	356.56		
03-65	Provide , Place & compact shoulder material (sandy / silty gravel) in Dam Embankment, of specified grading, leveling / dressing i/c haulage for obtaining of 95% modified ASHTO dry density.	100 Cft	0.00	948.67	m3	0.00	335.02		
03-66	Provide , Place & compact Fine Filter in chimney drain vertical / horizontol on downstream of clay core	100 Cft	620.00	4,085.64	m3	218.95	1,442.83		
03-67	Provide , Place & compact Coarse Filter (well graded gravel) in chimney drain vertical / horizontol on downstream of fine filter i/c leveling, moistening etc	100 Cft	1,705.00	2,740.55	m3	602.12	967.82		
03-68	Excavation for core trench of Dam Embankment/Spillway/Intake & Outlet Structure and Irrigation System upto a minimum depth of 35 ft in common soil including removing of excavated material by machinery in 1 KM radius	100 Cft	0.00	688.12	m3	0.00	243.01		
03-68-a	Excavation for core trench of Dam Embankment/Spillway/Intake & Outlet Structure and Irrigation System upto a minimum depth of 35 ft in shingle gravel including removing of excavated material by machinery in 1 KM radius	100 Cft	0.00	717.48	m3	0.00	253.38		
03-68-b	Excavation for core trench of Dam Embankment/Spillway/Intake & Outlet Structure and Irrigation System upto design depth in Soft Rock/Shale requiring 20% blasting i/c removing of material from outside of the structure area.	100 Cft	0.00	990.09	m3	0.00	349.65		
03-68-c	Excavation for core trench of Dam Embankment/Spillway/Intake & Outlet Structure and Irrigation System upto design depth in Medium Hard Rock requiring 50% blasting i/c removing of material from outside of the structure area.	100 Cft	0.00	1,173.09	m3	0.00	414.27		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 03 EARTHWORK (EXCAVATION AND EMBANKMENT)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
03-68-d	Excavation for core trench of Dam Embankment/Spillway/Intake & Outlet Structure and Irrigation System upto design depth in Hard Rock requiring 75% blasting i/c removing of material from outside of the structure area.	100 Cft	0.00	1,356.09	m3	0.00	478.90		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 04 DISMANTLING (DEMOLITION)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
04-01	Dismantling dry stone masonry	100 Cft	527.00	531.25	m3	186.11	187.61		
04-02	Dismantling stone masonry in mud mortar	100 Cft	775.00	781.25	m3	273.69	275.90		
04-03	Dismantling stone masonry in lime or cement mortar	100 Cft	1,860.00	1,875.00	m3	656.85	662.15		Add extra 13%, 32% and 51% on labour rates only for 2nd, 3rd, 4th and subsequent floors respectively.
04-04-a	Dismantling dry stone or spawl pitching	100 Cft	930.00	937.50	m3	328.43	331.08		
04-04-b	Dismantling stone or spawl pitching (mud grouted)	100 Cft	1,240.00	1,250.00	m3	437.90	441.43		
04-05	Dismantling stone or spawl pitching and apron in silted condition	100 Cft	1,550.00	1,562.50	m3	547.38	551.79		
04-06	Dismantling stone pitching, cement or lime grouted	100 Cft	1,860.00	1,875.00	m3	656.85	662.15		
04-07-a	Dismantling stone in Wooden crates	100 Cft	1,240.00	1,250.00	m3	437.90	441.43		
04-07-b	Dismantling stone in Wire crates	100 Cft	1,550.00	1,562.50	m3	547.38	551.79		
04-08	Dismantling stone ware drain including base concrete	100 Cft	1,116.00	1,125.00	m3	394.11	397.29		
04-09	Dismantling mud/pise walling	100 Cft	310.00	312.50	m3	109.48	110.36		
04-10	Dismantling sun dried brick masonry	100 Cft	775.00	781.25	m3	273.69	275.90		
04-11	Dismantling dry brick masonry	100 Cft	527.00	531.25	m3	186.11	187.61		
04-12	Dismantling brick work in mud mortar	100 Cft	1,085.00	1,093.75	m3	383.16	386.25		Add extra 13%, 32% and 51% on labour rates only for 2nd, 3rd, 4th and subsequent floors respectively against item No 04-12, 04-13, 04-14 and 04-15
04-13	Dismantling brick work in lime or cement mortar	100 Cft	2,635.00	2,656.25	m3	930.54	938.05		
04-14	Dismantling cement block masonry	100 Cft	2,325.00	2,343.75	m3	821.07	827.69		
04-15	Dismantling Dhajji walling	100 Cft	620.00	625.00	m3	218.95	220.72		
04-16	Dismantling mud concrete	100 Cft	1,240.00	1,250.00	m3	437.90	441.43		
04-17	Dismantling lime concrete	100 Cft	1,705.00	1,718.75	m3	602.12	606.97		Add extra 13%, 32% and 51% on labour rates only for 2nd, 3rd, 4th and subsequent floors respectively against item No 04-17, 04-19, and 04-20
04-18	Dismantling lime or cement concrete, under water	100 Cft	6,510.00	6,562.50	m3	2,298.99	2,317.53		
04-19-a	Dismantling : Plain Cement Concrete 1:4:8	100 Cft	3,410.00	3,437.50	m3	1,204.23	1,213.94		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 04 DISMANTLING (DEMOLITION)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
04-19-b	Dismantling : Plain Cement Concrete 1:3:6	100 Cft	5,580.00	5,625.00	m3	1,970.56	1,986.45		
04-19-c	Dismantling : Plain Cement Concrete 1:2:4	100 Cft	6,820.00	6,875.00	m3	2,408.46	2,427.89		
04-19-d	Dismantling : Cement Concrete with brick aggregate	100 Cft	1,860.00	1,875.00	m3	656.85	662.15		
04-19-e	Dismantling : DPC of cement concrete 1.5" thick and clearing the site	100 Sft	842.58	849.38	m2	90.66	91.39		
04-20	Dismantling RCC, separating reinforcement, cleaning & straightening the same	100 Cft	11,160.00	11,250.00	m3	3,941.12	3,972.90		
04-21	Dismantling sirki sarkanda or thatched roofing supported on battens or ballies	100 Sft	372.00	375.00	m2	40.03	40.35		
04-22-a	Dismantling 1st class tile roofing	100 Sft	930.00	937.50	m2	100.07	100.88		Add extra 13%, 32% and 51% on labour rates only for 2nd, 3rd, 4th and subsequent floors respectively against item No 04-22-a, 04-22-b, 04-26, 04-27 and 04-30
04-22-b	Dismantling 2nd class tile roofing	100 Sft	766.32	772.50	m2	82.46	83.12		
04-23	Dismantling from any height, asbestos sheets & ridge coping	100 Sft	496.00	500.00	m2	53.37	53.80		
04-24	Dismantling roof of wooden planks & battens from any height	100 Sft	446.40	450.00	m2	48.03	48.42		
04-25	Dismantling wooden ceiling above 20' height in difficult position including lifting along live wire	100 Sft	1,701.28	1,715.00	m2	183.06	184.53		
04-26	Dismantling jack arch roofing, including removing joists	100 Sft	1,240.00	1,250.00	m2	133.42	134.50		
04-27	Dismantling RB roof complete with mud and mud plaster including reinforcement complete	100 Sft	1,550.00	1,562.50	m2	166.78	168.13		
04-28-a	Stripping and stacking: Slate or tiles from the truss roofing	100 Sft	621.98	627.00	m2	66.93	67.47		
04-28-b	Stripping and stacking: GI sheet roofing	100 Sft	709.28	715.00	m2	76.32	76.93		
04-29	Extra for dismantling CI sheet roof above 20 ft. in difficult position including lifting along live wire	100 Sft	1,271.00	1,281.25	m2	136.76	137.86		
04-30	Dismantling slates or tiles including battens, purlins and planking	100 Sft	1,240.00	1,250.00	m2	133.42	134.50		
04-31	Dismantling brick or flagged flooring without concrete foundation	100 Sft	527.00	531.25	m2	56.71	57.16		Add extra 13%, 32% and 51% on labour rates only for 2nd, 3rd, 4th and subsequent floors respectively against item No 04-31 and 04-32



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 04 DISMANTLING (DEMOLITION)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
04-32	Dismantling plank or wooden block flooring etc	100 Sft	775.00	781.25	m2	83.39	84.06		
04-33-a	Disjointing RCC pipes inside trench & removing pipes & stacking outside : 6" to 12" diameter	100 Rft	7,750.00	7,812.50	m	254.27	256.32		a) The rate does not include the cost of excavation and refilling of trench, or the demolition of any masonry or brick work.
04-33-b	Disjointing RCC pipes inside trench & removing pipes & stacking outside : 13" to 24" diameter	100 Rft	10,850.00	10,937.50	m	355.97	358.84		b) Bends, elbows, sluice valves, etc should not be paid for extra if fixed in the length of pipe line that is being dismantled.
04-33-c	Disjointing RCC pipes inside trench & removing pipes & stacking outside : 25" to 36" diameter	100 Rft	13,950.00	14,062.50	m	457.68	461.37		
04-33-d	Disjointing RCC pipes inside trench & removing pipes & stacking outside : Over 36" diameter	100 Rft	18,600.00	18,750.00	m	610.24	615.16		
04-34	Removing door with chowkat	Each	310.00	312.50	Each	310.00	312.50		Add extra 13%, 32% and 51% on labour rates only for 2nd, 3rd, 4th and subsequent floors respectively against item No 04-34 to 04-37
04-35	Removing windows and sky lights with chowkat	Each	223.20	225.00	Each	223.20	225.00		
04-36	Removing ventilators and wooden sunshades	Each	111.60	112.50	Each	111.60	112.50		
04-37-a	Dismantling: Wooden beams up to 12' in length	Each	155.00	156.25	Each	155.00	156.25		
04-37-b	Dismantling: Wooden beams from 12.1' to 23' length	Each	310.00	312.50	Each	310.00	312.50		
04-37-c	Dismantling: Wooden partition Jaffry Work etc	600 Sft	2,149.04	2,166.38	m2	38.54	38.85		
04-37-d	Dismantling: Wooden trusses	5 Cwt	2,759.00	2,781.25	100 Kg	1,076.01	1,084.69		
04-37-e	Dismantling: Wooden palisade fencing	50 Rft	1,612.00	1,625.00	m	105.77	106.63		
04-38	Dismantling iron work of trusses, sheds, water tanks, etc excluding cutting of rivets	5 Cwt	2,976.00	3,000.00	100 Kg	1,160.64	1,170.00		Add extra 13%, 32% and 51% on labour rates only for 2nd, 3rd, 4th and subsequent floors respectively against item No 04-38 and 04-39
04-39	Dismantling rolled steel beams or iron rails etc.	12 Cwt	3,100.00	3,125.00	100 Kg	508.40	512.50		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 04 DISMANTLING (DEMOLITION)

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
04-40	Dismantling iron latrine	Each	992.00	1,000.00	Each	992.00	1,000.00		
04-41	Dismantling tees, bends or sluice valves upto 12" i/d	Each/25mm	13.64	13.75	Ea/25mm D	13.64	13.75		
04-42-a	Dismantling water column : BG	Each	8,432.00	8,500.00	Each	8,432.00	8,500.00		
04-42-b	Dismantling water column : MG or NG	Each	5,704.00	5,750.00	Each	5,704.00	5,750.00		
04-43	Dismantling all type of wire fencing, including rolling wire into bundles and collecting material	230 Rft	1,240.00	1,250.00	m	17.69	17.83		
04-44	Dismantling wire netting of tennis courts and frame work	100 Sft	248.00	250.00	m2	26.68	26.90		
04-45	Dismantling cloth ceiling and supporting timber	100 Sft	465.00	468.75	m2	50.03	50.44		
04-46	Dismantling and removing road metalling	100 Cft	1,240.00	1,250.00	m3	437.90	441.43		
04-47	Dismantling & removing road pavement etc including screening & stacking of by-products upto 50m.	100 Sft	8,134.40	8,200.00	m2	875.26	882.32		
04-48-a	Removing from walls: Mud plaster	500 Sft	620.00	625.00	m2	13.34	13.45		Add extra 13%, 32% and 51% on labour rates only for 2nd, 3rd, 4th and subsequent floors respectively against item No 04-46 to 04-49
04-48-b	Removing from walls: Cement or lime plaster	250 Sft	620.00	625.00	m2	26.68	26.90		
04-49-a	Scraping : White wash or colour wash	100 Sft	155.00	156.25	m2	16.68	16.81		
04-49-b	Scraping : Ordinary distemper, oil bound distemper or paint off wall	100 Sft	465.00	468.75	m2	50.03	50.44		
04-50	Dismantling glazed or accoustics tiles etc	100 Sft	1,736.00	1,750.00	m2	186.79	188.30		
04-51	Scraping boulders.	100 Cft	2,107.38	2,124.38	m3	744.21	750.22		
04-52	Cleaning mortar of old stones to be used in masonry	100 Cft	2,170.00	2,187.50	m3	766.33	772.51		
04-53	Dismantling light, fan and call bell point including casing, capping/strip open type complete	Point	48.36	48.75	Point	48.36	48.75		
04-54	Dismantling plug point & making good damaged surface (building portion)	Point	40.92	41.25	Point	40.92	41.25		
04-55-a	Dismantle GI/MS conduit/GI flexible/PVC pipes or conduit wiring of all sizes : On surface	Rft	9.53	9.60	m	31.26	31.51		
04-55-b	Dismantle GI/MS conduit/GI flexible/PVC pipes or conduit wiring of all sizes : Recessed in wall	Rft	15.88	16.01	m	52.09	52.51		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 05 MORTAR

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
05-01	Lime Sand Mortar 1 : 2 (one Lime: 2 Sand)	100 Cft	2,015.00	13,484.02	m3	711.59	4,761.84		
05-02	Lime Sand Mortar 1 : 3 (one Lime: 3 Sand)	100 Cft	2,015.00	11,603.76	m3	711.59	4,097.83		
05-03	Lime Surkhi Mortar 1 : 1-1/2 (one Lime: 1-1/2 Surkhi)	100 Cft	2,015.00	11,282.11	m3	711.59	3,984.24		
05-04	Lime Surkhi Mortar 1 : 2 (one Lime: 2 Surkhi)	100 Cft	2,015.00	9,791.01	m3	711.59	3,457.67		
05-05	Lime Surkhi Mortar 1 : 3 (one Lime: 3 Surkhi)	100 Cft	2,015.00	7,925.85	m3	711.59	2,798.99		
05-06	Lime Sand And Surkhi Mortar 1 : 1 : 1 (one Lime: 1 Sand And : 1 Surkhi)	100 Cft	2,015.00	10,708.76	m3	711.59	3,781.77		
05-07	Lime Sand And Surkhi Mortar 1 : 2 : 1 (one Lime: 2 Sand And : 1 Surkhi)	100 Cft	2,015.00	9,310.81	m3	711.59	3,288.09		
05-08	Lime, Cement And Sand Mortar 1 : 1 : 3 (one Lime: One Cement And : 3 Sand)	100 Cft	2,015.00	23,401.97	m3	711.59	8,264.34		
05-09	Lime, Cement And Sand Mortar 1 : 1 : 4 (one Lime: One Cement And : 4 Sand)	100 Cft	2,015.00	20,453.13	m3	711.59	7,222.96		
05-10	Lime, Cement And Sand Mortar 1 : 1 : 5 (one Lime: One Cement And : 5 Sand)	100 Cft	2,015.00	18,361.04	m3	711.59	6,484.15		
05-11	Lime, Cement And Sand Mortar 1 : 1 : 6 (one Lime: One Cement And : 6 Sand)	100 Cft	2,015.00	16,796.23	m3	711.59	5,931.54		
05-12	Lime, Cement And Sand Mortar 1 : 1 : 7 (one Lime: One Cement And : 7 sand)	100 Cft	2,015.00	15,658.37	m3	711.59	5,529.71		
05-13	Lime, Cement And Sand Mortar 1 : 1 : 8 (one Lime: One Cement And : 8 Sand)	100 Cft	2,015.00	14,413.17	m3	711.59	5,089.97		
05-14	Lime, Cement And Sand Mortar 1 : 1 : 9 (one Lime: One Cement And : 9 Sand)	100 Cft	2,015.00	13,828.39	m3	711.59	4,883.45		
05-15	Lime, Cement And Sand Mortar 1 : 1 : 10 (one Lime: One Cement And : 10 Sand)	100 Cft	2,015.00	13,222.77	m3	711.59	4,669.58		
05-16	Cement, Lime And Sand Mortar 1 : 2 : 6 (one Cement: 2 Lime And : 6 Sand)	100 Cft	2,015.00	16,354.52	m3	711.59	5,775.55		
05-17	Cement, Lime And Sand Mortar 1 : 2 : 9 (one Cement: 2 Lime And : 9 Sand)	100 Cft	2,015.00	14,642.79	m3	711.59	5,171.06		
05-18	Cement Sand Mortar 1 : 1 (one Cement: One Sand)	100 Cft	1,612.00	38,353.10	m3	569.27	13,544.28		
05-19	Cement Sand Mortar 1 : 1-1/2 (one Cement: 1-1/2 Sand)	100 Cft	1,612.00	32,142.05	m3	569.27	11,350.87		
05-20	Cement Sand Mortar 1 : 2 (one Cement: 2 Sand)	100 Cft	1,612.00	28,169.11	m3	569.27	9,947.84		
05-21	Cement Sand Mortar 1 : 2-1/2 (one Cement: 2-1/2 Sand)	100 Cft	1,612.00	24,750.16	m3	569.27	8,740.44		
05-22	Cement Sand Mortar 1 : 3 (one Cement: 3 Sand)	100 Cft	1,612.00	21,966.48	m3	569.27	7,757.40		
05-23	Cement Sand Mortar 1 : 4 (one Cement: 4 Sand)	100 Cft	1,612.00	18,455.24	m3	569.27	6,517.41		
05-24	Cement Sand Mortar 1 : 5 (one Cement: 5 Sand)	100 Cft	1,612.00	16,481.86	m3	569.27	5,820.52		
05-25	Cement Sand Mortar 1 : 6 (one Cement: 6 Sand)	100 Cft	1,612.00	14,727.62	m3	569.27	5,201.01		
05-26	Cement Sand Mortar 1 : 7 (one Cement: 7 Sand)	100 Cft	1,612.00	13,606.44	m3	569.27	4,805.07		
05-27	Cement Sand Mortar 1 : 8 (one Cement: 8 Sand)	100 Cft	1,612.00	12,638.98	m3	569.27	4,463.42		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 05 MORTAR

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
05-28	Clay Mortar.	100 Cft	2,759.00	2,842.25	m3	974.33	1,003.73		
05-29	Clay Mortar Mixed With Chipped Bhoosa Or Straw.	100 Cft	2,759.00	4,672.25	m3	974.33	1,649.99		
05-30	Clay Mortar Mixed With Cow-dung 1 : 1 (1 Clay: 1 Cow Dung).	200 Cft	2,914.00	21,908.50	m3	514.54	3,868.46		
05-31	White Cement And Sand Mortar 1 : 3 (1 White Cement 3 Sand)	100 Cft	1,612.00	29,419.34	m3	569.27	10,389.35		
05-32	Coloured Cement Mortar Made By Mixing White Cement And Pigment Of Approved Shade (1 White Cement Mixed With Pigment Of Approved Shade: 2 Sand)	100 Cft	1,612.00	106,557.13	m3	569.27	37,630.32		
05-33	White Cement And Sand Mortar 1 : 2 (1 White Cement 2 Sand)	100 Cft	1,612.00	38,391.50	m3	569.27	13,557.84		
05-34	Coloured Cement Mortar Made By Mixing Grey Cement And Pigment Of Approved Shade (1 Grey Cement Mixed With Pigment Of Approved Shade: 2 Sand)	100 Cft	1,612.00	106,557.13	m3	569.27	37,630.32		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 06 CONCRETE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
06-01	Mud concrete in foundation using brick ballast or stone ballast 1.5" gauge to 2" guage	100 Cft	2,780.08	5,193.70	m3	981.78	1,834.14		The stone ballast, crushed bajri, round shingle from nallah, or brick ballast may be used according to their comparative cheaper rates in various areas of the province.
06-02	Dry rammed shingle brick ballast or stone ballast 1.5" to 2" guage	100 Cft	1,860.00	3,565.92	m3	656.85	1,259.29		ditto
06-03-a	Cement Concrete (brick/stone ballast, 1.5" to 2"/nullah shingle well graded and cleaned) in foundation & plinth (Ratio 1:3:6)	100 Cft	3,689.00	14,732.76	m3	1,302.76	5,202.83		
06-03-b	Cement Concrete (brick/stone ballast, 1.5" to 2"/nullah shingle well graded and cleaned) in foundation & plinth (Ratio 1:4:8)	100 Cft	3,689.00	11,862.98	m3	1,302.76	4,189.38		
06-03-c	Cement Concrete (brick/stone ballast, 1.5" to 2"/nullah shingle well graded and cleaned) in foundation & plinth (Ratio 1:5:10)	100 Cft	3,689.00	11,176.37	m3	1,302.76	3,946.90		
06-03-d	Cement Concrete (brick/stone ballast, 1.5" to 2"/nullah shingle well graded and cleaned) in foundation & plinth (Ratio 1:6:12)	100 Cft	3,689.00	10,485.85	m3	1,302.76	3,703.05		
06-03-e	Cement Concrete (brick/stone ballast, 1.5" to 2"/nullah shingle well graded and cleaned) in foundation & plinth (Ratio 1:6:18)	100 Cft	3,689.00	9,422.49	m3	1,302.76	3,327.53		
06-03-f	Cement Concrete (brick/stone ballast, 1.5" to 2"/nullah shingle well graded and cleaned) in foundation & plinth (Ratio 1:7:20)	100 Cft	3,689.00	9,161.90	m3	1,302.76	3,235.50		
06-04-a	Extra on Item 3 above, for sedimentation tank or filter beds in PHE works (in bed)	100 Cft	1,860.00	1,875.00	m3	656.85	662.15		The stone ballast, crushed bajri, round shingle from nallah, or brick ballast may be used according to their comparative cheaper rates in various areas of the province.
06-04-b	Extra on Item 3 above, for sedimentation tank or filter beds in PHE works (On slope)	100 Cft	2,790.00	2,812.50	m3	985.28	993.23		
06-05-a	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:1:2)	100 Cft	3,351.72	27,647.97	m3	1,183.65	9,763.80		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 06 CONCRETE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
06-05-b	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:1.5:1.5)	100 Cft	3,351.72	27,474.73	m3	1,183.65	9,702.62		
06-05-c	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:1.5:3)	100 Cft	3,351.72	22,553.25	m3	1,183.65	7,964.61		
06-05-d	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:2:3)	100 Cft	3,351.72	21,719.99	m3	1,183.65	7,670.35		
06-05-e	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:3:3)	100 Cft	3,351.72	19,653.31	m3	1,183.65	6,940.51		
06-05-f	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:2:4)	100 Cft	3,351.72	19,814.35	m3	1,183.65	6,997.38		
06-05-g	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:2:6)	100 Cft	3,351.72	17,692.77	m3	1,183.65	6,248.15		
06-05-h	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:3:6)	100 Cft	3,351.72	17,254.79	m3	1,183.65	6,093.48		
06-05-i	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:4:8)	100 Cft	3,351.72	15,053.91	m3	1,183.65	5,316.24		
06-06-a-01	RCC in roof slab, beam, column & other structural members, insitu or precast. Type A (1:1:2)	100 Cft	6,795.20	32,526.12	m3	2,399.70	11,486.50	1) The rate include rendering floor surface smooth, and the plastering done for making up all surfaces after removing centering. 2) Plastering done after soffit of R.C.C roof slab meant for human habitaiton buildings shall be paid extra 3) This item shall not be applicable to factory made units.	
06-06-a-02	RCC in roof slab, beam, column & other structural members, insitu or precast. Type B (1:1.5:3)	100 Cft	6,795.20	28,435.46	m3	2,399.70	10,041.90		
06-06-a-03	RCC in roof slab, beam, column & other structural members, insitu or precast. Type C (1:2:4)	100 Cft	6,795.20	25,696.56	m3	2,399.70	9,074.66		
06-06-b-01	RCC in raft foundation slab, base slab of column & ret. wall etc, not including in 06-06. Type A (1:1:2)	100 Cft	6,696.00	30,903.56	m3	2,364.67	10,913.50		
06-06-b-02	RCC in raft foundation slab, base slab of column & ret. wall etc, not including in 06-06 Type B (1:1.5:3)	100 Cft	6,696.00	26,928.56	m3	2,364.67	9,509.74		
06-06-b-03	RCC in raft foundation slab, base slab of column & ret. wall etc, not including in 06-06. Type C(1:2:4)	100 Cft	6,696.00	23,189.50	m3	2,364.67	8,189.30		
06-06-c-01	RCC including Precast/Prestressed in slab, beam, column, lintel, girder, etc. Type A (1:1:2)	100 Cft	7,688.00	37,012.92	m3	2,714.99	13,071.00		
06-06-c-02	RCC including Precast/Prestressed in slab, beam, column, lintels, girder, etc. Type B (1:1.5:3)	100 Cft	7,688.00	32,922.26	m3	2,714.99	11,626.40		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 06 CONCRETE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
06-06-c-03	RCC including Precast/Prestressed slab, column, beam, lintel, girder etc. Type C (1:2:4).	100 Cft	7,688.00	29,179.30	m3	2,714.99	10,304.58		
06-06-d-01	Reinforced cement concrete work as in dams, spillways, weirs, barrages, cross drainage works and other hydrolic structures using crushed stone aggregate(screening & washing) and coarse sand i/c cost of all labour and material and all kinds of form works, moulds, shuttering lifting/pumping, curing, rendering and finishing the exposed surface, cast in situ/precast excluding the cost of steel reinforcement and labour for bending binding also excludig cost of additives which have to be paid separately. Type A (1:1:2)	100 Cft	10,912.00	37,047.61	m3	3,853.54	13,083.25		
06-06-d-02	Reinforced cement concrete work as in dams, spillways, weirs, barrages, cross drainage works and other hydrolic structures using crushed stone aggregate(screening & washing) and coarse sand i/c cost of all labour and material and all kinds of form works, moulds, shuttering lifting/pumping, curing, rendering and finishing the exposed surface, cast in situ/precast excluding the cost of steel reinforcement and labour for bending binding also excludig cost of additives which have to be paid separately. Type B (1:1.5:3)	100 Cft	10,912.00	32,734.91	m3	3,853.54	11,560.24		
06-06-d-03	Reinforced cement concrete work as in dams, spillways, weirs, barrages, cross drainage works and other hydrolic structures using crushed stone aggregate(screening & washing) and coarse sand i/c cost of all labour and material and all kinds of form works, moulds, shuttering lifting/pumping, curing, rendering and finishing the exposed surface, cast in situ/precast excluding the cost of steel reinforcement and labour for bending binding also excludig cost of additives which have to be paid separately. Type C (1:2:4)	100 Cft	10,912.00	29,996.01	m3	3,853.54	10,593.00		
06-06-e	Add extra labour for RCC in 2nd & subsequent storeys	100 Cft	2,635.00	2,656.25	m3	930.54	938.05		
06-07-a	Supply & fabricate M.S. reinforcement for cement concrete (Plain bars)	Cwt	434.00	5,919.47	Tonne	8,542.94	116,520.07		The rate includes wastage, overlap and chairs, etc
06-07-b	Supply & fabricate M.S. reinforcement for cement concrete (Hot rolled deformed bars Grade 60)	Cwt	434.00	6,602.67	Tonne	8,542.94	129,968.32		
06-07-c	Supply & fabricate M.S. reinforcement for cement concrete (Hot rolled deformed bars Grade 40)	Cwt	434.00	6,192.75	Tonne	8,542.94	121,899.37		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 06 CONCRETE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
06-08	Supplying & fixing high tensile steel wire in prestressing cables in precast girders	Cwt	868.00	8,748.17	Tonne	17,085.89	172,200.80		The rate includes wastage & allowance for stressing of cables.
06-09	Precast cement concrete solid or face blocks 1:2:4, including cost of templates.	100 Cft	5,208.00	20,587.84	m3	1,839.19	7,270.53		
06-10	Precast cem. concrete hollow blocks 1:2:4, including cost of templates & constructing wall thereof	100 Cft	11,408.00	20,315.72	m3	4,028.70	7,174.44		
06-11	Provide & fix ornamental cement jali 1:2:4 2" thick without steel.	100 Sft	4,650.00	7,316.60	m2	500.34	787.27		
06-12-a	Extra labour for laying concrete (plain or reinforced) From 20' upto 40' height	100 Cft	2,480.00	2,500.00	m3	875.80	882.87		
06-12-b	Extra labour for laying concrete (plain or reinforced) For every extra 10' height	100 Cft	1,240.00	1,250.00	m3	437.90	441.43		
06-13	Extra labour for work of weirs, rails or bridges, syphons & concreting in superstructure	100 Cft	620.00	625.00	m3	218.95	220.72		
06-14	RCC spout, 2.5'x6"x5", including fixing in position	Each	434.00	890.84	Each	434.00	890.84		
06-15	Making holes upto 3" dia, 18" depth in cement concrete or stone masonry walls and repairing	Each	1,215.20	1,225.00	Each	1,215.20	1,225.00		
06-16	Extra labour for skipping concrete in wells	100 Cft	8,866.00	8,937.50	m3	3,131.00	3,156.25		
06-17-a	Nicking cement concrete surface.	100 Sft	558.00	562.50	m2	60.04	60.53		
06-17-b	Nicking lime concrete surface.	100 Sft	184.14	185.63	m2	19.81	19.97		
06-18-a	Prepare, water and ramming surface for laying concrete (for Headworks only) Horizontal floor	100 Sft	434.00	437.50	m2	46.70	47.08		
06-18-b	Prepare, water and ramming surface for laying concrete (for Headworks only) Glacis and crest	100 Sft	713.00	718.75	m2	76.72	77.34		
06-18-c	Prepare, water and ramming surface for laying concrete (for Headworks only) inverted filters	100 Sft	217.00	218.75	m2	23.35	23.54		
06-19	Providing and fixing 6" wide GI sheet 18 SWG. stopper to expansion joint.	Rft	9.69	98.72	m	31.78	323.90		
06-20	Fill expansion joints with bitumen, sand & saw dust in Ratio 1:2:2	Rft	6.20	28.17	m	20.34	92.43		
06-21-a	Filling expansion joints with bitumen	Rft	62.00	96.05	m	203.41	315.12		
06-21-b	Laying Asphaltic Mixture in Expansion Joints	Rft	62.00	62.50	m	203.41	205.05		
06-22-a-01	Damp proof course of cem. conc. 1:2:4 including bitumen coat, 1 layer polythene & 1 coat bitumen (1.5" thick)	100 Sft	2,101.80	5,438.98	m2	226.15	585.23		
06-22-a-02	Damp proof course of cem. conc. 1:2:4 including bitumen coat, 1 layer polythene & 1 coat bitumen (2" thick)	100 Sft	2,101.80	6,035.80	m2	226.15	649.45		
06-22-a-03	Damp proof course of cem. conc. 1:2:4 including bitumen coat, 1 layer polythene & 1 coat bitumen (3" thick)	100 Sft	2,201.00	7,407.41	m2	236.83	797.04		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 06 CONCRETE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
06-22-b-01	Damp proof course of cem. conc. 1:2:4 including bitumen coat, 1 layer polythene & 2 coats bitumen (1.5" thick)	100 Sft	1,711.20	5,716.23	m2	184.13	615.07		
06-22-b-02	Damp proof course of cem. conc. 1:2:4 including bitumen coat, 1 layer polythene & 2 coats bitumen (2" thick)	100 Sft	2,101.80	6,706.80	m2	226.15	721.65		
06-22-b-03	Damp proof course of cem. conc. 1:2:4 including bitumen coat, 1 layer polythene & 2 coats bitumen (3" thick)	100 Sft	2,091.88	7,968.41	m2	225.09	857.40		
06-23-a-01	Damp proof course in c/s plaster, 1 layer polythene, 1 coat bitumen Ratio 1:4 (0.5" thick)	100 Sft	1,953.00	3,961.62	m2	210.14	426.27		
06-23-a-02	Damp proof course in c/s plaster, 1 layer polythene, 1 coat bitumen Ratio 1:4 (0.75" thick)	100 Sft	1,953.00	4,225.75	m2	210.14	454.69		
06-23-a-03	Damp proof course in c/s plaster, 1 layer polythene, 1 coat bitumen Ratio 1:3 (0.5" thick)	100 Sft	1,953.00	4,064.47	m2	210.14	437.34		
06-23-a-04	Damp proof course in c/s plaster, 1 layer polythene, 1 coat bitumen Ratio 1:3 (0.75" thick)	100 Sft	1,953.00	4,379.71	m2	210.14	471.26		
06-23-a-05	Damp proof course in c/s plaster, 1 layer polythene, 1 coat bitumen Ratio 1:2 (0.5" thick)	100 Sft	1,953.00	4,218.43	m2	210.14	453.90		
06-23-a-06	Damp proof course in c/s plaster, 1 layer polythene, 1 coat bitumen Ratio 1:2 (0.75" thick)	100 Sft	1,953.00	4,641.28	m2	210.14	499.40		
06-23-b-01	Damp proof course in c/s plaster, 1 layer polythene, 2 coats bitumen Ratio 1:4 (0.5" thick)	100 Sft	1,953.00	4,635.30	m2	210.14	498.76		
06-23-b-02	Damp proof course in c/s plaster, 1 layer polythene, 2 coats bitumen Ratio 1:4 (0.75" thick)	100 Sft	1,953.00	4,896.75	m2	210.14	526.89		
06-23-b-03	Damp proof course in c/s plaster, 1 layer polythene, 2 coats bitumen Ratio 1:3 (0.5" thick)	100 Sft	1,953.00	4,735.47	m2	210.14	509.54		
06-23-b-04	Damp proof course in c/s plaster, 1 layer polythene, 2 coats bitumen Ratio 1:3 (0.75" thick)	100 Sft	1,953.00	5,050.71	m2	210.14	543.46		
06-23-b-05	Damp proof course in c/s plaster, 1 layer polythene, 2 coats bitumen Ratio 1:2 (0.5" thick)	100 Sft	1,953.00	4,889.43	m2	210.14	526.10		
06-23-b-06	Damp proof course in c/s plaster, 1 layer polythene, 2 coats bitumen Ratio 1:2 (0.75" thick)	100 Sft	1,953.00	5,312.28	m2	210.14	571.60		
06-24-a-01	V. Damp proof c/s plaster, 1 layer polythene 1 coat bitumen Ratio 1:4 (0.5" thick)	100 Sft	1,953.00	3,976.26	m2	210.14	427.85		
06-24-a-02	V. Damp proof c/s plaster, 1 layer polythene 1 coat bitumen Ratio 1:4 (0.75" thick)	100 Sft	1,953.00	4,225.75	m2	210.14	454.69		
06-24-a-03	V. Damp proof c/s plaster, 1 layer polythene 1 coat bitumen Ratio 1:3 (0.5" thick)	100 Sft	1,953.00	4,082.40	m2	210.14	439.27		
06-24-a-04	V. Damp proof c/s plaster, 1 layer polythene 1 coat bitumen Ratio 1:3 (0.75" thick)	100 Sft	1,953.00	4,379.71	m2	210.14	471.26		
06-24-a-05	V. Damp proof c/s plaster, 1 layer polythene 1 coat bitumen Ratio 1:2 (0.5" thick)	100 Sft	1,953.00	4,218.43	m2	210.14	453.90		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 06 CONCRETE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
06-24-a-06	V. Damp proof c/s plaster, 1 layer polythene 1 coat bitumen Ratio 1:2 (0.75" thick)	100 Sft	1,953.00	4,641.28	m2	210.14	499.40		
06-24-b-01	V. Damp proof c/s plaster, 1 layer polythene 2 coats bitumen Ratio 1:4 (0.5" thick)	100 Sft	1,953.00	4,647.26	m2	210.14	500.05		
06-24-b-02	V. Damp proof c/s plaster, 1 layer polythene 2 coats bitumen Ratio 1:4 (0.75" thick)	100 Sft	1,953.00	4,896.75	m2	210.14	526.89		
06-24-b-03	V. Damp proof c/s plaster, 1 layer polythene 2 coats bitumen Ratio 1:3 (0.5" thick)	100 Sft	1,953.00	4,759.38	m2	210.14	512.11		
06-24-b-04	V. Damp proof c/s plaster, 1 layer polythene 2 coats bitumen Ratio 1:3 (0.75" thick)	100 Sft	1,953.00	5,050.71	m2	210.14	543.46		
06-24-b-05	V. Damp proof c/s plaster, 1 layer polythene 2 coats bitumen Ratio 1:2 (0.5" thick)	100 Sft	1,953.00	4,889.43	m2	210.14	526.10		
06-24-b-06	V. Damp proof c/s plaster, 1 layer polythene 2 coats bitumen Ratio 1:2 (0.75" thick)	100 Sft	1,953.00	5,312.28	m2	210.14	571.60		
06-25	Grouting concrete between the grooves of gates including shuttering	100 Cft	7,626.00	7,687.50	m3	2,693.10	2,714.82		
06-26	Chisel dressing concrete surface on sides of grooves	1000 Sft	2,790.00	2,812.50	m2	30.02	30.26		
06-27	Laying and ramming dry ballast or kankar	100 Sft	7,495.80	7,556.25	m2	806.55	813.05		
06-28	Hoisting & placing in position RCC shelves	100 No	9,321.08	9,396.25	No	93.21	93.96		
06-29-a	Breaking brick ballast, screening & stacking 2" ring	100 Cft	1,860.00	1,875.00	m3	656.85	662.15		
06-29-b	Breaking brick ballast, screening & stacking 1.5" ring	100 Cft	2,170.00	2,187.50	m3	766.33	772.51		
06-29-c	Breaking brick ballast, screening & stacking 1" ring	100 Cft	2,480.00	2,500.00	m3	875.80	882.87		
06-29-d	Breaking brick ballast, screening & stacking. Jhama ballast 3/4" ring	100 Cft	2,790.00	2,812.50	m3	985.28	993.23		
06-30	Supply & fix broken glasses on court yard walls, including 1:3:6 cement concrete coping	100 Rft	1,960.19	3,806.00	m	64.31	124.87		
06-31	Crushing stone ballast by machine	100 Cft	1,754.60	1,768.75	m3	619.63	624.63		This does not include the charges for working of crushers , but manual labour for charges of stone to crusher within 100 m and also stacking the product after crushing within 100 m.
06-32-a	Breaking stone ballast screened & stacked 2" ring	100 Cft	2,170.00	2,187.50	m3	766.33	772.51		
06-32-b	Breaking stone ballast screened & stacked 1.5" ring	100 Cft	2,480.00	2,500.00	m3	875.80	882.87		
06-32-c	Breaking stone ballast screened & stacked 1" ring	100 Cft	2,790.00	2,812.50	m3	985.28	993.23		
06-32-d	Breaking stone ballast screened & stacked 0.5" ring	100 Cft	3,720.00	3,750.00	m3	1,313.71	1,324.30		
06-32-e	Breaking stone ballast screened & stacked 1/8" to 1/4" ring	100 Cft	6,200.00	6,250.00	m3	2,189.51	2,207.17		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 06 CONCRETE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
06-33	Screening and stacking stone ballast, shingle or bajri etc	100 Cft	620.00	625.00	m3	218.95	220.72		
06-34	Washing ballast, bajri or shingle	100 Cft	620.00	625.00	m3	218.95	220.72		
06-35	Erecting and carting sun shades of precast RCC (upto 5"x 2.5")	Each	421.60	425.00	Each	421.60	425.00		
06-36-a	PCC 1:3:6 in mass concrete less formwork using 50% boulders	100 Cft	3,804.32	11,344.86	m3	1,343.48	4,006.40		
06-36-b	PCC 1:3:6 in mass concrete less formwork using 40% boulders	100 Cft	3,798.12	12,372.39	m3	1,341.29	4,369.27		
06-36-c	PCC 1:3:6 in mass concrete less formwork using 30% boulders	100 Cft	3,798.12	13,419.49	m3	1,341.29	4,739.05		
06-37-a	PCC 1:4:8 in mass concrete less formwork using 50% boulders	100 Cft	3,798.12	10,056.85	m3	1,341.29	3,551.55		
06-37-b	PCC 1:4:8 in mass concrete less formwork using 40% boulders	100 Cft	3,798.12	10,838.87	m3	1,341.29	3,827.71		
06-37-c	PCC 1:4:8 in mass concrete less formwork using 30% boulders	100 Cft	3,798.12	11,620.89	m3	1,341.29	4,103.88		
06-38-a	Erecting & removing formwork to concrete in any shape / position (Horizontal)	100 Sft	4,216.00	4,603.31	m2	453.64	495.32		
06-38-b	Erecting & removing formwork to concrete in any shape / position (Vertical)	100 Sft	4,836.00	5,278.09	m2	520.35	567.92		
06-39-a	Erection and removal of steel Form work for RCC or Plain Concrete horizontal	100 Sft	589.00	8,168.42	m2	63.38	878.92		
06-39-b	Erection and removal of steel Form work for RCC or Plain Concrete vertical	100 Sft	458.80	7,982.27	m2	49.37	858.89		
06-40-a	Class A1 concrete in reinforcement/non reinforcement concrete structure with minimum cylinder compressive strength 3000 psi on 28 days other than concrete in water and piles with consistency range in slump 25-75 mm with water cement ratio 0.58	100 Cft	5,146.00	21,268.32	m3	1,817.29	7,510.84		
06-40-b	Class A2 cement concrete for concrete place under water with minimum cylinder compressive strength 3500 psi on 28 days with consistency range in slump 100-150 mm with water cement ratio 0.58	100 Cft	5,146.00	22,621.30	m3	1,817.29	7,988.64		
06-40-c	Class A3 cement concrete for concrete in pile with minimum cylinder compressive strength 4000 psi on 28 days other than concrete in water and piles with consistency range in slump 100-150 mm with water cement ratio 0.58	100 Cft	5,146.00	24,664.80	m3	1,817.29	8,710.30		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 06 CONCRETE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
06-40-d	Class B concrete for concrete in pile specified works only with minimum cylinder compressive strength 2418 psi on 28 days and consistency range in slump 25-75 mm with water cement ratio 0.65	100 Cft	5,146.00	19,665.24	m3	1,817.29	6,944.72		
06-40-e	Class C concrete for concrete for cribbing or otherwise specified in special provision with minimum cylinder compressive strength 3000 psi on 28 days and consistency range in slump 25-75 mm with water cement ratio 0.58	100 Cft	5,146.00	20,765.68	m3	1,817.29	7,333.34		
06-40-f	Class D1 concrete for concrete in pre-stressed & post tensioned with minimum cylinder compressive strength 4978.12 psi on 28 days and consistency range in slump 50-100 mm with water cement ratio 0.40	100 Cft	5,146.00	25,765.24	m3	1,817.29	9,098.92		
06-40-g	Class D2 concrete for concrete in pre-stressed & post tensioned with minimum cylinder compressive strength 6045 psi on 28 days and consistency range in slump 50-100 mm with water cement ratio 0.40	100 Cft	5,146.00	27,463.48	m3	1,817.29	9,698.65		
06-40-h	Class D3 concrete for concrete in pre-stressed & post tensioned with minimum cylinder compressive strength 7112 psi on 28 days and consistency range in slump 50-100 mm with water cement ratio 0.40	100 Cft	5,146.00	29,106.53	m3	1,817.29	10,278.88		
06-40-i	Class Y concrete for concrete use as filler in steel grid, Bridge floor, in then reinforced section etc with minimum cylinder compressive strength 2575 psi on 28 days and consistency range in slump 50-100 mm with water cement ratio 0.58	100 Cft	5,146.00	24,319.54	m3	1,817.29	8,588.37		
06-40-j	Lean concrete for use as thin layer under neat footings with cylinder compressive strength of 1423 psi on 28 days.	100 Cft	5,146.00	16,738.46	m3	1,817.29	5,911.14		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-01-a	Pacca brickwork in mud mortar in buildings in foundation and plinth	100 Cft	3,602.20	18,228.55	m3	1,272.11	6,437.36		
07-01-b	Pacca brickwork in mud mortar in buildings in ground floor	100 Cft	4,786.40	19,788.30	m3	1,690.30	6,988.18		
07-02-a	Add extra on Item 07-01 for brickwork in First floor	100 Cft	899.00	1,272.25	m3	317.48	449.29		
07-02-b	Add extra on Item 07-01 for brickwork in Second floor	100 Cft	2,077.00	2,459.75	m3	733.49	868.65		
07-02-c	Add extra on Item 07-01 for brickwork in Third floor	100 Cft	3,255.00	3,647.25	m3	1,149.49	1,288.02		
07-02-d	Add extra on Item 07-01 for brickwork in Fourth & subsequent floors.	100 Cft	4,433.00	4,834.75	m3	1,565.50	1,707.38		
07-03-a	Pacca brick work in mud mortar other than building Upto 20 ft. height	100 Cft	5,022.00	19,659.80	m3	1,773.50	6,942.80		
07-03-b	Pacca brick work in mud mortar other than building Extra labour for each 5 ft. addl. height or part	100 Cft	899.00	906.25	m3	317.48	320.04		
07-04-a-01	Pacca brick work in foundation and plinth in Cement, sand mortar 1:2	100 Cft	4,761.60	24,118.70	m3	1,681.54	8,517.45		
07-04-a-02	Pacca brick work in foundation and plinth in Cement, sand mortar 1:3	100 Cft	4,761.60	22,990.20	m3	1,681.54	8,118.92		
07-04-a-03	Pacca brick work in foundation and plinth in Cement, sand mortar 1:4	100 Cft	4,761.60	22,313.10	m3	1,681.54	7,879.80		
07-04-a-04	Pacca brick work in foundation and plinth in Cement, sand mortar 1:5	100 Cft	4,761.60	21,808.02	m3	1,681.54	7,701.44		
07-04-a-05	Pacca brick work in foundation and plinth in Cement, sand mortar 1:6	100 Cft	4,761.60	21,545.72	m3	1,681.54	7,608.81		
07-04-a-06	Pacca brick work in foundation and plinth in Cement, sand mortar 1:7	100 Cft	4,761.60	21,304.16	m3	1,681.54	7,523.50		
07-04-a-07	Pacca brick work in foundation and plinth in Cement, sand mortar 1:8	100 Cft	4,761.60	21,105.47	m3	1,681.54	7,453.33		
07-04-b-01	Pacca brick work in foundation and plinth in Lime, cement, sand mortar 1:1:6	100 Cft	4,761.60	22,137.42	m3	1,681.54	7,817.76		
07-04-b-02	Pacca brick work in foundation and plinth in Lime, cement, sand mortar 1:1:7	100 Cft	4,761.60	21,860.21	m3	1,681.54	7,719.87		
07-04-b-03	Pacca brick work in foundation and plinth in Lime, cement, sand mortar 1:1:8	100 Cft	6,249.60	23,141.61	m3	2,207.03	8,172.39		
07-04-b-04	Pacca brick work in foundation and plinth in Lime, cement, sand mortar 1:1:9	100 Cft	4,761.60	21,455.68	m3	1,681.54	7,577.01		
07-04-b-05	Pacca brick work in foundation and plinth in Lime, cement, sand mortar 1:1:10	100 Cft	4,761.60	21,316.51	m3	1,681.54	7,527.86		
07-04-c	Pacca brick work in foundation and plinth in Lime, sand mortar 1:2	100 Cft	4,761.60	21,704.64	m3	1,681.54	7,664.93		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-04-c-01	Pacca brick work in foundation and plinth in lime, sand, surkhi 1:1:1	100 Cft	4,761.60	21,241.31	m3	1,681.54	7,501.30		
07-04-c-02	Pacca brick work in foundation and plinth in lime, coarse cinder.	100 Cft	4,761.60	21,925.63	m3	1,681.54	7,742.97		
07-04-c-03	Pacca brick work in foundation and plinth in lime, surkhi mortar 2:3	100 Cft	4,761.60	21,551.52	m3	1,681.54	7,610.85		
07-04-c-04	Pacca brick work in foundation and plinth in lime, surkhi mortar 1:2	100 Cft	4,761.60	21,099.81	m3	1,681.54	7,451.33		
07-04-c-05	Pacca brick work in foundation and plinth in lime, surkhi mortar 1:3	100 Cft	4,761.60	20,531.52	m3	1,681.54	7,250.64		
07-05-a-01	Pacca brick work in ground floor Cement, sand mortar 1:2	100 Cft	6,138.00	25,872.20	m3	2,167.62	9,136.69		
07-05-a-02	Pacca brick work in ground floor Cement, sand mortar 1:3	100 Cft	6,138.00	24,743.70	m3	2,167.62	8,738.16		
07-05-a-03	Pacca brick work in ground floor Cement, sand mortar 1:4	100 Cft	6,138.00	24,066.60	m3	2,167.62	8,499.05		
07-05-a-04	Pacca brick work in ground floor Cement, sand mortar 1:5	100 Cft	6,138.00	23,615.20	m3	2,167.62	8,339.64		
07-05-a-05	Pacca brick work in ground floor Cement, sand mortar 1:6	100 Cft	6,138.00	23,299.22	m3	2,167.62	8,228.05		
07-05-a-06	Pacca brick work in ground floor Cement, sand mortar 1:7	100 Cft	6,138.00	23,057.66	m3	2,167.62	8,142.74		
07-05-a-07	Pacca brick work in ground floor Cement, sand mortar 1:8	100 Cft	6,138.00	22,858.97	m3	2,167.62	8,072.58		
07-05-b-01	Pacca brick work in ground floor Lime, cement, sand mortar 1:1:6	100 Cft	6,249.60	24,015.38	m3	2,207.03	8,480.96		
07-05-b-02	Pacca brick work in ground floor Lime, cement, sand mortar 1:1:7	100 Cft	6,249.60	23,726.21	m3	2,207.03	8,378.84		
07-05-b-03	Pacca brick work in ground floor Lime, cement, sand mortar 1:1:8	100 Cft	6,249.60	23,507.61	m3	2,207.03	8,301.64		
07-05-b-04	Pacca brick work in ground floor Lime, cement, sand mortar 1:1:9	100 Cft	6,249.60	23,321.68	m3	2,207.03	8,235.98		
07-05-b-05	Pacca brick work in ground floor Lime, cement, sand mortar 1:1:10	100 Cft	6,249.60	23,182.51	m3	2,207.03	8,186.83		
07-05-c	Pacca brick work in ground floor Lime, sand mortar 1:2	100 Cft	6,249.60	23,570.64	m3	2,207.03	8,323.90		
07-05-c-01	Pacca brick work in foundation and plinth in lime, sand, surkhi 1:1:1.	100 Cft	6,249.60	22,741.31	m3	2,207.03	8,031.03		
07-05-c-02	Pacca brick work in Ground floor lime, coarse cinder.	100 Cft	6,249.60	23,425.63	m3	2,207.03	8,272.69		
07-05-c-03	Pacca brick work in Ground floor lime, surkhi mortar 2:3	100 Cft	6,249.60	23,051.52	m3	2,207.03	8,140.58		
07-05-c-04	Pacca brick work in Ground floor lime, surkhi mortar 1:2	100 Cft	6,249.60	22,599.81	m3	2,207.03	7,981.06		
07-05-c-05	Pacca brick work in Ground floor lime, surkhi mortar 1:3	100 Cft	6,249.60	22,031.52	m3	2,207.03	7,780.37		
07-06-a	Add extra on item No.07-05 for brick work in First floor	100 Cft	899.00	1,272.25	m3	317.48	449.29		
07-06-b	Add extra on item No.07-05 for brick work in in Second floor	100 Cft	2,077.00	2,459.75	m3	733.49	868.65		
07-06-c	Add extra on item No.07-05 for brick work in Third floor	100 Cft	3,255.00	3,647.25	m3	1,149.49	1,288.02		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-06-d	Add extra on item No.07-05 for brick work in in Fourth & subsequent floors.	100 Cft	5,301.00	5,709.75	m3	1,872.03	2,016.38		
07-07-a-01	Pacca brick work other than building upto 10 ft. height : Cement, sand mortar 1:2	100 Cft	5,580.00	25,309.70	m3	1,970.56	8,938.04		
07-07-a-02	Pacca brick work other than building upto 10 ft. height : Cement, sand mortar 1:3	100 Cft	5,890.00	24,493.70	m3	2,080.04	8,649.88		
07-07-a-03	Pacca brick work other than building upto 10 ft. height : Cement, sand mortar 1:4	100 Cft	5,580.00	23,504.10	m3	1,970.56	8,300.40		
07-07-a-04	Pacca brick work other than building upto 10 ft. height : Cement, sand mortar 1:5	100 Cft	5,580.00	23,052.70	m3	1,970.56	8,140.99		
07-07-a-05	Pacca brick work other than building upto 10 ft. height : Cement, sand mortar 1:6	100 Cft	5,580.00	22,736.72	m3	1,970.56	8,029.40		
07-07-a-06	Pacca brick work other than building upto 10 ft. height : Cement, sand mortar 1:7	100 Cft	5,580.00	22,495.16	m3	1,970.56	7,944.10		
07-07-a-07	Pacca brick work other than building upto 10 ft. height : Cement, sand mortar 1:8	100 Cft	5,580.00	22,296.47	m3	1,970.56	7,873.93		
07-07-b-01	Pacca brick work other than building upto 10 ft. height : Lime, cement, sand mortar 1:1:6	100 Cft	5,580.00	23,328.42	m3	1,970.56	8,238.36		
07-07-b-02	Pacca brick work other than building upto 10 ft. height : Lime, cement, sand mortar 1:1:7	100 Cft	5,580.00	23,052.29	m3	1,970.56	8,140.85		
07-07-b-03	Pacca brick work other than building upto 10 ft. height : Lime, cement, sand mortar 1:1:8	100 Cft	5,580.00	22,832.61	m3	1,970.56	8,063.27		
07-07-b-04	Pacca brick work other than building upto 10 ft. height : Lime, cement, sand mortar 1:1:9	100 Cft	5,580.00	22,646.68	m3	1,970.56	7,997.61		
07-07-b-05	Pacca brick work other than building upto 10 ft. height : Lime, cement, sand mortar 1:1:10	100 Cft	5,580.00	22,507.51	m3	1,970.56	7,948.46		
07-07-c	Pacca brick work other than building upto 10 ft. height : Lime, sand mortar 1:2	100 Cft	5,580.00	22,895.64	m3	1,970.56	8,085.53		
07-07-c-01	Pacca brick work in other than building upto 10 ft height in lime, sand, surkhi 1:1:1	100 Cft	8,370.00	25,244.82	m3	2,955.84	8,915.13		
07-07-c-02	Pacca brick work in other than building upto 10 ft height in lime, coarse cinder 1:1	100 Cft	5,580.00	23,116.63	m3	1,970.56	8,163.57		
07-07-c-03	Pacca brick work in other than building upto 10 ft height in lime, surkhi mortar 2:3	100 Cft	5,580.00	22,742.52	m3	1,970.56	8,031.45		
07-07-c-04	Pacca brick work in other than building upto 10 ft height in lime, surkhi mortar 1:2	100 Cft	4,650.00	21,353.31	m3	1,642.13	7,540.86		
07-07-c-05	Pacca brick work in other than building upto 10 ft height in lime, surkhi mortar 1:3	100 Cft	6,249.60	22,397.52	m3	2,207.03	7,909.62		
07-08	Add extra on item No. 07-07 for every 10 ft. additional height, or part thereof	100 Cft	899.00	979.45	m3	317.48	345.89		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-09	Extra labour for arch work in brick masonry, including labour for centring and decentring	100 Cft	2,356.00	2,558.00	m3	832.01	903.35		
07-10	Extra for pacca brick work in steining of wells or any other circular masonry.	100 Cft	1,395.00	2,132.15	m3	492.64	752.96		
07-11	Extra labour for profile & flared walls	100 Cft	1,736.00	1,750.00	m3	613.06	618.01		
07-12-a	Extra labour for pacca brick work in pier/abutment From 10 ft. to 20 ft. height.	100 Cft	1,178.00	1,187.50	m3	416.01	419.36		
07-12-b	Extra labour for pacca brick work in pier/abutment Exceeding 20 ft height.	100 Cft	2,046.00	2,062.50	m3	722.54	728.37		
07-13	Extra for face work (half brick thick) using special bricks instead of first class bricks.	100 Sft	1,178.00	1,187.50	m2	126.75	127.78		
07-14	Reinforced brick work in lintel of openings, laid in 1:3 cement mortar complete	100 Cft	15,341.28	34,392.57	m3	5,417.73	12,145.63		This item is to be executed only on the written orders of Superintending Engineer.
07-15-a	Extra for dressing or chamfering bricks for Special architectural bricks	100 No	3,658.00	3,687.50	100 No.	3,658.00	3,687.50		
07-15-b	Extra for dressing or chamfering bricks for all other purposes.	100 No	2,542.00	2,562.50	100 No.	2,542.00	2,562.50		
07-16-a	Perf. pacca brick wall 1/2 brick thick in ground floor : Mud mortar	100 Sft	2,393.20	6,067.01	m2	257.51	652.81		
07-16-b-01	Perf. pacca brick wall 1/2 brick thick in ground floor : Cement, sand mortar 1:2	100 Sft	3,131.00	8,357.11	m2	336.90	899.23		
07-16-b-02	Perf. pacca brick wall 1/2 brick thick in ground floor : Cement, sand mortar 1:3	100 Sft	3,131.00	8,074.31	m2	336.90	868.80		
07-16-b-03	Perf. pacca brick wall 1/2 brick thick in ground floor : Cement, sand mortar 1:4	100 Sft	3,131.00	7,905.71	m2	336.90	850.65		
07-16-b-04	Perf. pacca brick wall 1/2 brick thick in ground floor : Cement, sand mortar 1:5	100 Sft	3,131.00	7,792.86	m2	336.90	838.51		
07-16-b-05	Perf. pacca brick wall 1/2 brick thick in ground floor : Cement, sand mortar 1:6	100 Sft	3,131.00	7,713.19	m2	336.90	829.94		
07-16-b-06	Perf. pacca brick wall 1/2 brick thick in ground floor : Cement, sand mortar 1:7	100 Sft	3,131.00	7,654.15	m2	336.90	823.59		
07-16-b-07	Perf. pacca brick wall 1/2 brick thick in ground floor : Cement, sand mortar 1:8	100 Sft	3,131.62	7,607.48	m2	336.96	818.57		
07-16-c-01	Perf. pacca brick wall 1/2 brick thick in ground floor : Lime, cement, sand mortar 1:1:6	100 Sft	3,131.00	7,861.79	m2	336.90	845.93		
07-16-c-02	Perf. pacca brick wall 1/2 brick thick in ground floor : Lime, cement, sand mortar 1:1:7	100 Sft	3,131.00	7,801.72	m2	336.90	839.46		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-16-c-03	Perf. pacca brick wall 1/2 brick thick in ground floor : Lime, cement, sand mortar 1:1:8	100 Sft	3,131.00	7,742.72	m2	336.90	833.12		
07-16-c-04	Perf. pacca brick wall 1/2 brick thick in ground floor : Lime, cement, sand mortar 1:1:9	100 Sft	3,131.00	7,690.01	m2	336.90	827.45		
07-16-c-05	Perf. pacca brick wall 1/2 brick thick in ground floor : Lime, cement, sand mortar 1:1:10	100 Sft	3,131.00	7,660.90	m2	336.90	824.31		
07-16-d	Perf. pacca brick wall 1/2 brick thick in ground floor : Lime, sand mortar 1:2	100 Sft	3,131.00	7,748.04	m2	336.90	833.69		
07-17-a	Add extra on item No. 07-16 for pacca brick work in First floor	100 Sft	449.50	526.33	m2	48.37	56.63		
07-17-b	Add extra on item No. 07-16 for pacca brick work in Second floor	100 Sft	1,038.50	1,120.07	m2	111.74	120.52		
07-17-c	Add extra on item No. 07-16 for pacca brick work in Third floor	100 Sft	1,627.50	1,732.13	m2	175.12	186.38		
07-17-d	Add extra on item No. 07-16 for pacca brick work in Fourth & subsequent floors.	100 Sft	2,650.50	2,799.98	m2	285.19	301.28		
07-18-a	Perf. pacca brick wall 1 brick thick in ground floor : Mud mortar	100 Sft	3,589.80	11,283.40	m2	386.26	1,214.09		
07-18-b-01	Perf. pacca brick wall 1 brick thick in ground floor : Cement, sand mortar 1:2	100 Sft	4,615.28	14,677.85	m2	496.60	1,579.34		
07-18-b-02	Perf. pacca brick wall 1 brick thick in ground floor : Cement, sand mortar 1:3	100 Sft	4,615.28	14,113.60	m2	496.60	1,518.62		
07-18-b-03	Perf. pacca brick wall 1 brick thick in ground floor : Cement, sand mortar 1:4	100 Sft	4,615.28	13,775.05	m2	496.60	1,482.20		
07-18-b-04	Perf. pacca brick wall 1 brick thick in ground floor : Cement, sand mortar 1:5	100 Sft	4,615.28	13,549.35	m2	496.60	1,457.91		
07-18-b-05	Perf. pacca brick wall 1 brick thick in ground floor : Cement, sand mortar 1:6	100 Sft	4,615.28	13,390.02	m2	496.60	1,440.77		
07-18-b-06	Perf. pacca brick wall 1 brick thick in ground floor : Cement, sand mortar 1:7	100 Sft	4,615.28	13,267.36	m2	496.60	1,427.57		
07-18-b-07	Perf. pacca brick wall 1 brick thick in ground floor : Cement, sand mortar 1:8	100 Sft	4,615.28	13,171.37	m2	496.60	1,417.24		
07-18-c-01	Perf. pacca brick wall 1 brick thick in ground floor : Lime, cement, sand mortar 1:1:6	100 Sft	4,615.28	13,687.21	m2	496.60	1,472.74		
07-18-c-02	Perf. pacca brick wall 1 brick thick in ground floor : Lime, cement, sand mortar 1:1:7	100 Sft	4,615.28	13,546.15	m2	496.60	1,457.57		
07-18-c-03	Perf. pacca brick wall 1 brick thick in ground floor : Lime, cement, sand mortar 1:1:8	100 Sft	4,615.28	13,448.82	m2	496.60	1,447.09		
07-18-c-04	Perf. pacca brick wall 1 brick thick in ground floor : Lime, cement, sand mortar 1:1:9	100 Sft	4,615.28	13,346.34	m2	496.60	1,436.07		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-18-c-05	Perf. pacca brick wall 1 brick thick in ground floor : Lime, cement, sand mortar 1:1:10	100 Sft	4,615.28	13,279.19	m2	496.60	1,428.84		
07-18-d	Perf. pacca brick wall 1 brick thick in ground floor : Lime, sand mortar 1:2	100 Sft	4,615.28	13,419.71	m2	496.60	1,443.96		
07-19-a	Add extra on item No. 07-18 for perf. pacca brick work in First floor	100 Sft	677.04	682.50	m2	72.85	73.44		
07-19-b	Add extra on item No. 07-18 for perf. pacca brick work in Second floor	100 Sft	2,077.00	2,093.75	m2	223.49	225.29		
07-19-c	Add extra on item No. 07-18 for perf. pacca brick work in Third floor	100 Sft	3,689.00	3,718.75	m2	396.94	400.14		
07-19-d	Add extra on item No. 07-18 for perf. pacca brck work in Fourth & subsequent floors	100 Sft	5,301.00	5,343.75	m2	570.39	574.99		
07-20-a	Fire brick masonry in fire-clay mortar Upto 20 ft. height including all charges	100 Cft	6,138.00	27,187.36	m3	2,167.62	9,601.13		
07-20-b	Fire brick masonry in fire-clay mortar. Extra for every 5 ft. additional height, or part thereof	100 Cft	899.00	1,089.25	m3	317.48	384.67		
07-21-a	1st class brick wall laid in 1:3 c/s mortar reinf'd 4.5" thick wall with hoop iron bonding 6" apart	100 Sft	2,120.77	9,298.72	m2	228.20	1,000.54		
07-21-b	1st class brick wall laid in 1:3 c/s mortar reinf'd 4.5" thick wall with hoop iron bonding 12" apart	100 Sft	2,120.77	9,290.52	m2	228.20	999.66		
07-21-c	1st class brick wall laid in 1:3 c/s mortar reinf'd 3" thick wall with hoop iron bonding 6" apart	100 Sft	1,655.77	6,565.53	m2	178.16	706.45		
07-21-d	1st class brick wall laid in 1:3 c/s mortar reinf'd 3" thick wall with hoop iron banding 12" apart	100 Sft	1,692.60	6,594.45	m2	182.12	709.56		
07-22	Ghilafi work (1.5 brick thick wall)	100 Cft	6,820.00	17,380.42	m3	2,408.46	6,137.84		
07-23	Dry brick pitching	100 Cft	2,356.00	16,911.30	m3	832.01	5,972.17		
07-24	Sun dried bricks in mud mortar	100 Cft	3,999.00	10,393.55	m3	1,412.23	3,670.45		
07-25	Pise wall (mud walling)	100 Cft	1,984.00	4,220.40	m3	700.64	1,490.42		
07-26-a	Eave brick moulded in 1:3 c/s mortar 3" thick drip course cornice	100 Rft	3,193.00	7,153.25	m	104.76	234.69		
07-26-b	Eave brick moulded in 1:3 c/s mortar 4.5" thick drip course cornice	100 Rft	3,627.00	9,218.84	m	119.00	302.46		
07-26-c	Eave brick moulded in 1:3 c/s mortar 4.5" thick eave brick with back brick	100 Rft	3,007.00	8,901.89	m	98.65	292.06		
07-27-a	Laying dressed or moulded brick cornices in c/s mortar, plaster or paint (1 brick)	100 Rft	3,627.00	5,551.52	m	119.00	182.14		
07-27-b	Laying dressed or moulded brick cornices c/s mortar, plaster or paint (2 brick)	100 Rft	5,363.00	11,211.62	m	175.95	367.84		
07-27-c	Laying dressed or moulded brick cornices c/s mortar, plaster or paint (3 brick)	100 Rft	7,148.60	17,406.67	m	234.53	571.09		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-27-d	Laying dressed or moulded brick cornices c/s mortar, plaster or paint (4 brick)	100 Rft	8,990.00	23,831.82	m	294.95	781.88		
07-28	Cleaning bricks dismantled from kacha pacca masonry	1000 No.	620.00	625.00	1000 No.	620.00	625.00		
07-29	Scraping bricks dismantled from pacca masonry	1000 No.	1,116.00	1,125.00	1000 No.	1,116.00	1,125.00		
07-30	Supplying and filling sand under floor or plugging in wells	100 Cft	200.26	3,154.27	m3	70.72	1,113.92		
07-31	Provide & lay 2" thick & 15" projected tile band, laid in 1:2 c/s mortar	100 Rft	9,424.00	11,178.72	m	309.19	366.76		
07-32-a	First class brick tiles clad by laying tiles in stretcher course, in cement sand mortar 1:3	100 Sft	2,411.80	7,847.44	m2	259.51	844.38		This item is to be executed only on the written orders of Superintending Engineer.
07-32-b	First class brick tiles clad by laying tiles in stretcher course, in cement sand mortar 1:4	100 Sft	2,411.80	7,679.25	m2	259.51	826.29		
07-33	Chamfering sides of head regulators and masonry walls to increase width	100 Sft	6,937.06	6,993.00	m2	746.43	752.45		
07-34	Replacing kalla eaten bricks	Each	34.72	45.37	Each	34.72	45.37		
07-35	Repairing corners of bridges & other hydraulic masonry works	Each	434.00	437.50	Each	434.00	437.50		
07-36	Extra labour for drains of bath rooms etc	100 Rft	5,185.43	5,227.25	m	170.13	171.50		Payable in addition to brickwork
07-37	Maroo corners	Each	225.68	227.50	Each	225.68	227.50		
07-38-a	Masonry with Facing/Machine/Special Bricks in cement sand mortar 1:2 upto 10 ft. height	100Cft	6,404.60	31,905.82	m3	2,261.77	11,267.44		
07-38-b	Masonry using Facing/Machine/Special bricks in cement sand mortar 1:3 upto 10 ft. height	100Cft	6,249.60	30,620.97	m3	2,207.03	10,813.70		
07-38-c	Masonry using Facing/Machine/Special bricks in cement sand mortar 1:4 upto 10 ft. height	100Cft	6,249.60	29,943.60	m3	2,207.03	10,574.49		
07-39	Add extra on Item 07-38 for every 10 ft additional height or part thereof	100Cft	320.54	346.92	m3	113.20	122.51		
07-40	Masonry with Machine/Special Bricks in 1:3 c/s mortar in circular core wall of Overhead Reservoir	100Cft	11,129.00	38,241.87	m3	3,930.17	13,505.00		
07-41-a	Hollow Block Masonry in walls upto 20 feet height in 1:2 cement sand mortar using Hollow Block 16"x8"x8" factory manufactured with 1.5" wall thickness and strength of 1900 psi.	100Cft	3,224.00	18,353.60	m3	1,138.55	6,481.52		
07-41-b	Hollow Block Masonry in walls upto 20 feet height in 1:3 cement sand mortar using Hollow Block 16"x8"x8" factory manufactured with 1.5" wall thickness and strength of 1900 psi.	100Cft	3,224.00	17,796.06	m3	1,138.55	6,284.63		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-41-c	Hollow Block Masonry in walls upto 20 feet height in 1:4 cement sand mortar using Hollow Block 16"x8"x8" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,224.00	17,450.80	m3	1,138.55	6,162.70		
07-41-d	Hollow Block Masonry in walls upto 20 feet height in 1:5 cement sand mortar using Hollow Block 16"x8"x8" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,224.00	17,225.10	m3	1,138.55	6,082.99		
07-41-e	Hollow Block Masonry in walls upto 20 feet height in 1:6 cement sand mortar using Hollow Block 16"x8"x8" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,224.00	17,086.39	m3	1,138.55	6,034.01		
07-41-f	Hollow Block Masonry in walls upto 20 feet height in 1:7 cement sand mortar using Hollow Block 16"x8"x8" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,224.00	16,947.67	m3	1,138.55	5,985.02		
07-41-g	Hollow Block Masonry in walls upto 20 feet height in 1:8 cement sand mortar using Hollow Block 16"x8"x8" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,224.00	16,846.05	m3	1,138.55	5,949.13		
07-42-a	Hollow Block Masonry in walls upto 20 feet height in 1:2 cement sand mortar using Hollow Block 16"x8"x6" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,775.80	22,095.27	m3	1,333.41	7,802.88		
07-42-b	Hollow Block Masonry in walls upto 20 feet height in 1:3 cement sand mortar using Hollow Block 16"x8"x6" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,775.80	21,418.17	m3	1,333.41	7,563.76		
07-42-c	Hollow Block Masonry in walls upto 20 feet height in 1:4 cement sand mortar using Hollow Block 16"x8"x6" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,775.80	21,011.91	m3	1,333.41	7,420.29		
07-42-d	Hollow Block Masonry in walls upto 20 feet height in 1:5 cement sand mortar using Hollow Block 16"x8"x6" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,775.80	20,741.07	m3	1,333.41	7,324.65		
07-42-e	Hollow Block Masonry in walls upto 20 feet height in 1:6 cement sand mortar using Hollow Block 16"x8"x6" factory manufactured with 1.5" wall thickness and strenght of 1900 psi.	100Cft	3,775.80	20,548.55	m3	1,333.41	7,256.66		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-42-f	Hollow Block Masonry in walls upto 20 feet height in 1:7 cement sand mortar using Hollow Block 16"x8"x6" factory manufactured with 1.5" wall thickness and strength of 1900 psi.	100Cft	3,775.80	20,406.55	m3	1,333.41	7,206.51		
07-42-g	Hollow Block Masonry in walls upto 20 feet height in 1:8 cement sand mortar using Hollow Block 16"x8"x6" factory manufactured with 1.5" wall thickness and strength of 1900 psi.	100Cft	3,775.80	20,289.67	m3	1,333.41	7,165.24		
07-43-a	Hollow Block Masonry in walls upto 20 feet height in 1:2 cement sand mortar using Hollow Block 16"x8"x4" factory manufactured with 1.25" wall thickness and strength of 1900 psi.	100Cft	4,358.60	27,698.19	m3	1,539.23	9,781.53		
07-43-b	Hollow Block Masonry in walls upto 20 feet height in 1:3 cement sand mortar using Hollow Block 16"x8"x4" factory manufactured with 1.25" wall thickness and strength of 1900 psi.	100Cft	4,358.60	26,909.58	m3	1,539.23	9,503.04		
07-43-c	Hollow Block Masonry in walls upto 20 feet height in 1:4 cement sand mortar using Hollow Block 16"x8"x4" factory manufactured with 1.25" wall thickness and strength of 1900 psi.	100Cft	4,358.60	26,434.27	m3	1,539.23	9,335.18		
07-43-d	Hollow Block Masonry in walls upto 20 feet height in 1:5 cement sand mortar using Hollow Block 16"x8"x4" factory manufactured with 1.25" wall thickness and strength of 1900 psi.	100Cft	4,358.60	26,118.29	m3	1,539.23	9,223.60		
07-43-e	Hollow Block Masonry in walls upto 20 feet height in 1:6 cement sand mortar using Hollow Block 16"x8"x4" factory manufactured with 1.25" wall thickness and strength of 1900 psi.	100Cft	4,358.60	25,898.57	m3	1,539.23	9,146.00		
07-43-f	Hollow Block Masonry in walls upto 20 feet height in 1:7 cement sand mortar using Hollow Block 16"x8"x4" factory manufactured with 1.25" wall thickness and strength of 1900 psi.	100Cft	4,358.60	25,729.35	m3	1,539.23	9,086.24		
07-43-g	Hollow Block Masonry in walls upto 20 feet height in 1:8 cement sand mortar using Hollow Block 16"x8"x4" factory manufactured with 1.25" wall thickness and strength of 1900 psi.	100Cft	4,358.60	25,588.57	m3	1,539.23	9,036.53		
07-44-a	Solid Block Masonry in walls upto 20 feet height in 1:2 cement sand mortar using 16"x8"x8" factory manufactured solid blocks with strength of 2100 psi.	100Cft	3,224.00	19,390.60	m3	1,138.55	6,847.73		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-44-b	Solid Block Masonry in walls upto 20 feet height in 1:3 cement sand mortar using 16"x8"x8" factory manufactured solid blocks with strength of 2100 psi.	100Cft	3,224.00	18,833.06	m3	1,138.55	6,650.84		
07-44-c	Solid Block Masonry in walls upto 20 feet height in 1:4 cement sand mortar using 16"x8"x8" factory manufactured solid blocks with strength of 2100 psi.	100Cft	3,224.00	18,487.80	m3	1,138.55	6,528.91		
07-44-d	Solid Block Masonry in walls upto 20 feet height in 1:5 cement sand mortar using 16"x8"x8" factory manufactured solid blocks with strength of 2100 psi.	100Cft	3,224.00	18,262.10	m3	1,138.55	6,449.21		
07-44-e	Solid Block Masonry in walls upto 20 feet height in 1:6 cement sand mortar using 16"x8"x8" factory manufactured solid blocks with strength of 2100 psi.	100Cft	3,224.00	18,123.39	m3	1,138.55	6,400.22		
07-44-f	Solid Block Masonry in walls upto 20 feet height in 1:7 cement sand mortar using 16"x8"x8" factory manufactured solid blocks with strength of 2100 psi.	100Cft	3,224.00	17,984.67	m3	1,138.55	6,351.23		
07-44-g	Solid Block Masonry in walls upto 20 feet height in 1:8 cement sand mortar using 16"x8"x8" factory manufactured solid blocks with strength of 2100 psi.	100Cft	3,224.00	17,883.05	m3	1,138.55	6,315.35		
07-45-a	Solid Block Masonry in walls upto 20 feet height in 1:2 cement sand mortar using 16"x8"x6" factory manufactured solid blocks with strength of 1900 psi.	100Cft	3,775.80	23,467.77	m3	1,333.41	8,287.57		
07-45-b	Solid Block Masonry in walls upto 20 feet height in 1:3 cement sand mortar using 16"x8"x6" factory manufactured solid blocks with strength of 1900 psi.	100Cft	3,775.80	22,790.67	m3	1,333.41	8,048.46		
07-45-c	Solid Block Masonry in walls upto 20 feet height in 1:4 cement sand mortar using 16"x8"x6" factory manufactured solid blocks with strength of 1900 psi.	100Cft	3,775.80	22,384.41	m3	1,333.41	7,904.99		
07-45-d	Solid Block Masonry in walls upto 20 feet height in 1:5 cement sand mortar using 16"x8"x6" factory manufactured solid blocks with strength of 1900 psi.	100Cft	3,775.80	22,113.57	m3	1,333.41	7,809.34		
07-45-e	Solid Block Masonry in walls upto 20 feet height in 1:6 cement sand mortar using 16"x8"x6" factory manufactured solid blocks with strength of 1900 psi.	100Cft	3,775.80	21,921.05	m3	1,333.41	7,741.35		
07-45-f	Solid Block Masonry in walls upto 20 feet height in 1:7 cement sand mortar using 16"x8"x6" factory manufactured solid blocks with strength of 1900 psi.	100Cft	3,775.80	21,779.05	m3	1,333.41	7,691.21		
07-45-g	Solid Block Masonry in walls upto 20 feet height in 1:8 cement sand mortar using 16"x8"x6" factory manufactured solid blocks with strength of 1900 psi.	100Cft	3,775.80	21,662.17	m3	1,333.41	7,649.93		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 07 BRICK MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
07-46-a	Solid Block Masonry in walls upto 20 feet height in 1:2 cement sand mortar using 16"x8"x4" factory manufactured solid blocks with strength of 1800 psi.	100Cft	4,358.60	29,656.29	m3	1,539.23	10,473.03		
07-46-b	Solid Block Masonry in walls upto 20 feet height in 1:3 cement sand mortar using 16"x8"x4" factory manufactured solid blocks with strength of 1800 psi.	100Cft	4,358.60	28,867.68	m3	1,539.23	10,194.53		
07-46-c	Solid Block Masonry in walls upto 20 feet height in 1:4 cement sand mortar using 16"x8"x4" factory manufactured solid blocks with strength of 1800 psi.	100Cft	4,358.60	28,392.37	m3	1,539.23	10,026.68		
07-46-d	Solid Block Masonry in walls upto 20 feet height in 1:5 cement sand mortar using 16"x8"x4" factory manufactured solid blocks with strength of 1800 psi.	100Cft	4,358.60	28,076.39	m3	1,539.23	9,915.09		
07-46-e	Solid Block Masonry in walls upto 20 feet height in 1:6 cement sand mortar using 16"x8"x4" factory manufactured solid blocks with strength of 1800 psi.	100Cft	4,358.60	27,856.67	m3	1,539.23	9,837.50		
07-46-f	Solid Block Masonry in walls upto 20 feet height in 1:7 cement sand mortar using 16"x8"x4" factory manufactured solid blocks with strength of 1800 psi.	100Cft	4,358.60	27,687.45	m3	1,539.23	9,777.74		
07-46-g	Solid Block Masonry in walls upto 20 feet height in 1:8 cement sand mortar using 16"x8"x4" factory manufactured solid blocks with strength of 1800 psi.	100Cft	4,358.60	27,546.67	m3	1,539.23	9,728.02		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 08 STONE MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
08-01-a	Random rubble masonry in foundn. & plinth Dry masonry.	100 Cft	4,092.00	8,834.20	m3	1,445.08	3,119.77		
08-01-b	Random rubble masonry in foundn. & plinth in mud mortar	100 Cft	5,115.00	10,743.85	m3	1,806.35	3,794.16		
08-01-c-01	Random rubble masonry (Un coursed) in foundn. & plinth in lime, sand mortar 1:2	100 Cft	7,874.00	16,379.90	m3	2,780.68	5,784.51		
08-01-c-02	Random rubble masonry (Un coursed) in foundn. & plinth in lime, sand mortar, Surkhi Ratio 1:1:1	100 Cft	7,874.00	15,991.03	m3	2,780.68	5,647.18		
08-01-c-03	Random rubble masonry (Un coursed) in foundn. & plinth in lime, Surkhi Ratio 1:2	100 Cft	7,874.00	15,602.15	m3	2,780.68	5,509.85		
08-01-d-01	Random rubble masonry in foundn. & plinth in cement, sand mortar : Ratio 1:3	100 Cft	7,874.00	18,932.75	m3	2,780.68	6,686.04		
08-01-d-02	Random rubble masonry in foundn. & plinth in cement, sand mortar : Ratio 1:4	100 Cft	7,874.00	17,917.10	m3	2,780.68	6,327.37		
08-01-d-03	Random rubble masonry in foundn. & plinth in cement, sand mortar : Ratio 1:6	100 Cft	7,874.00	16,754.61	m3	2,780.68	5,916.84		
08-01-d-04	Random rubble masonry in foundn. & plinth in cement, sand mortar : Ratio 1:8	100 Cft	7,874.00	16,111.50	m3	2,780.68	5,689.73		
08-02-a	Coursed rubble masonry in foundn. & plinth dry masonry.	100 Cft	5,208.00	9,959.20	m3	1,839.19	3,517.06		
08-02-b	Coursed rubble masonry in foundn. & plinth in mud mortar	100 Cft	7,254.00	12,900.10	m3	2,561.73	4,555.63		
08-02-c-01	Coursed rubble masonry (Hammer Dressed) in foundn. & plinth in lime, sand mortar 1:2	100 Cft	8,866.00	16,963.56	m3	3,131.00	5,990.63		
08-02-c-02	Coursed rubble masonry (Hammer Dressed) in foundn. & plinth in lime, sand mortar, Surkhi Ratio 1:1:1	100 Cft	8,866.00	17,221.61	m3	3,131.00	6,081.76		
08-02-c-03	Coursed rubble masonry (Hammer Dressed) in foundn. & plinth in lime, Surkhi Ratio 1:2	100 Cft	8,866.00	16,876.04	m3	3,131.00	5,959.72		
08-02-d-01	Coursed rubble masonry (Hammer Dressed) in foundn. & plinth in cement,sand mortar : Ratio 1:3	100 Cft	8,866.00	19,838.20	m3	3,131.00	7,005.80		
08-02-d-02	Coursed rubble masonry (Hammer Dressed) in foundn. & plinth in cement,sand mortar : Ratio 1:4	100 Cft	8,866.00	18,935.40	m3	3,131.00	6,686.98		
08-02-d-03	Coursed rubble masonry (Hammer Dressed) in foundn. & plinth in cement,sand mortar : Ratio 1:6	100 Cft	8,866.00	17,895.11	m3	3,131.00	6,319.60		
08-02-d-04	Coursed rubble masonry (Hammer Dressed) in foundn. & plinth in cement,sand mortar : Ratio 1:8	100 Cft	8,866.00	17,334.27	m3	3,131.00	6,121.55		
08-03-a	Random rubble masonry in ground floor Dry masonry.	100 Cft	4,650.00	9,396.70	m3	1,642.13	3,318.42		
08-03-b	Random rubble masonry in ground floor in mud mortar	100 Cft	6,138.00	11,665.30	m3	2,167.62	4,119.57		
08-03-c-01	Random rubble masonry in ground floor in lime, sand mortar 1:2	100 Cft	8,587.00	17,098.65	m3	3,032.47	6,038.34		
08-03-c-02	Random rubble masonry in ground floor in lime, sand mortar, Surkhi Ratio 1:1:1	100 Cft	8,587.00	16,709.78	m3	3,032.47	5,901.01		
08-03-c-03	Random rubble masonry in ground floor in lime, Surkhi Ratio 1:2	100 Cft	8,587.00	16,320.90	m3	3,032.47	5,763.68		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 08 STONE MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
08-03-d-01	Random rubble masonry in ground floor in cement,sand mortar : Ratio 1:3	100 Cft	8,587.00	19,651.50	m3	3,032.47	6,939.87		
08-03-d-02	Random rubble masonry in ground floor in cement,sand mortar : Ratio 1:4	100 Cft	8,587.00	18,635.85	m3	3,032.47	6,581.19		
08-03-d-03	Random rubble masonry in ground floor in cement,sand mortar : Ratio 1:6	100 Cft	8,587.00	17,473.36	m3	3,032.47	6,170.66		
08-03-d-04	Random rubble masonry in ground floor in cement,sand mortar : Ratio 1:8	100 Cft	8,587.00	16,830.25	m3	3,032.47	5,943.55		
08-04-a	Coursed rubble masonry in ground floor Dry masonry.	100 Cft	6,076.00	10,834.20	m3	2,145.72	3,826.07		
08-04-b	Coursed rubble masonry in ground floor in mud mortar	100 Cft	9,548.00	15,102.80	m3	3,371.85	5,333.51		
08-04-c-01	Coursed rubble masonry in ground floor in lime, sand mortar 1:2	100 Cft	10,013.00	18,117.13	m3	3,536.06	6,398.01		
08-04-c-02	Coursed rubble masonry in ground floor in lime, sand mortar, Surkhi Ratio 1:1:1	100 Cft	10,013.00	18,377.86	m3	3,536.06	6,490.09		
08-04-c-03	Coursed rubble masonry in ground floor in lime, Surkhi Ratio 1:2	100 Cft	10,013.00	18,032.20	m3	3,536.06	6,368.02		
08-04-d-01	Coursed rubble masonry in ground floor in cement,sand mortar : Ratio 1:3	100 Cft	10,013.00	20,994.45	m3	3,536.06	7,414.13		
08-04-d-02	Coursed rubble masonry in ground floor in cement,sand mortar : Ratio 1:4	100 Cft	10,013.00	20,091.65	m3	3,536.06	7,095.31		
08-04-d-03	Coursed rubble masonry in ground floor in cement,sand mortar : Ratio 1:6	100 Cft	10,013.00	19,056.72	m3	3,536.06	6,729.82		
08-04-d-04	Coursed rubble masonry in ground floor in cement,sand mortar : Ratio 1:8	100 Cft	10,013.00	18,517.36	m3	3,536.06	6,539.35		
08-05-a-01	Ashlar block masonry in ground floor in lime, sand mortar 1:2	100 Cft	27,652.00	39,185.30	m3	9,765.22	13,838.17		
08-05-a-02	Ashlar block masonry in ground floor in lime, sand mortar, Surkhi Ratio 1:1:1	100 Cft	27,652.00	38,926.05	m3	9,765.22	13,746.62		
08-05-a-03	Ashlar block masonry in ground floor in lime, Surkhi Ratio 1:2	100 Cft	27,652.00	38,666.80	m3	9,765.22	13,655.06		
08-05-b-01	Ashlar block masonry in ground floor in cement,sand mortar : Ratio 1:3	100 Cft	27,652.00	40,887.20	m3	9,765.22	14,439.19		
08-05-b-02	Ashlar block masonry in ground floor in cement,sand mortar : Ratio 1:4	100 Cft	27,652.00	40,210.10	m3	9,765.22	14,200.08		
08-05-b-03	Ashlar block masonry in ground floor in cement,sand mortar : Ratio 1:6	100 Cft	27,652.00	39,442.72	m3	9,765.22	13,929.08		
08-06-a-01	Ashlar fine masonry in ground floor in lime, sand mortar 1:2	100 Cft	53,010.00	66,332.46	m3	18,720.32	23,425.11		
08-06-a-02	Ashlar fine masonry in ground floor in lime, sand mortar, Surkhi Ratio 1:1:1	100 Cft	53,010.00	66,202.84	m3	18,720.32	23,379.33		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 08 STONE MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
08-06-a-03	Ashlar fine masonry in ground floor in lime, Surkhi Ratio 1:2	100 Cft	53,010.00	66,073.21	m3	18,720.32	23,333.56		
08-06-b-01	Ashlar fine masonry in ground floor in cement,sand mortar : Ratio 1:3	100 Cft	53,010.00	67,183.41	m3	18,720.32	23,725.62		
08-06-b-02	Ashlar fine masonry in ground floor in cement,sand mortar : Ratio 1:4	100 Cft	53,010.00	66,844.86	m3	18,720.32	23,606.06		
08-06-b-03	Ashlar fine masonry in ground floor in cement,sand mortar : Ratio 1:6	100 Cft	53,010.00	66,466.88	m3	18,720.32	23,472.58		
08-07-a	Extra labour on items 08-03-a-01 to 08-06-b-03 for work in First floor	100 Cft	1,283.40	1,293.75	m3	453.23	456.88		
08-07-b	Extra labour on items 08-03-a-01 to 08-06-b-03 for work in Second floor	100 Cft	2,951.20	2,975.00	m3	1,042.21	1,050.61		
08-07-c	Extra labour on items 08-03-a-01 to 08-06-b-03 for work in Third floor	100 Cft	4,650.00	4,687.50	m3	1,642.13	1,655.38		
08-07-d	Extra labour on items 08-03-a-01 to 08-06-b-03 for work in Fourth & subsequent floors	100 Cft	7,378.00	7,437.50	m3	2,605.52	2,626.53		
08-08	Extra labour on items 08-03-a-01 to 08-06-b-03 for every 5' additional height, other than building	100 Cft	1,178.00	1,187.50	m3	416.01	419.36		
08-09	Extra labour for arch work in stone masonry including centring & decentring etc.	100 Cft	4,712.00	4,750.00	m3	1,664.03	1,677.45		
08-10-a	Extra labour for coping & caps etc	100 Cft	22,320.00	22,500.00	m3	7,882.24	7,945.81		
08-10-b	Extra labour for cornice & string course	100 Cft	22,320.00	22,500.00	m3	7,882.24	7,945.81		
08-11-a	Dressing stones : Hammer dressed	100 Sft	7,130.00	7,187.50	m2	767.19	773.38	a) This rate of dressing shall be paid only when supply of undressed stone is made b) In case of masonry, dressing is already included and this rate shall not be added thereto c) Only dressed surface of stone shall be measured	
08-11-b	Dressing stones : Rough tooled dressed	100 Sft	13,640.00	13,750.00	m2	1,467.66	1,479.50		
08-11-c	Dressing stones : Chisel dressed	100 Sft	16,492.00	16,625.00	m2	1,774.54	1,788.85		
08-11-d	Dressing stones : Fine dressed	100 Sft	35,464.00	35,750.00	m2	3,815.93	3,846.70		
08-12	Dhajji walling 5"x5" thick deodar framing with stone laid in 1:6 c/s mortar & 1:4 c/s plaster	100 Sft	10,577.20	19,550.66	m2	1,138.11	2,103.65		
08-13	Provide & fix stone blocks from 2 cft. to 6 cft. each, including lift upto 20 ft.	100 Cft	41,788.00	46,809.80	m3	14,757.31	16,530.74		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 08 STONE MASONRY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
08-14	Providing and fixing stone blocks, under 2 cft. each, including lift upto 20 ft.	100 Cft	19,220.00	24,059.80	m3	6,787.49	8,496.65		
08-15	Provide & lay stone/boulder dry hand packed as filling behind retaining walls or in pitching	100 Cft	1,364.00	6,645.40	m3	481.69	2,346.80		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 09 ROOFING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
09-01	First class tile roofing including earth, mud plaster, gobri leeping, cement plaster etc complete	100 Sft	8,568.40	20,449.05	m2	921.96	2,200.32		Add extra 13%, 32% and 51% on labour rates only are 6%, 15% and 23% on composite rates for 2nd, 3rd, 4th and subsequent floors respectively.
09-02	Second class tile roofing consisting of 4" earth and 1" mud plaster with gobri leeping etc	100 Sft	6,510.00	14,741.99	m2	700.48	1,586.24		ditto
09-03	Covering mud roof with coal tar and fine sand	100 Sft	288.92	1,380.34	m2	31.09	148.53		ditto
09-04-a	Filling spaces in between wooden battens over beams, filled with deodar wood pieces	100 Sft	806.00	2,889.55	m2	86.73	310.92		ditto
09-04-b	Filling spaces in between RCC battens, filled with PCC block 1:3:6	100 Sft	1,258.60	1,728.08	m2	135.43	185.94		
09-04-c	Filling spaces in between spacers filled with bricks	100 Sft	357.12	973.05	m2	38.43	104.70		
09-05	Single layer of tiles 10"x5"x1.25" laid over 4" earth and 1" mud plaster on top of RC roof slab	100 Sft	2,635.00	12,130.04	m2	283.53	1,305.19		Add extra 13%, 32% and 51% on labour rates only are 6%, 15% and 23% on composite rates for 2nd, 3rd, 4th and subsequent floors respectively.
09-06-a	Jack arch roof 4.5" thick laid in 1:5 c/s mortar a) cement concrete in haunches 1:6:12	100 Sft	9,362.00	23,450.42	m2	1,007.35	2,523.27		a) For steel part and its erection etc. Item No 25-10 and 25-14 be referred b) Add extra 13%, 32% and 51% on labour rates only or 6%, 15% and 23% on composite rates for 2nd, 3rd, 4th and subsequent floors respectively.
09-06-b	Jack arch roof 4.5" thick laid in 1:5 c/s mortar b) cement concrete in haunches 1:3:6	100 Sft	9,362.00	24,867.69	m2	1,007.35	2,675.76		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 09 ROOFING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
09-07-a	Jack arch roofing 4.5"thick laid in 1:5 c/s mortar complete. Cement concrete in haunches 1:6:12	100 Sft	7,595.00	20,896.79	m2	817.22	2,248.49		a) For steel part and its erection etc. Item No 25-10 and 25-14 be referred b) Add extra 13%, 32% and 51% on labour rates only or 6%, 15% and 23% on composite rates for 2nd, 3rd, 4th and subsequent floors respectively.
09-07-b	Jack arch roofing 4.5"thick laid in 1:5 cement mortar, including complete. Cement concrete in haunches 1:3:6	100 Sft	7,595.00	22,115.08	m2	817.22	2,379.58		
09-08	Extra for vaulted jack arch roofing	100 Sft	2,108.00	2,125.00	m2	226.82	228.65	ditto	
09-09	Jack arch roofing of shingle & cement concrete 1:3:6, 4.5" at crown & 1/2" cem. plaster complete	100 Sft	7,750.00	13,095.34	m2	833.90	1,409.06		
09-10-a	Earth filling over roof including watering, ramming etc 3" thick earth filling and 1" mud plaster	100 Sft	828.32	2,053.78	m2	89.13	220.99		Add extra 13%, 32% and 51% on labour rates only are 6%, 15% and 23% on composite rates for 2nd, 3rd, 4th and subsequent floors respectively.
09-10-b	Earth filling over roof including watering, ramming etc 4" thick earth filling and 1" mud plaster	100 Sft	865.52	2,262.08	m2	93.13	243.40		
09-11	1/8" thick gobri leeping on roofs or floors	100 Sft	171.12	311.58	m2	18.41	33.53	ditto	
09-12	2 coats of bitumen laid hot using 34 lbs. for %sft over roof & blinded with sand at 1 cft per % sft	100 Sft	620.00	2,783.79	m2	66.71	299.54		
09-13-a	Supply & fix corrugated GI sheet with GI bolts, nuts, limpet etc. complete : 20 BWG	100 Sft	1,736.00	18,986.16	m2	186.79	2,042.91		Add extra 13%, 32% and 51% on labour rates only are 6%, 15% and 23% on composite rates for 2nd, 3rd, 4th and subsequent floors respectively.
09-13-b	Supply & fix corrugated GI sheet with GI bolts, nuts, limpet etc. complete : 22 BWG	100 Sft	1,736.00	16,546.16	m2	186.79	1,780.37		
09-13-c	Supply & fix corrugated GI sheet with GI bolts, nuts, limpet etc. complete : 24 BWG	100 Sft	1,736.00	13,801.16	m2	186.79	1,485.00		
09-14	Khassi parnals in c/s mortar 1:2, 12" outside width finished smooth with a floating coat	Rft	101.58	130.04	m	333.26	426.64	ditto	



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 09 ROOFING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
09-15	Khuras on roof 2'x2'x6"	Each	378.20	655.75	Each	378.20	655.75		ditto
09-16	Bottom khuras of brick masonry in c/s mortar 1:6,4'x2'x4.5" over 3" cem. concrete 1:4:8	Each	378.20	1,122.40	Each	378.20	1,122.40		ditto
09-17-a	Plain GI sheets 22 SWG rain water down pipe a) 4" diameter down pipe	Rft	79.39	206.96	m	260.47	679.00		ditto
09-17-b	Plain GI sheets 22 SWG rain water down pipe b) 5" diameter down pipe	Rft	79.39	234.39	m	260.47	769.00		
09-18	Plain galvanized iron sheet flashing, 22 guage	100 Sft	10,763.57	18,121.05	m2	1,158.16	1,949.82		ditto
09-19-a	Cast iron rain water down pipe fixed in position excluding heads & shoes : 4" dia	Rft	58.85	689.34	m	193.07	2,261.62		ditto
09-19-b	Cast iron rain water down pipe fixed in position excluding heads & shoes : 3" dia	Rft	58.85	565.45	m	193.07	1,855.14		
09-20	Heads for cast iron rain water down pipe fixed in place including cost of clamp holdfast and painting	Each	223.20	1,898.91	Each	223.20	1,898.91		ditto
09-21	Shoes, bends or offsets for cast iron ran water down pipe, including fixing & painting	Each	130.20	1,805.16	Each	130.20	1,805.16		ditto
09-22	Plain GI sheet spouts fixed in position, including paint	Each	285.20	537.67	Each	285.20	537.67		ditto
09-23	Laying 1/2" thick deodar ceiling complete, including sawing, planing & fixing	100 Sft	5,828.00	22,076.60	m2	627.09	2,375.44		ditto
09-24-a	Flat sheet roof with GI plain sheets, including batten rolls, screws, clips etc : 22 BWG	100 Sft	4,464.00	19,224.48	m2	480.33	2,068.55		
09-24-b	Flat sheet roof with GI plain sheets, including batten rolls, screws, clips etc : 24 BWG	100 Sft	4,464.00	17,494.39	m2	480.33	1,882.40		
09-25	Asbestos cement corrugated sheet roofing including overlaps, GI hooks, bolts, nuts etc	100 Sft	2,232.00	16,387.36	m2	240.16	1,763.28		
09-26	Extra labour for erection of GI sheets, flat sheet or asbestos sheet roofing above 20' height	100 Sft	396.80	400.00	m2	42.70	43.04		
09-27	Fixing asbestos cement sheet ridges and valleys 1/4" thick	100 RFT	2,728.00	9,362.40	m	89.50	307.17		
09-28-a	Plain GI sheet ridging including fixture complete 6" lap & 18" overall of 22 gauge GI sheet ridging	Rft	102.07	547.75	m	334.89	1,797.08		
09-28-b	Plain GI sheet ridging including fixture complete 9" lap & 24" overall, of 24 gauge GI sheet ridging	Rft	102.07	546.63	m	334.89	1,793.42		
09-28-c	Plain GI sheet ridging including fixture complete 12" lap & 30 overall, of 22 gauge GI sheet ridging	Rft	102.07	622.88	m	334.89	2,043.58		
09-29	Plain 22 gauge GI sheet gutter semi circular 8" diameter	Rft	52.93	251.42	m	173.64	824.86		
09-30	Fixing water spouse or parnala.	Each	434.00	437.50	Each	434.00	437.50		
09-31	Making masonry ventilators in c/s mortar 1:4	Each	1,736.00	2,406.53	Each	1,736.00	2,406.53		
09-32	Making drip course 2"x1/2" under RCC slab edges in outer opening, in c/s mortar 1:2	Rft	13.16	14.70	m	43.16	48.23		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 09 ROOFING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
09-33	Supply and laying of twin GI sheet 20 SWG painted with bitumen & polythene film complete	100 Sft	3,543.92	27,247.71	m2	381.33	2,931.85		
09-34-a	Provide & lay roof insulation complete with Thermopore sheet 1/2" thick	Sft	28.00	134.70	m2	301.32	1,449.38		
09-34-b	Provide & lay roof insulation complete with Thermopore sheet 3/4" thick	Sft	28.00	134.58	m2	301.32	1,448.10		
09-34-c	Provide & lay roof insulation complete with Thermopore sheet 1" thick	Sft	28.00	137.02	m2	301.32	1,474.35		
09-35	Providing and fixing AC rain water down pipe 4" dia, with shoe, tee, bend & clamp etc	Rft	58.90	726.72	m	193.24	2,384.24		
09-36-a	Making jharries in existing brick masonry For slabs upto 6" thick	Rft	33.76	63.74	m	110.76	209.12		Rate shall be increased by 1.5 times for stone masonry or PCC and 2 times for RCC
09-36-b	Making jharries in existing brick masonry For slabs exceeding 6" to 12" thick	Rft	85.57	90.48	m	280.74	296.85		
09-37-a	Making recess in existing brick masonry a) upto 1.0' height of girder or beam	Each	334.80	367.93	Each	334.80	367.93		ditto
09-37-b	Making recess in existing brick masonry b) for every 6" additional height or part thereof	Each	139.50	158.25	Each	139.50	158.25		
09-38	Hoisting RS Beams & wooden beams and placing in position	Each	350.92	353.75	Each	350.92	353.75		
09-39	Hoisting and placing in position sahl ballies, over roof	Each	57.29	57.75	Each	57.29	57.75		
09-40-a	Hoist precast RCC/pre-stressed conc. battens a) From 5' to 6' long	Each	49.97	50.38	Each	49.97	50.38		
09-40-b	Hoist precast RCC/pre-stressed conc. battens b) Over 6' to 7' long	Each	74.40	75.00	Each	74.40	75.00		
09-40-c	Hoist precast RCC/pre-stressed conc. battens c) Over 7' to 8' long	Each	98.83	99.63	Each	98.83	99.63		
09-40-d	Hoist precast RCC/pre-stressed conc. battens d) Over 8' to 9' long	Each	119.04	120.00	Each	119.04	120.00		
09-40-e	Hoist precast RCC/pre-stressed conc. battens e) Exceeding 9' length	Each	148.80	150.00	Each	148.80	150.00		
09-41-a	Hoisting and placing in position RCC troughs Upto 10' in length	Each	148.80	150.00	Each	148.80	150.00		Applicable only to roof troughs (inverted tees and trough) for heights of first storey only
09-41-b	Hoisting and placing in position RCC troughs Upto 11' in length	Each	198.77	200.38	Each	198.77	200.38		

**MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA****CSR CELL FINANCE DEPARTMENT****As on Apr-Jun (QTR-2) 2015****Chapter # : 09 ROOFING**

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
09-41-c	Hoisting and placing in position RCC troughs Upto 12' in length	Each	247.63	249.63	Each	247.63	249.63		
09-41-d	Hoisting and placing in position RCC troughs Upto 13' in length	Each	269.08	271.25	Each	269.08	271.25		
09-41-e	Hoisting and placing in position RCC troughs Upto 14' in length	Each	297.60	300.00	Each	297.60	300.00		
09-41-f	Hoisting and placing in position RCC troughs Upto 15' in length	Each	327.36	330.00	Each	327.36	330.00		
09-41-g	Hoisting and placing in position RCC troughs Upto 16' in length	Each	372.00	375.00	Each	372.00	375.00		
09-41-h	Hoisting and placing in position RCC troughs Upto 17' in length	Each	423.83	427.25	Each	423.83	427.25		
09-41-i	Hoisting and placing in position RCC troughs Upto 18' in length	Each	496.37	500.38	Each	496.37	500.38		
09-41-j	Hoisting and placing in position RCC troughs Upto 19' in length	Each	595.20	600.00	Each	595.20	600.00		
09-41-k	Hoisting and placing in position RCC troughs Upto 20' in length	Each	744.00	750.00	Each	744.00	750.00		
09-42-a	Hoist & place in position RCC inverted battens Upto 10' span	Each	119.29	120.25	Each	119.29	120.25		
09-42-b	Hoist & place in position RCC inverted battens Upto 12' span	Each	238.58	240.50	Each	238.58	240.50		
09-42-c	Hoist & place in position RCC inverted battens Upto 13' span	Each	299.09	301.50	Each	299.09	301.50		
09-42-d	Hoist & place in position RCC inverted battens Upto 14' span	Each	359.60	362.50	Each	359.60	362.50		
09-42-e	Hoist & place in position RCC inverted battens Upto 15' span	Each	395.56	398.75	Each	395.56	398.75		
09-42-f	Hoist & place in position RCC inverted battens Upto 16' span	Each	449.50	453.13	Each	449.50	453.13		
09-42-g	Hoist & place in position RCC inverted battens Upto 18' span	Each	600.53	605.38	Each	600.53	605.38		
09-42-h	Hoist & place in position RCC inverted battens Upto 20' span	Each	899.00	906.25	Each	899.00	906.25		
09-43	RCC spout including fixing in position, with top and bottom khuras	Each	607.60	863.82	Each	607.60	863.82		
09-44	P/F Burnt Brick Tile Roofing over Tee Iron and Steel Girder, in 1:6 c/s mortar (12' max span)	100 Sft	5,665.99	43,671.61	m2	609.66	4,699.07		
09-45	Providing and Laying Prestressed Roof of Slab/Girder, 2" thick PCC 1:2:4 with chicken mesh, polythene, mud, tar	Sft	50.48	219.29	m2	543.12	2,359.53		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 09 ROOFING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 10 FLOORING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
10-01	Laying murum flooring complete as per specs	100 Sft	2,728.00	7,059.04	m2	293.53	759.55		
10-02	Earth flooring 6" thick consolidated layer of moistened earth, including ramming	100 Sft	914.50	2,288.27	m2	98.40	246.22		
10-03-a	Provide, lay, water & ram clean coarse sand under floor / brick paving, complete	100 Cft	3,606.79	4,584.67	m3	1,273.73	1,619.06		
10-03-b	Provide, lay, water & ram brick ballast 1.5" to 2" guage mixed with 25% sand for floor foundations	100 Cft	7,216.68	12,280.60	m3	2,548.55	4,336.86		
10-04	Mud floor of 6" thick consolidated layer of moist earth & finished off with 1" mud plaster	100 Sft	1,798.00	3,863.32	m2	193.46	415.69		
10-05	Dry brick paving laid flat,sand grouted, including prep. of bed, by 1/2" thick mud plaster	100 Sft	1,209.00	5,084.93	m2	130.09	547.14		
10-06	Dry brick on edge paving, sand grouted, including prep. of bed, by 1/2" thick mud plaster	100 Sft	1,716.16	7,437.77	m2	184.66	800.30		
10-07	Grouting 4.5" dry brick work with cement sand mortar 1:5	100 Sft	1,178.00	1,732.72	m2	126.75	186.44		
10-08	Flat brick flooring laid in 1:6 c/s mortar over a bed of 3/4" thick cement mortar 1:6	100 Sft	2,077.00	6,780.75	m2	223.49	729.61		
10-09	Brick on edge flooring, laid in 1:6 c/s mortar, over a bed of 3/4" thick cement mortar 1:6	100 Sft	2,666.00	9,479.00	m2	286.86	1,019.94		
10-10	Brick tiles (12"x6"x2") laid in 1:6 c/s mortar, over a bed of 3/4" thick c/s mortar 1:6	100 Sft	2,077.00	6,564.81	m2	223.49	706.37		
10-11	Brick tiles (9"x4.5"x1.5") laid flat in 1:3 c/s mortar over a bed of 3/4" thick cement mortar 1:6	100 Sft	2,356.00	8,242.96	m2	253.51	886.94		
10-12	Cement tiles (8"x8"x3/4") laid flat in 1:2 c/s mortar, over 3/4" thick bed of c/s mortar 1:2	-	-	-	-	-	-	DELETED	
10-13-a	Cement concrete tiles laid in 1:2 c/s mortar over 3/4" thick bed of c/s mortar 1:2 : 12" x 12" x 1"	-	-	-	-	-	-	DELETED	
10-13-b	Cement concrete tiles laid in 1:2 c/s mortar over 3/4" thick bed of c/s mortar 1:2 : 9" x 9" x 3/4"	-	-	-	-	-	-	DELETED	
10-13-c	Cement concrete tiles laid in 1:2 c/s mortar over 3/4" thick bed of c/s mortar 1:2 : 6" x 6" x 3/4"	-	-	-	-	-	-	DELETED	
10-14	Coloured cement tile (8"x8"x3/4") of dark shade laid flat in 1:2 c/s mortar over 3/4" mortar bed	100 Sft	3,118.60	8,130.62	m2	335.56	874.85		
10-15-a	Provide & lay topping of concrete 1:2:4, including surface finishing & dividing in panels : 1" thick	100 Sft	1,736.00	3,254.75	m2	186.79	350.21	If glass strips are used for paneling, it shall be paid extra as per item No. 10-43	
10-15-b	Provide & lay topping of concrete 1:2:4, including surface finishing & dividing in panels: 1.5" thick	100 Sft	2,077.00	4,070.15	m2	223.49	437.95		
10-15-c	Provide & lay topping of concrete 1:2:4, including surface finishing & dividing in panels: 1.5" thick	100 Sft	2,077.00	4,322.20	m2	223.49	465.07		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 10 FLOORING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
10-15-d	Provide & lay topping of concrete 1:2:4, including surface finishing & dividing in panels : 1.75" thick	100 Sft	2,077.00	4,844.24	m2	223.49	521.24		
10-15-e	Provide & lay topping of concrete 1:2:4, including surface finishing & dividing in panels : 2" thick	100 Sft	2,387.00	5,418.31	m2	256.84	583.01		
10-15-f	Provide & lay topping of concrete 1:2:4, including surface finishing & dividing in panels: 2.25" thick	100 Sft	3,410.00	6,887.66	m2	366.92	741.11		
10-15-g	Provide & lay topping of concrete 1:2:4, including surface finishing & dividing in panels: 2.5" thick	100 Sft	3,565.00	7,361.45	m2	383.59	792.09		
10-15-h	Provide & lay topping of concrete 1:2:4, including surface finishing & dividing in panels: 2.75" thick	100 Sft	4,247.00	8,367.03	m2	456.98	900.29		
10-15-i	Provide & lay topping of concrete 1:2:4, including surface finishing & dividing in panels : 3" thick	100 Sft	3,999.00	8,482.18	m2	430.29	912.68		
10-16-a	Provide & laying conglomerate floor (two coat work) with top layer of 1/2" thick wearing surface of one part of cement 2 parts of stone chips passing 3/16" sieve over bottom layer of cement concrete (1:3:6) including surface finishing & dividing in panels: 1.5" thick	100 Sft	3,906.00	5,724.85	m2	420.29	615.99	ditto	
10-16-b	Provide & laying conglomerate floor (two coat work) with top layer of 1/2" thick wearing surface of one part of cement 2 parts of stone chips passing 3/16" sieve over bottom layer of cement concrete (1:3:6) including surface finishing & dividing in panels: 1.75" thick	100 Sft	2,790.00	4,787.92	m2	300.20	515.18		
10-16-c	Provide & laying conglomerate floor (two coat work) with top layer of 1/2" thick wearing surface of one part of cement 2 parts of stone chips passing 3/16" sieve over bottom layer of cement concrete (1:3:6) including surface finishing & dividing in panels : 2" thick	100 Sft	3,100.00	5,295.16	m2	333.56	569.76		
10-17	Add extra in cement concrete floor topping if finished with pigment and polishing	100 Sft	868.00	1,667.88	m2	93.40	179.46		
10-18	Extra labour for each storey above ground for mosaic, conglomerate, tiles, stone & wood floor	100 Sft	465.00	468.75	m2	50.03	50.44	Applicable to item No 10-08 to 10-16, 10-19 to 10-25 and 10-30 to 10-35	
10-19-a	Flag stone flooring in lime mortar 1:2, over 3/4" bedding : 2" thick	100 Sft	5,301.00	8,009.21	m2	570.39	861.79		
10-19-b	Flag stone flooring in lime mortar 1:2, over 3/4" bedding : 3" thick	100 Sft	4,910.40	8,198.86	m2	528.36	882.20		
10-20-a	Asphalt floor, including base preparation, remelting, setting out & finish : 1" thick topping	100 Sft	1,767.00	20,188.61	m2	190.13	2,172.29		
10-20-b	Asphalt floor, including base preparation, remelting, setting out & finish : 1/2" thick topping	100 Sft	1,512.80	10,728.68	m2	162.78	1,154.41		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 10 FLOORING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
10-20-c	Asphalt floor, including base preparation, remelting, setting out & finish : 1/4" thick topping	100 Sft	1,046.56	5,663.55	m2	112.61	609.40		
10-21-a	1.375" thick mosaic flooring, including rubbing and polishing complete : Using grey cement	100 Sft	7,192.00	11,356.76	m2	773.86	1,221.99		If glass strips are used for paneling, it shall be paid extra as per item No. 10-43 ditto
10-21-b	1.375" thick mosaic flooring, including rubbing and polishing complete : Using white cement	100 Sft	7,192.00	10,846.44	m2	773.86	1,167.08		
10-22-a	1.5" thick mosaic flooring, including rubbing & polishing complete : Using grey cement	100 Sft	7,378.00	10,994.29	m2	793.87	1,182.99		
10-22-b	1.5" thick mosaic flooring, including rubbing & polishing complete : Using white cement	100 Sft	7,378.00	11,438.37	m2	793.87	1,230.77		
10-23	Laying floor of mosaic marble chips tiles of approved shade including finishing complete	100 Sft	3,875.00	13,832.54	m2	416.95	1,488.38		
10-24	Lay floor of white glazed tile 1/4" thick in white cement 1:2 over 3/4" thick cement mortar 1:2	100 Sft	5,022.00	14,288.63	m2	540.37	1,537.46		
10-25	Lay floor of approved coloured glazed tiles 1/4" thick laid in white cement & pigment complete	100 Sft	5,022.00	14,344.75	m2	540.37	1,543.50		
10-26-a	Provide & lay marble fine dressed stone flooring on surface in white cement complete: 3/4" thick (Badel, Silky black, Sunny white, Sunny Grey or eq)	100 Sft	9,920.00	19,079.97	m2	1,067.39	2,053.00		
10-26-b	Provide & lay marble fine dressed stone flooring on surface in white cement complete: 1" thick (Badel, Silky black, Sunny white, Sunny Grey or eq)	100 Sft	9,920.00	21,001.47	m2	1,067.39	2,259.76		
10-26-c	Provide & lay marble fine dressed stone flooring on surface in white cement complete: 1/2" thick (Badel, Silky black, Sunny white, Sunny Grey or eq)	100 Sft	9,920.00	22,282.47	m2	1,067.39	2,397.59		
10-26-d	Providing and Laying marble fine dressed stone 4-5 feet and 12" wide 1" thick for stairs steps.	100 Sft	9,920.00	20,031.45	m2	1,067.39	2,155.38		
10-26-e	Providing and Laying marble fine dressed stone 7x1.5 feet and 1" thick for stairs steps.	100 Sft	9,920.00	20,031.45	m2	1,067.39	2,155.38		
10-26-f	Providing and fixing glazed tile colour printed border 2" wide	100 Rft	961.00	20,579.03	m	31.53	675.17		
10-26-g	Providing and fixing glazed tile colour printed border 3" wide	100 Rft	961.00	20,579.03	m	31.53	675.17		
10-26-h	Providing and fixing glazed tile colour printed border 4" wide	100 Rft	961.00	20,579.03	m	31.53	675.17		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 10 FLOORING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
10-27	Rubbing and polishing old grit/mosaic floor, including repairing voids, uneven surface, complete	100 Sft	5,022.00	5,125.94	m2	540.37	551.55		Reduce the rate by 35 % and 40 % for labour and composite rate respectively if polishing is not done.
10-28	Rubbing & polishing grit floor, including repairing voids, uneven surface, complete	100 Sft	1,935.64	2,130.10	m2	208.27	229.20		Reduce the rate by 35 % and 40 % for labour and composite rate respectively if polishing is not done.
10-29	Cleaning and washing mosaic or marble floor with caustic soda mixture	100 Sft	245.52	464.42	m2	26.42	49.97		
10-30	Shisham wood boarding or strip flooring 3/4" thick including 2 coats of bitumen laid hot complete	100 Sft	13,020.00	52,009.33	m2	1,400.95	5,596.20		
10-31	Deodar wood boarding or strip flooring 3/4" thick including 2 coats of bitumen laid hot complete	100 Sft	9,672.00	54,416.39	m2	1,040.71	5,855.20		
10-32	Teak wood boarding or strip flooring 1/2" thick including 2 coats of bitumen laid hot complete	100 Sft	13,020.00	75,852.27	m2	1,400.95	8,161.70		
10-33	Shisham wood block flooring 1" thick cut to required size, fixed on a layer of bitumen base	100 Sft	9,672.00	51,903.32	m2	1,040.71	5,584.80		
10-34	Teak wood block 1" thick cut to required size, fixed on a layer of asphalt bitumen laid on base	100 Sft	13,020.00	126,804.48	m2	1,400.95	13,644.16		
10-35-a	Laying wooden paving of hard wood on edge in coal tar & asphalt : Shisham wood	100 Sft	3,968.00	29,915.48	m2	426.96	3,218.91		
10-35-b	Laying wooden paving of hard wood on edge in coal tar & asphalt : Kikar wood	100 Sft	3,968.00	18,224.22	m2	426.96	1,960.93		
10-36-a	Tile skirting laid in 1:2 c/s mortar over 3/4" thick cement mortar 1:2 complete : Cement tiles	100 Sft	3,428.60	6,298.36	m2	368.92	677.70		
10-36-b	Tile skirting laid in 1:2 c/s mortar over 3/4" thick cement mortar 1:2 complete : Mosaic tiles	100 Sft	3,937.00	36,598.38	m2	423.62	3,937.99		
10-37-a	Provide grey cement skirting 3/8" thick complete 1:2 cement, sand mortar	100 Sft	3,924.60	4,795.98	m2	422.29	516.05		
10-37-b	Provide grey cement skirting 3/8" thick complete 1:3 cement, sand mortar	100 Sft	3,924.60	4,659.95	m2	422.29	501.41		
10-37-c	Provide grey cement skirting 3/8" thick complete Extra if skirting or dado is finished with pigment	100 Sft	372.00	1,298.63	m2	40.03	139.73		
10-38-a	Glazed tile 1/4" thick dado jointed in white cement complete : White Plain tiles	100 Sft	5,642.00	14,913.63	m2	607.08	1,604.71		
10-38-b	Glazed tile 1/4" thick dado jointed in white cement complete : Coloured Plain tiles	100 Sft	5,642.00	14,794.07	m2	607.08	1,591.84		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 10 FLOORING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
10-38-c	Glazed tile 1/4" thick dado jointed in white cement complete : Printed tiles	100 Sft	5,642.00	14,913.63	m2	607.08	1,604.71		
10-39	Glazed tile dado 1/4" thick in pigment over 1:2 c/s mortar 3/4" thick including finishing complete	100 Sft	5,642.00	15,081.38	m2	607.08	1,622.76		
10-40-a-01	Mosaic dado or skirting complete as per specs Using grey cement : 3/8" thick	100 Sft	6,944.00	9,527.35	m2	747.17	1,025.14		
10-40-a-02	Mosaic dado or skirting complete as per specs Using grey cement : 1/2" thick	100 Sft	6,944.00	10,116.25	m2	747.17	1,088.51		
10-40-b-01	Mosaic dado or skirting complete as per specs Using white cement : 3/8" thick including grinding and polishing	100 Sft	6,944.00	9,695.59	m2	747.17	1,043.25		
10-40-b-02	Mosaic dado or skirting complete as per specs Using white cement : 1/2" thick including grinding and polishing	100 Sft	6,944.00	10,461.14	m2	747.17	1,125.62		
10-41-a	Provide & lay marble fine dressed and polished stone dado or skirting in white cement complete : 3/8" thick (Badel, Silky black, Sunny white, Sunny Grey or eq)	100 Sft	3,224.00	13,876.20	m2	346.90	1,493.08		
10-41-b	Provide & lay marble fine dressed and polished stone dado or skirting in white cement complete : 1/2" thick (Badel, Silky black, Sunny white, Sunny Grey or eq)	100 Sft	3,224.00	14,403.85	m2	346.90	1,549.85		
10-42	Rubber flooring, consisting of 12"x12"x1/8" rubber tiles laid on firm foundation	100 Sft	2,350.42	12,502.08	m2	252.91	1,345.22		The cost of base for rubber floor is not included in the rate and is payable separately
10-43-a	Provide & fix glass strip 1.5" wide for dividing the floors into panels : 5mm thick	100 Rft	79.86	849.10	m	2.62	27.86		
10-43-b	Provide & fix glass strip 1.5" wide for dividing the floors into panels : 3mm thick	100 Rft	79.86	849.10	m	2.62	27.86		
10-43-c	Providing and Fixing marble strip 1.5 inch wide 3/8 inch thick for dividing the floor into panels	100 Rft	79.86	721.00	m	2.62	23.65		
10-43-d	Providing and Fixing marble strip 2" wide and 3/8" thick for dividing the floor into panels	100 Rft	79.86	849.10	m	2.62	27.86		
10-44	P/F Vinyl Tiles or Vinyl Sheet flooring over firm foundation	100 Sft	2,232.00	14,730.60	m2	240.16	1,585.01		
10-45	P/F Precast Concrete 7000 psi TUFF Tiles over bed of 2" thick sand & 4" thick brick ballast comp	100 Sft	2,480.00	7,953.81	m2	266.85	855.83		
10-46-a	P/F Ceramic Floor Tiles (Emco, National or eq) Size : 12" x 12"	100 Sft	4,588.00	14,052.92	m2	493.67	1,512.09		
10-46-b	P/F Ceramic Floor Tiles (Emco, National or eq) Size 20" x 20"	100 Sft	4,588.00	23,202.92	m2	493.67	2,496.63		
10-47	Burnt brick (1st class) pavement on edge grouted with sand including preparation of bed	100 Sft	2,666.00	8,583.15	m2	286.86	923.55		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 10 FLOORING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
10-48-a	Porceline tile floor 1/4" thick laid cement 1:2 or 3/4" thick cement mortar 1:2 (Local Master Tiles)	100 Sft	5,022.00	21,925.83	m2	540.37	2,359.22		
10-48-b	Porceline tile floor 1/4" thick laid cement 1:2 over 3/4" thick cement mortar 1:2 (Imported Tiles)	100 Sft	5,022.00	21,925.83	m2	540.37	2,359.22		
10-48-c	Granitto tile floor 1/4" thick laid cement 1:2 or 3/4" thick cement mortar 1:2 (Imported Tiles UAE) 24"x24"	100 Sft	5,022.00	34,125.83	m2	540.37	3,671.94		
10-48-d	Granitto tile floor 1/4" thick laid cement 1:2 or 3/4" thick cement mortar 1:2 (Imported Tiles UAE) 16"x16"	100 Sft	5,022.00	29,971.73	m2	540.37	3,224.96		
10-49-a	Providing and Laying marble fine dressed stone flooring on surface in white cement complete using Indian green marble 12"x12"x3/4" thick	100 Sft	5,952.00	44,634.47	m2	640.44	4,802.67		
10-49-b	Providing and Laying marble fine dressed stone flooring on surface in white cement complete using Trevera marble 12"x12"x3/4" thick	100 Sft	5,952.00	17,184.47	m2	640.44	1,849.05		
10-49-c	Providing and Laying marble fine dressed stone flooring on surface in white cement complete using Botocina marble 12"x12"x3/4" thick	100 Sft	5,952.00	19,624.47	m2	640.44	2,111.59		
10-49-d	Providing and Laying marble fine dressed stone flooring on surface in white cement complete using Veroona/Lasbela marble 12"x12"x3/4" thick	100 Sft	5,952.00	19,014.47	m2	640.44	2,045.96		
10-50	Chemical polishing of marble floor/Dado	100 Sft	1,178.00	2,444.10	m2	126.75	262.99		
10-51	Replaced coloured glass panes of sizes upto 4 mm thickness with iron, nails and putty including removing broken ones if required in all floors.	Sft	41.66	237.20	m2	448.30	2,552.27		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 11 SURFACE RENDERING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
11-01-a	Mud plaster on walls (excluding gobri leeping) upto 20' height : 1/2" thick	100 Sft	530.72	783.88	m2	57.11	84.35		
11-01-b	Mud plaster on walls (excluding gobri leeping) upto 20' height : 1" thick	100 Sft	731.60	1,235.26	m2	78.72	132.91		
11-02-a	Mud plaster on floor / roof (excluding gobri leeping) upto 20' height : 1/2" thick	100 Sft	477.40	730.13	m2	51.37	78.56		Add extra 13%, 32% and 51% above the labour rates only or 6%, 15% and 23% on composite rates for 2nd, 3rd, 4th and subsequent floors respectively.
11-02-b	Mud plaster on floor / roof (excluding gobri leeping) upto 20' height : 1" thick	100 Sft	905.20	1,410.26	m2	97.40	151.74		
11-03-a	Cement lime plaster 1:7:12 (c/l/s) upto 20' height 1/4" thick	100 Sft	1,612.00	1,877.05	m2	173.45	201.97		
11-03-b	Cement lime plaster 1:7:12 (c/l/s) upto 20' height 1/2" thick	100 Sft	1,612.00	2,129.59	m2	173.45	229.14		
11-04-a	Cement Neru plaster 1:2 (c/s) upto 20' height 1/4" thick	100 Sft	1,612.00	2,287.19	m2	173.45	246.10		
11-04-b	Cement Neru plaster 1:2 (c/s) upto 20' height 1/2" thick	100 Sft	1,612.00	2,782.00	m2	173.45	299.34		
11-05	2" stucco cement plaster 1:2:4 (c/s/shingle) upto 20' height	100 Sft	3,782.00	6,328.26	m2	406.94	680.92		
11-06-a	Provide/lay machine sprayed plaster 1/2" thick using cement & zero guage chips : Ratio 1:1	100 Sft	1,248.68	3,547.71	m2	134.36	381.73		
11-06-b	Provide/lay machine sprayed plaster 1/2" thick using cement & zero guage chips : Ratio 1:1.5	100 Sft	1,261.08	3,443.76	m2	135.69	370.55		
11-06-c	Provide/lay machine sprayed plaster 1/2" thick using cement & zero guage chips : Ratio 1:2	100 Sft	1,282.16	3,405.78	m2	137.96	366.46		
11-07-a	Cement plaster 1:2, upto 20' height 3/8" thick	100 Sft	1,612.00	2,277.94	m2	173.45	245.11		The rate be allowed only on written orders of Superintending Engineer
11-07-b	Cement plaster 1:2, upto 20' height 1/2" thick	100 Sft	1,612.00	2,464.73	m2	173.45	265.20		
11-07-c	Cement plaster 1:2, upto 20' height 3/4" thick	100 Sft	2,046.00	3,362.41	m2	220.15	361.80		
11-08-a	Cement plaster 1:3 upto 20' height 3/8" thick	100 Sft	1,612.00	2,093.97	m2	173.45	225.31		ditto
11-08-b	Cement plaster 1:3 upto 20' height 1/2" thick	100 Sft	1,612.00	2,248.30	m2	173.45	241.92		
11-08-c	Cement plaster 1:3 upto 20' height 3/4" thick	100 Sft	2,046.00	3,000.44	m2	220.15	322.85		
11-09-a	Cement plaster 1:4 upto 20' height 3/8" thick	100 Sft	1,612.00	2,052.24	m2	173.45	220.82		
11-09-b	Cement plaster 1:4 upto 20' height 1/2" thick	100 Sft	1,612.00	2,164.00	m2	173.45	232.85		
11-09-c	Cement plaster 1:4 upto 20' height 3/4" thick	100 Sft	2,046.00	2,903.57	m2	220.15	312.42		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 11 SURFACE RENDERING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
11-10-a	Cement plaster 3/8" thick under soffit of RCC roof slabs only upto 20' height : (1:2)	100 Sft	2,046.00	2,564.53	m2	220.15	275.94		i) This item shall be applicable to building meant for human habitation only, such as building like residence, offices, educational institutions and hospitals etc. It shall no admissible on godowns, bins, agricultural, poultry etc.
11-10-b	Cement plaster 3/8" thick under soffit of RCC roof slabs only upto 20' height : (1:3)	100 Sft	2,046.00	2,561.82	m2	220.15	275.65		ii) The thickness of the plaster will not be more than 3/8" thick.
11-10-c	Cement plaster 3/8" thick under soffit of RCC roof slabs only upto 20' height : (1:4)	100 Sft	2,046.00	2,401.90	m2	220.15	258.44		
11-11-a	Cement plaster 1:5, upto 20' height 3/8" thick	100 Sft	1,612.00	2,010.40	m2	173.45	216.32		
11-11-b	Cement plaster 1:5, upto 20' height 1/2" thick	100 Sft	1,612.00	2,132.89	m2	173.45	229.50		
11-11-c	Cement Plaster 1:5, upto 20' height 3/4" thick	100 Sft	2,046.00	2,833.30	m2	220.15	304.86		
11-12-a	Cement plaster 1:6, upto 20' height 3/8" thick	100 Sft	1,612.00	1,950.62	m2	173.45	209.89		
11-12-b	Cement plaster 1:6, upto 20' height 1/2" thick	100 Sft	1,612.00	2,055.17	m2	173.45	221.14		
11-12-c	Cement plaster 1:6, upto 20' height 3/4" thick	100 Sft	2,046.00	2,707.76	m2	220.15	291.35		
11-13	Applying floating coat of cement 1/32" thick	100 Sft	1,054.00	1,307.60	m2	113.41	140.70		
11-14	Lime pointing flush upto 20' height, including racking joints in lime sand mortar 1:2	100 Sft	1,178.00	1,401.73	m2	126.75	150.83		
11-15	Lime pointing struck joints on walls, upto 20' height including racking joints, in lime sand mortar 1:2	100 Sft	1,891.00	2,120.48	m2	203.47	228.16		
11-16-a	Cement pointing flush, upto 20' height Ratio 1:2	100 Sft	1,612.00	2,109.71	m2	173.45	227.00		
11-16-b	Cement pointing flush, upto 20' height Ratio 1:3	100 Sft	1,612.00	2,007.47	m2	173.45	216.00		
11-17-a	Cement pointing 1:2 flush, on floor	100 Sft	1,178.00	1,672.21	m2	126.75	179.93		
11-18-a	Cement pointing struck joints, on walls, upto 20' height : Ratio 1:2	100 Sft	1,891.00	2,390.96	m2	203.47	257.27		
11-18-b	Cement pointing struck joints, on walls, upto 20' height : Ratio 1:3	100 Sft	1,891.00	2,288.72	m2	203.47	246.27		
11-19-a	Pointing flush on stone work, upto 20' height in lime sand mortar 1:2 (lime, sand)	100 Sft	1,581.00	1,867.03	m2	170.12	200.89		
11-19-b	Pointing flush on stone work, upto 20' height in cement sand mortar 1:3	100 Sft	1,581.00	1,976.22	m2	170.12	212.64		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 11 SURFACE RENDERING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
11-19-c-01	Pointing flush on stone work, upto 20' height On stone work raised : in lime sand mortar 1:2	100 Sft	3,007.00	3,304.53	m2	323.55	355.57		
11-19-c-02	Pointing flush on stone work, upto 20' height On stone work raised : in c/s mortar 1:3	100 Sft	3,007.00	3,413.72	m2	323.55	367.32		
11-20	Racking and washing joints of stone masonry (old work)	100 Sft	775.00	781.25	m2	83.39	84.06		
11-21	Racking and washing joints of brick masonry (old work)	100 Sft	465.00	468.75	m2	50.03	50.44		
11-22	Priming coat of chalk under distemper	100 Sft	173.60	197.20	m2	18.68	21.22		
11-23-a-01	Distempering New surface : One coat	100 Sft	465.00	706.65	m2	50.03	76.04		
11-23-a-02	Distempering New surface : Two coats	100 Sft	465.00	757.26	m2	50.03	81.48		
11-23-a-03	Distempering New surface : Three coats	100 Sft	465.00	791.46	m2	50.03	85.16		
11-23-b-01	Distempering Old surface : One coat	100 Sft	130.20	287.65	m2	14.01	30.95		
11-23-b-02	Distempering Old surface : Two coats	100 Sft	186.00	384.90	m2	20.01	41.41		
11-24-a-01	Colour washing: New surface : One coat	100 Sft	111.60	166.79	m2	12.01	17.95		
11-24-a-02	Colour washing: New surface : Two coats	100 Sft	279.00	369.09	m2	30.02	39.71		
11-24-b-01	Colour washing: Old surface : One coat	100 Sft	126.48	170.05	m2	13.61	18.30		
11-24-b-02	Colour washing: Old surface : Two coats	100 Sft	213.28	283.95	m2	22.95	30.55		
11-25-a-01	White washing: New surface : One coat	100 Sft	104.16	122.81	m2	11.21	13.21		
11-25-a-02	White washing: New surface : Two coats	100 Sft	283.96	312.97	m2	30.55	33.68		
11-25-a-03	White washing: New surface : Three coats	100 Sft	365.80	410.08	m2	39.36	44.12		
11-25-b-01	White washing: Old surface : One coat	100 Sft	126.48	159.51	m2	13.61	17.16		
11-25-b-02	White washing: Old surface : Two coats	100 Sft	213.28	237.08	m2	22.95	25.51		
11-26-a	Gobri leeping: On walls	100 Sft	171.12	219.47	m2	18.41	23.61		
11-26-b	Gobri leeping: Over roofs	100 Sft	171.12	275.83	m2	18.41	29.68		
11-27	Striking joints of burnt brick in lime or cement mortar	100 Sft	390.60	393.75	m2	42.03	42.37		Payable with fresh masonry when the face of the work is not to be plastered/pointed.
11-28	Extra for lime, mud or cement plaster & pointing from 20' & above for each additional 10' height	100 Sft	288.92	291.25	m2	31.09	31.34		
11-29	Caulking joints of sleeper wall, with sand and coaltar	100 Sft	682.00	1,429.87	m2	73.38	153.85		
11-30	Caulking joints of sleepers, with mud and chopped straw	100 Sft	682.00	953.46	m2	73.38	102.59		
11-31	Extra cost of labour & material for red oxide pigment in cement pointing to match bricks	100 Sft	111.60	236.33	m2	12.01	25.43		
11-32-a	Provide grooved c/s plaster 1:3 over existing plastered & roughened surface 3/8" thick	100 Sft	1,432.20	1,942.73	m2	154.10	209.04		
11-32-b	Provide grooved c/s plaster 1:3 over existing plastered & roughened surface 1/2" thick	100 Sft	1,432.20	2,071.20	m2	154.10	222.86		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 11 SURFACE RENDERING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
11-32-c	Providing ornamental plaster 3/4" thick with (1:3) cement sand mortar on walls, columns chajja and slabs finished smooth including all charges for Labour and Material.	100 Sft	10,323.00	12,040.76	m2	1,110.75	1,295.59		
11-32-d	Providing ornamental moulding of approved design in column with base/top and nosing and shade of lintel or pediments in cement mortar(1:3) 1-1/8" thick(1 feet under coat x 1/8" finish layer) including all charges for curing/finishing complete	100 Sft	9,368.20	12,252.60	m2	1,008.02	1,318.38		
11-33	Provide & fit expanded metal edge bead for corners, with nails on both sides of edges	Rft	8.47	46.55	m	27.78	152.72		
11-34-a	Petty repairs to Fire Place	Each	297.60	605.00	Each	297.60	605.00		
11-34-b	Petty repairs to Verandah	Each	409.20	839.50	Each	409.20	839.50		
11-34-c	Petty repairs to Room upto 100 sft area	Each	297.60	788.00	Each	297.60	788.00		
11-34-d	Petty repairs to Room exceeding 100 sft area	Each	465.00	956.75	Each	465.00	956.75		
11-35	Extra labour for white washing, priming etc. from 20' height & above for every extra 10' height	m3 / coat	2.23	2.25	m3 / coat	2.23	2.25		The will be taken from the floor, roof or ground underneath as the case may be, on the side towards which the work is to be done
11-36	Providing and fixing of clad stones over 1/2" c/s mortar 1:1 incl curing etc.	100 Sft	4,092.00	14,090.30	m2	440.30	1,516.12		
11-37	Supply & apply acrylic wall coating 10 to 12mm thick of approved quality over plastered surface	100 Sft	2,511.00	8,420.05	m2	270.18	906.00		The rate of plastering over walls is not included in this rate and is to be paid separately.
11-38	P/F Ceramic Exterior Finish Tiles over 1/2" cement sand mortar 1:1 including curing complete	100 Sft	5,053.00	16,334.59	m2	543.70	1,757.60		
11-39-a	Providing and fixing Chakwal tiles red colour in 1:3 cement mortar complete.	100 Sft	4,030.00	7,728.60	m2	433.63	831.60		
11-39-b	Providing and fixing Chakwal tiles white colour in 1:3 cement mortar complete.	100 Sft	4,030.00	8,094.60	m2	433.63	870.98		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-01-a	Plain wood work sawn, wrought, planed & fixed in position, including nails & screws : Deodar wood	Cft	651.00	4,344.31	m3	22,989.87	153,418.00		
12-01-b	Plain wood work sawn, wrought, planed & fixed in position, including nails & screws : Shisham wood	Cft	899.00	3,581.71	m3	31,747.92	126,487.02		
12-02-a	Plain woodwork for regulation karries or needles etc. complete as per specs : Deodar wood	Cft	482.36	4,134.05	m3	17,034.40	145,992.73		
12-02-b	Plain woodwork for regulation karries or needles etc. complete as per specs : Shisham wood	Cft	750.20	3,391.45	m3	26,493.09	119,768.04		
12-03-a	1st class teak wood wrought joinery in doors & windows, panelled or glazed complete : 2" thick	Sft	234.71	2,443.52	m2	2,525.53	26,292.25		
12-03-b	1st class teak wood wrought joinery in doors & windows, panelled or glazed complete : 1.75" thick	Sft	234.71	2,277.95	m2	2,525.53	24,510.70		
12-03-c	1st class teak wood wrought joinery in doors & windows, panelled or glazed complete : 1.5" thick	Sft	234.71	2,112.37	m2	2,525.53	22,729.06		
12-04-a-01	1st class teak wood wrought joinery Teak wood frame 1.75" thick w/o spring/hinge	Sft	148.60	1,253.91	m2	1,598.88	13,492.06	a) This also includes the cost of woods required for extra thickness of chowkats.	
12-04-a-02	1st class teak wood wrought joinery Teak wood frame 1.75" thick w/o spring/hinge	Sft	148.60	1,294.24	m2	1,598.88	13,926.01		
12-04-b-01	1st Class Teak Wood Wrought Joinery : Teak Wood framing 1.5" thick w/ wire guaze w/o springs	Sft	148.60	1,081.52	m2	1,598.88	11,637.12		
12-04-b-02	1st Class Teak Wood wrought joinery : Teak Wood framing 1.5" thick w/ wire guaze w/ springs	Sft	148.60	1,124.35	m2	1,598.88	12,097.97		
12-04-c	1st class teak wood wrought joinery GI wire guaze 22 SWG, fixed to chowkat	Sft	59.42	340.52	m2	639.32	3,663.95		
12-04-d	1st class teak wood wrought joinery GI wire guaze 22 SWG, fixed on teak wood frame	Sft	81.38	885.61	m2	875.59	9,529.21		
12-05	Provide & fix exp. metal 1/2"-3/4" mesh, 16 guage fixed to chowkat, with 1" teak wood cover strips	Sft	54.25	381.57	m2	583.73	4,105.65		
12-06	Provide & fix expanded metal 1/2" to 3/4", 16 guage fixed to chowkat with 1" cover moulding	Sft	54.25	381.57	m2	583.73	4,105.65		
12-07-a	First class deodar wood wrought joinery in doors and windows etc. complete : 2" thick	Sft	146.14	1,014.64	m2	1,572.50	10,917.54		
12-07-b	First class deodar wood wrought joinery in doors and windows etc. complete : 1-3/4" thick	Sft	146.14	901.36	m2	1,572.50	9,698.58		
12-07-c	First class deodar wood wrought joinery in doors and windows etc. complete : 1.5" thick	Sft	119.57	852.78	m2	1,286.59	9,175.96		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-08-a	Deodar wood framed, braced & battened doors & windows : 2.25" thick, 1.25" battens & 1" planks	Sft	172.22	1,024.03	m2	1,853.11	11,018.58		
12-08-b	Deodar wood framed, braced & battened doors & windows : 1.75" thick, 1" battens & 3/4" planks	Sft	133.54	838.29	m2	1,436.87	9,019.96		
12-09	1" thick battened doors & windows fitted in position, complete with iron fittings	Sft	100.15	632.19	m2	1,077.65	6,802.40		
12-10	Deodar wood battened ledged & braced doors & windows 2.25" thick complete	Sft	147.62	1,019.72	m2	1,588.38	10,972.13		
12-11-a	Deodar wood doors framed with braces & 22 SWG GI sheet facing on one side complete	Sft	68.78	442.07	m2	740.09	4,756.62		
12-11-b	Deodar wood doors framed with braces & 22 SWG GI sheet facing on both sides complete	Sft	68.78	451.27	m2	740.09	4,855.65		
12-12-a	Partial wood doors framed with braces & 22 SWG GI sheet facing on one side complete	Sft	48.44	397.68	m2	521.19	4,279.03		
12-12-b	Partial wood doors framed with braces & 22 SWG GI sheet facing on both sides complete	Sft	68.78	265.00	m2	740.09	2,851.39		
12-13-a-01	First class deodar wood wrought joinery work Deodar wood frame 1-3/4" thick w/o springs	Sft	126.77	572.05	m2	1,364.00	6,155.27		
12-13-a-02	First class deodar wood wrought joinery work Deodar wood frame 13/4" thick with springs	Sft	126.77	595.00	m2	1,364.00	6,402.19		
12-13-b-01	First class deodar wood wrought joinery work Deodar wood frame 1.5" thick w/o springs	Sft	126.77	524.88	m2	1,364.00	5,647.75		
12-13-b-02	First class deodar wood wrought joinery work Deodar wood frame 1" thick with springs	Sft	139.44	560.61	m2	1,500.40	6,032.17		
12-13-c	First class deodar wood wrought joinery work GI wire guaze fixed to chowkat with 3/4" strip	Sft	54.25	166.98	m2	583.73	1,796.69		
12-13-d	First class deodar wood wrought joinery work GI wire guaze fixed to chowkat with 1/2" strip	Sft	54.25	145.83	m2	583.73	1,569.15		
12-14	Making and fixing trellis doors & windows of deodar wood complete.	Sft	117.11	562.49	m2	1,260.12	6,052.40		
12-15-a	Provide & fix MS chowkat of doors, windows etc MS angle iron 1.5"x1.5"x1/4" welded with MS flat	Sft	41.30	147.22	m2	444.42	1,584.06		
12-15-b	Provide & fix MS chowkat of doors, windows etc MS tee iron 1.5"x 1.5"x 1/4" welded with MS flat	Sft	41.51	156.23	m2	446.65	1,680.99		
12-16	Extra for providing & fixing iron double spring hinges with brass fittings including finger plate etc	Sft	38.38	135.73	m2	412.98	1,460.48		
12-17-a	P/F brass spring hinges to wire gauzed door.	Each	80.60	286.94	Each	80.60	286.94		
12-17-b	P/F hydraulic Door Closer (Best Quality)	Each	173.60	2,371.00	Each	173.60	2,371.00		
12-18-a-01	Providing and fixing sliding bolt to doors Iron sliding bolts : 10" long	Each	78.12	274.93	Each	78.12	274.93		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-18-a-02	Providing and fixing sliding bolt to doors Iron sliding bolts : 12" long	Each	78.12	323.73	Each	78.12	323.73		
12-18-b-01	Providing and fixing sliding bolt to doors CP sliding bolts : 10" long	Each	78.12	518.93	Each	78.12	518.93		
12-18-b-02	Providing and fixing sliding bolt to doors CP sliding bolts : 12" long	Each	78.12	640.93	Each	78.12	640.93		
12-18-c-01	Providing and fixing sliding bolt to doors Brass sliding bolts : 10" long	Each	78.12	1,128.93	Each	78.12	1,128.93		
12-18-c-02	Providing and fixing sliding bolt to doors Brass sliding bolts : 12" long	Each	78.12	1,433.93	Each	78.12	1,433.93		
12-19-a	Extra for brass fittings to doors & windows Deodar panelled, panelled+glazed or fully glazed	Sft	1.80	17.11	m2	19.34	184.08		
12-19-b	Extra for brass fittings to doors & windows Deodar wood wire guazed shutters	Sft	1.95	15.97	m2	20.96	171.80		
12-20-a-01	Extra for providing/fixing approved quality Rim locks : Imported	Each	353.40	1,820.25	Each	353.40	1,820.25		
12-20-a-02	Extra for providing/fixing approved quality Rim locks : Local	Each	353.40	1,393.25	Each	353.40	1,393.25		
12-20-b-01	Extra for providing/fixing approved quality Rim locks : Imported	Each	242.17	1,769.13	Each	242.17	1,769.13		
12-20-b-02	Extra for providing/fixing approved quality Rim locks : Local	Each	242.17	1,464.13	Each	242.17	1,464.13		
12-21-a	Provide & fix exp. metal 1/2"-3/4"mesh 16 gauge Fixed to chowkat with 1" deodar wood strip etc	Sft	27.13	246.52	m2	291.86	2,652.54		
12-21-b	Provide & fix exp. metal 1/2"-3/4"mesh 16 gauge Fixed with 1" cover mould & screws including frame	Sft	25.58	382.79	m2	275.19	4,118.84		
12-22-a	Provide & fix deodar wood almirah 9"-12" depth including boxing with back, shelves, shutters etc	Sft	239.82	1,361.96	m2	2,580.46	14,654.69		
12-22-b	Provide & fix deodar wood almirah 9"-12" depth With shelves, shutters etc w/o boxing & back	Sft	173.66	801.72	m2	1,868.60	8,626.46		
12-23-a	Provide & fix wooden box type wardrobe 22" deep Partial wood boxing & deodar wood shelves etc	Sft	258.38	976.87	m2	2,780.20	10,511.15		
12-23-b	Provide & fix wooden box type wardrobe 22" deep Deodar wood boxing & deodar shelves etc	Sft	258.38	1,076.96	m2	2,780.20	11,588.12		
12-24-a	Provide & fix chowkat for doors, windows & CS windows, including holdfast etc : Teak wood	Sft	46.50	646.59	m2	500.34	6,957.28		
12-24-b	Provide & fix chowkat for doors, windows & CS windows, including holdfast etc : Shisham wood	Sft	37.64	218.94	m2	405.04	2,355.77		
12-24-c	Provide & fix chowkat for doors, windows & CS windows, including holdfast etc : Deodar wood	Sft	23.25	258.89	m2	250.17	2,785.69		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-25-a	Make & fix deodar planking in eave boards etc planed on both sides complete : 1" thick	100 Sft	4,588.00	36,708.61	m2	493.67	3,949.85		
12-25-b	Make & fix deodar planking in eave boards etc planed on both sides complete : 3/4" thick	100 Sft	4,588.00	29,159.19	m2	493.67	3,137.53		
12-25-c	Make & fix deodar planking in eave boards etc planed on both sides complete : 1/2" thick	100 Sft	4,588.00	21,641.55	m2	493.67	2,328.63		
12-26-a	Make & fix deodar wood shelves, incl brackets 1" thick	100 Sft	4,588.00	36,617.05	m2	493.67	3,939.99		
12-26-b	Make & fix deodar wood shelves, incl brackets 1.5" thick	100 Sft	4,588.00	51,701.12	m2	493.67	5,563.04		
12-26-c	Make & fix deodar wood shelves, incl brackets 2" thick	100 Sft	4,588.00	66,785.20	m2	493.67	7,186.09		
12-27-a	Make & fix cleats for doors & windows including hinges and screws.	Each	65.10	131.75	Each	65.10	131.75		
12-27-b	Make & fix cleats with brass hooks for roof ventilators	1 No	65.10	181.52	no	65.10	181.52		
12-27-c	Make & fix Door stops of 1.5" dia rubber block	Each	40.30	199.23	Each	40.30	199.23		
12-27-d	Make & fix GI hook with clamps for doors	Each	48.36	109.75	Each	48.36	109.75		
12-28-a	Teak wood railing of any shape & design including bends, corners, polishing etc complete	Rft	234.48	1,994.21	m	769.30	6,542.67		
12-28-b	Shisham wood railing of any shape & design including bends, corners, polishing etc complete	Rft	234.48	1,029.25	m	769.30	3,376.79		
12-29	Deodar wood dado or picture rail 3"x1.5" as per approved design, including moulding etc. complete	Rft	96.72	472.35	m	317.32	1,549.69		
12-30-a	Sawing wood by hand : Soft wood (deodar, kail or chir)	100 Sft	2,418.00	2,437.50	m2	260.18	262.27		
12-30-b	Sawing wood by hand : Hard wood (shisham, kikar, teak or sahl)	100 Sft	4,836.00	4,875.00	m2	520.35	524.55		
12-31-a	Sawing wood by machine : Soft Wood	100 Sft	933.10	940.63	m2	100.40	101.21		
12-31-b	Sawing wood by machine : Hard Wood	100 Sft	1,008.24	1,016.38	m2	108.49	109.36		
12-32	Making and fixing sun-shade of deodar wood including fixing brackets	100 Sft	5,890.00	43,663.56	m2	633.76	4,698.20		
12-33	Making and fixing 1" thick kail or chir wooden notice board with frame	Sft	72.33	268.17	m2	778.31	2,885.56		
12-34	Making deodar punkha pole 10'x6"x6"	Each	525.14	9,242.62	Each	525.14	9,242.62		
12-35	Dismantling and refixing eave boards	Rft	26.87	27.08	m	88.15	88.86		
12-36	Wooden stair-cases complete 2'-3' wide frame 1.5" thick planks of deodar wood including hand rails	Rft	281.07	2,543.57	m	922.13	8,345.04		
12-37-a-01	Providing and fixing partition including framework : Sheet on one side of frame : Hard board	100 Sft	1,612.00	10,284.56	m2	173.45	1,106.62		
12-37-a-02	Providing and fixing partition including framework : Sheet on one side of frame : Ply wood 1/4" thick	100 Sft	1,612.00	10,687.16	m2	173.45	1,149.94		
12-37-a-03	Providing and fixing partition including framework : Sheet on one side of frame : Masonite	100 Sft	1,612.00	13,856.72	m2	173.45	1,490.98		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-37-b-01	Providing and fixing partition including framework : Sheets on both sides of frame : Hard board	100 Sft	2,914.00	13,406.32	m2	313.55	1,442.52		
12-37-b-02	Providing and fixing partition including framework : Sheets on both sides of frame : Ply wood 1/4"	100 Sft	2,914.00	14,148.08	m2	313.55	1,522.33		
12-37-b-03	Providing and fixing partition including framework : Sheets on both sides of frame : Masonite	100 Sft	2,914.00	19,866.22	m2	313.55	2,137.61		
12-38-a	Providing and fixing ceiling, including frame work : Hard board	100 Sft	4,464.00	13,159.56	m2	480.33	1,415.97		
12-38-b	Providing and fixing ceiling, including frame work : Chip Board	100 Sft	4,464.00	16,011.92	m2	480.33	1,722.88		
12-38-c	Providing and fixing ceiling, including frame work : Ply wood 1/4" thick	100 Sft	4,464.00	13,491.40	m2	480.33	1,451.67		
12-38-d	Providing and fixing ceiling, including frame work : Masonite	100 Sft	4,464.00	17,585.72	m2	480.33	1,892.22		
12-39-a-01	Provide & fix, thermopore false ceiling complete Deodar wood frame panelling : 3/4" thick	100 Sft	3,286.00	14,397.42	m2	353.57	1,549.16		
12-39-a-02	Provide & fix, thermopore false ceiling complete Deodar wood frame panelling : 1" thick	100 Sft	3,286.00	15,490.54	m2	353.57	1,666.78		
12-39-b-01	Provide & fix, thermopore false ceiling complete Partal wood frame panelling : 3/4" thick	100 Sft	3,286.00	10,112.78	m2	353.57	1,088.14		
12-39-b-02	Provide & fix, thermopore false ceiling complete Partal wood frame panelling : 1" thick	100 Sft	3,286.00	11,445.02	m2	353.57	1,231.48		
12-40	Supply and Fixing accoustic miller fibre tile ceiling fixed with aluminium tee hung by GI wire fixed in roof	100 Sft	2,876.80	17,344.80	m2	309.54	1,866.30		
12-41-a	Fixing Door including chowkats	Each	651.00	656.25	Each	651.00	656.25		
12-41-b	Fixing Windows including chowkats	Each	325.50	328.13	Each	325.50	328.13		
12-42-a	Glazing with panes (16-18 oz) including cost of putty	Sft	26.57	94.58	m2	285.91	1,017.66		
12-42-b	Glazing with panes (16-18 oz) using deodar wooden fillets & putty	Sft	33.21	121.67	m2	357.39	1,309.13		
12-42-c	Glazing with panes (24-26 oz) using putty & deodar wooden fillets	Sft	33.21	121.67	m2	357.39	1,309.13		
12-43-a	Cutting to required size & fixing glass panes with putty.	100 Sft	372.00	588.50	m2	40.03	63.32		
12-43-b	Cutting to required size & fixing glass panes Using deodar wood fillets & putty	Sft	7.34	22.10	m2	78.94	237.82		
12-44-a	Glazing with plate glass 6 mm thick including cost of deodar wood fillet & putty : Upto 0.75 m2	Sft	45.86	195.06	m2	493.43	2,098.88		
12-44-b	Glazing with plate glass 6 mm thick including cost of deodar wood fillet & putty : 0.75m2 to 2.25 m2	Sft	45.86	194.38	m2	493.42	2,091.48		
12-45-a	1.5" thick deodar doors & windows, chowkat of MS angle iron 1.5"x1.5"x1/4" welded with MS flat	Sft	197.09	982.43	m2	2,120.65	10,570.98		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-45-b	1.5" thick deodar doors & windows, chowkat of MS tee iron 1.5"x 1.5"x 1/4" welded with MS flat	Sft	221.42	969.29	m2	2,382.52	10,429.58		
12-46-a	1.5" thick hollow flush door/window, chowkat of MS angle iron 1.5"x1.5"x1/4" welded with MS flat	Sft	171.59	717.24	m2	1,846.36	7,717.46		
12-46-b	1.5" thick hollow flush door/window, chowkat of MS tee iron 1.5"x 1.5"x 1/4" welded with MS flat	Sft	169.77	664.64	m2	1,826.77	7,151.50		
12-47	Panelled door of MS sheet with forged door leaves of MS sheet 22 SWG etc complete	Sft	283.53	688.66	m2	3,050.79	7,410.02		
12-48	24 SWG aluminium kick plate 4" high, on bottom rail of flush doors of commercial ply	Rft	43.52	57.92	m	142.78	190.03		
12-49	Curtain railing to doors & windows comprising TOSO-elite Japanese railing or equiv. including paint	Rft	43.34	144.38	m	142.19	473.68		
12-50	MS flat 1/2"x1/8" grill in windows of approved design including painting 3 coats, complete	Sft	49.15	293.26	m2	528.90	3,155.51		
12-51	Provide & fix GI wire gauze 22 SWG, 12x12 mesh per sq. in, fixed to steel window complete	Sft	61.65	180.94	m2	663.40	1,946.87		
12-52-a	Hollow flush door 1.5"-2" thick including iron mongery excluding chowkat & lock : Teak veneered	Sft	31.81	671.61	m2	342.25	7,226.55		
12-52-b	Hollow flush door 1.5"-2" thick including iron mongery excluding chowkat & lock : Shisham veneered	Sft	31.81	708.21	m2	342.25	7,620.37		
12-52-c	Hollow flush door 1.5"-2" thick including iron mongery excluding chowkat & lock : Deodar veneered	Sft	31.77	634.93	m2	341.79	6,831.84		
12-52-d	Hollow flush door 1.5"-2" thick including iron mongery excluding chowkat & lock : Commercial veneered	Sft	31.81	610.57	m2	342.26	6,569.77		
12-53-a-01	Supply and Fixing aluminium door/window, Economy model Sliding window	Sft	52.10	686.92	m2	560.60	7,391.27		The rates include cost for fly shutters excluding that for doors
12-53-a-02	Supply and Fixing aluminium door/window, Economy model Hinges window	Sft	52.10	662.52	m2	560.60	7,128.73		The rates include cost for fly shutters excluding that for doors
12-53-a-03	Supply and Fixing aluminium door/window, Economy model Fixed louver in door frame	Sft	52.10	911.04	m2	560.60	9,802.81		The rates include cost for fly shutters excluding that for doors
12-53-a-04	Supply and Fixing aluminium door/window, Economy model Fixed louver in 2" frame	Sft	52.10	516.12	m2	560.60	5,553.46		The rates include cost for fly shutters excluding that for doors



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-53-b-01	Supply and Fixing aluminium door/window, Deluxe 3" sect. Sliding window	Sft	52.10	577.12	m2	560.60	6,209.82		The rates include cost for fly shutters excluding that for doors
12-53-b-02	Supply and Fixing aluminium door/window, Deluxe 3" sect. Hinges window	Sft	52.10	613.72	m2	560.60	6,603.64		The rates include cost for fly shutters excluding that for doors
12-53-b-03	Supply and Fixing aluminium door/window, Deluxe 3" sect. Fixed glazing	Sft	52.10	516.12	m2	560.60	5,553.46		The rates include cost for fly shutters excluding that for doors
12-53-b-04	Supply and Fixing aluminium door/window, Deluxe 3" sect. Fixed arch	Sft	52.10	564.92	m2	560.60	6,078.55		The rates include cost for fly shutters excluding that for doors
12-53-b-05	Supply and Fixing aluminium door/window, Deluxe 3" sect. Fixed louvers	Sft	52.10	801.26	m2	560.60	8,621.52		The rates include cost for fly shutters excluding that for doors
12-53-b-06	Supply and Fixing aluminium door/window, Deluxe 3" sect. Sliding door	Sft	52.10	723.79	m2	560.60	7,788.00		The rates include cost for fly shutters excluding that for doors
12-53-b-07	Supply and Fixing aluminium door/window, Deluxe 3" sect. Swing door single action (short handle)	Sft	52.10	975.97	m2	560.60	10,501.45		The rates include cost for fly shutters excluding that for doors
12-53-b-08	Supply and Fixing aluminium door/window, Deluxe 3" sect. Swing door single action (long handle)	Sft	52.10	995.73	m2	560.60	10,714.06		The rates include cost for fly shutters excluding that for doors
12-53-b-09	Supply and Fixing aluminium door/window, Deluxe 3" sect. Swing door double action (short handle)	Sft	52.10	975.97	m2	560.60	10,501.45		The rates include cost for fly shutters excluding that for doors
12-53-b-10	Supply and Fixing aluminium door/window, Deluxe 3" sect. Swing door double action (short handle)	Sft	52.10	886.31	m2	560.60	9,536.66		The rates include cost for fly shutters excluding that for doors
12-53-c-01	Supply and Fixing aluminium door/window, Deluxe 3.5" sect. Sliding window	Sft	52.10	625.92	m2	560.60	6,734.91		The rates include cost for fly shutters excluding that for doors



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-53-c-02	Supply and Fixing aluminium door/window, Deluxe 3.5" sect. Hinges window	Sft	52.10	650.32	m2	560.60	6,997.45		The rates include cost for fly shutters excluding that for doors
12-53-c-03	Supply and Fixing aluminium door/window, Deluxe 3.5" sect. Fixed glazing	Sft	52.10	540.52	m2	560.60	5,816.00		The rates include cost for fly shutters excluding that for doors
12-53-c-04	Supply and Fixing aluminium door/window, Deluxe 3.5" sect. Fixed arch	Sft	52.10	552.72	m2	560.60	5,947.28		The rates include cost for fly shutters excluding that for doors
12-53-c-05	Supply and Fixing aluminium door/window, Deluxe 3.5" sect. Sliding door	Sft	52.10	699.34	m2	560.60	7,524.94		The rates include cost for fly shutters excluding that for doors
12-53-c-06	Supply and Fixing aluminium door/window, Deluxe 3.5" sect. Swing door single action (short handle)	Sft	52.10	801.26	m2	560.60	8,621.52		The rates include cost for fly shutters excluding that for doors
12-53-c-07	Supply and Fixing aluminium door/window, Deluxe 3.5" sect. Swing door single action (long handle)	Sft	52.10	987.92	m2	560.60	10,630.00		The rates include cost for fly shutters excluding that for doors
12-53-d-01	Supply and Fixing aluminium door/window, Premium 4" sect. Sliding window	Sft	52.10	776.63	m2	560.60	8,356.53		The rates include cost for fly shutters excluding that for doors
12-53-d-02	Supply and Fixing aluminium door/window, Premium 4" sect. Hinges window	Sft	52.10	751.76	m2	560.60	8,088.99		The rates include cost for fly shutters excluding that for doors
12-53-d-03	Supply and Fixing aluminium door/window, Premium 4" sect. Fixed glazing	Sft	52.10	564.92	m2	560.60	6,078.55		The rates include cost for fly shutters excluding that for doors
12-53-d-04	Supply and Fixing aluminium door/window, Premium 4" sect. Fixed arch	Sft	52.10	629.48	m2	560.60	6,773.26		The rates include cost for fly shutters excluding that for doors
12-53-d-05	Supply and Fixing aluminium door/window, Premium 4" sect. Sliding door	Sft	52.10	798.75	m2	560.60	8,594.54		The rates include cost for fly shutters excluding that for doors



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-53-d-06	Supply and Fixing aluminium door/window, Premium 4" sect. Swing door single action (short handle)	Sft	52.10	874.46	m2	560.60	9,409.15		The rates include cost for fly shutters excluding that for doors
12-53-d-07	Supply and Fixing aluminium door/window, Premium 4" sect. Swing door single action (long handle)	Sft	52.10	1,061.37	m2	560.60	11,420.35		The rates include cost for fly shutters excluding that for doors
12-53-d-08	Supply and Fixing aluminium door/window, Premium 4" sect. Swing door double action (short handle)	Sft	52.10	934.23	m2	560.60	10,052.34		The rates include cost for fly shutters excluding that for doors
12-53-d-09	Supply and Fixing aluminium door/window, Premium 4" sect. Swing door double action (long handle)	Sft	52.10	1,121.37	m2	560.60	12,065.96		The rates include cost for fly shutters excluding that for doors
12-53-e-01	Supply and Fixing aluminium door/window. Other items : Fly screen shutter for Deluxe model	Sft	11.16	230.85	m2	120.08	2,483.95		The rates include cost for fly shutters excluding that for doors
12-53-e-02	Supply and Fixing aluminium door/window. Other items : Fly screen shutter for Premium model	Sft	11.16	206.45	m2	120.08	2,221.40		The rates include cost for fly shutters excluding that for doors
12-53-e-03	Supply and Fixing aluminium door/window. Other items : Fly screen shutter with separate outer frame	Sft	11.16	328.45	m2	120.08	3,534.12		The rates include cost for fly shutters excluding that for doors
12-54-a-01	Supply and Fixing aluminium bronze/black. Economy model Sliding window	Sft	52.10	686.92	m2	560.60	7,391.27		The rates include cost for fly shutters excluding that for doors
12-54-a-02	Supply and Fixing aluminium bronze/black. Economy model Hinges window	Sft	52.10	577.12	m2	560.60	6,209.82		The rates include cost for fly shutters excluding that for doors
12-54-a-03	Supply and Fixing aluminium bronze/black. Economy model Fixed louver in door frame	Sft	52.10	920.77	m2	560.60	9,907.44		The rates include cost for fly shutters excluding that for doors
12-54-a-04	Supply and Fixing aluminium bronze/black. Economy model Fixed louver in 2" frame	Sft	52.10	810.97	m2	560.60	8,725.99		The rates include cost for fly shutters excluding that for doors



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-54-b-01	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Sliding window	Sft	52.10	577.12	m2	560.60	6,209.82		The rates include cost for fly shutters excluding that for doors
12-54-b-02	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Hinges window	Sft	52.10	613.72	m2	560.60	6,603.64		The rates include cost for fly shutters excluding that for doors
12-54-b-03	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Fixed glazing	Sft	52.10	528.32	m2	560.60	5,684.73		The rates include cost for fly shutters excluding that for doors
12-54-b-04	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Fixed arch	Sft	52.10	625.92	m2	560.60	6,734.91		The rates include cost for fly shutters excluding that for doors
12-54-b-05	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Fixed louvers	Sft	52.10	749.97	m2	560.60	8,069.63		The rates include cost for fly shutters excluding that for doors
12-54-b-06	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Sliding door	Sft	52.10	721.30	m2	560.60	7,761.20		The rates include cost for fly shutters excluding that for doors
12-54-b-07	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Swing door single action (short handle)	Sft	52.10	810.97	m2	560.60	8,725.99		The rates include cost for fly shutters excluding that for doors
12-54-b-08	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Swing door single action (long handle)	Sft	52.10	910.71	m2	560.60	9,799.20		The rates include cost for fly shutters excluding that for doors
12-54-b-09	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Swing door double action (short handle)	Sft	52.10	874.89	m2	560.60	9,413.79		The rates include cost for fly shutters excluding that for doors
12-54-b-10	Supply and Fixing aluminium bronze/black. Deluxe 3" sect. Swing door double action (long handle)	Sft	52.10	1,038.73	m2	560.60	11,176.71		The rates include cost for fly shutters excluding that for doors
12-54-c-01	Supply and Fixing aluminium bronze/black. Deluxe 3.5" sect. Sliding window	Sft	52.10	625.92	m2	560.60	6,734.91		The rates include cost for fly shutters excluding that for doors



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-54-c-02	Supply and Fixing aluminium bronze/black. Deluxe 3.5" sect. Hinges window	Sft	52.10	650.32	m2	560.60	6,997.45		The rates include cost for fly shutters excluding that for doors
12-54-c-03	Supply and Fixing aluminium bronze/black. Deluxe 3.5" sect. Fixed glazing	Sft	52.10	552.72	m2	560.60	5,947.28		The rates include cost for fly shutters excluding that for doors
12-54-c-04	Supply and Fixing aluminium bronze/black. Deluxe 3.5" sect. Fixed arch	Sft	52.10	564.92	m2	560.60	6,078.55		The rates include cost for fly shutters excluding that for doors
12-54-c-05	Supply and Fixing aluminium bronze/black. Deluxe 3.5" sect. Sliding door	Sft	52.10	733.50	m2	560.60	7,892.47		The rates include cost for fly shutters excluding that for doors
12-54-c-06	Supply and Fixing aluminium bronze/black. Deluxe 3.5" sect. Swing door single action (short handle)	Sft	52.10	823.17	m2	560.60	8,857.26		The rates include cost for fly shutters excluding that for doors
12-54-c-07	Supply and Fixing aluminium bronze/black. Deluxe 3.5" sect. Swing door single action (long handle)	Sft	52.10	1,012.57	m2	560.60	10,895.26		The rates include cost for fly shutters excluding that for doors
12-54-d-01	Supply and Fixing aluminium bronze/black. Premium 4" sect. Sliding window	Sft	52.10	686.92	m2	560.60	7,391.27		The rates include cost for fly shutters excluding that for doors
12-54-d-02	Supply and Fixing aluminium bronze/black. Premium 4" sect. Hinges window	Sft	52.10	662.52	m2	560.60	7,128.73		The rates include cost for fly shutters excluding that for doors
12-54-d-03	Supply and Fixing aluminium bronze/black. Premium 4" sect. Fixed glazing	Sft	52.10	577.12	m2	560.60	6,209.82		The rates include cost for fly shutters excluding that for doors
12-54-d-04	Supply and Fixing aluminium bronze/black. Premium 4" sect. Fixed arch	Sft	52.10	601.52	m2	560.60	6,472.36		The rates include cost for fly shutters excluding that for doors
12-54-d-05	Supply and Fixing aluminium bronze/black. Premium 4" sect. Sliding door	Sft	52.10	733.50	m2	560.60	7,892.47		The rates include cost for fly shutters excluding that for doors



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-54-d-06	Supply and Fixing aluminium bronze/black. Premium 4" sect. Swing door single action (short handle)	Sft	52.10	871.97	m2	560.60	9,382.35		The rates include cost for fly shutters excluding that for doors
12-54-d-07	Supply and Fixing aluminium bronze/black. Premium 4" sect. Swing door single action (long handle)	Sft	52.10	1,061.37	m2	560.60	11,420.35		The rates include cost for fly shutters excluding that for doors
12-54-d-08	Supply and Fixing aluminium bronze/black. Premium 4" sect. Swing door double action (short handle)	Sft	52.10	931.74	m2	560.60	10,025.54		The rates include cost for fly shutters excluding that for doors
12-54-d-09	Supply and Fixing aluminium bronze/black. Premium 4" sect. Swing door double action (long handle)	Sft	52.10	1,121.15	m2	560.60	12,063.54		The rates include cost for fly shutters excluding that for doors
12-54-e-01	Supply and Fixing aluminium bronze/black. Other items : Fly screen shutter for Deluxe model	Sft	11.16	267.45	m2	120.08	2,877.76		The rates include cost for fly shutters excluding that for doors
12-54-e-02	Supply and Fixing aluminium bronze/black. Other items : Fly screen shutter for Premium model	Sft	11.16	230.85	m2	120.08	2,483.95		The rates include cost for fly shutters excluding that for doors
12-54-e-03	Supply and Fixing aluminium bronze/black. Other items : Fly screen shutter with separate outer frame	Sft	11.16	340.65	m2	120.08	3,665.39		The rates include cost for fly shutters excluding that for doors
12-55-a	Wall Panelling over 0.5" thick chipboard & wood frame (2"x0.75") 2'x2' grid : Sheesham Ply	Sft	84.36	189.34	m2	907.71	2,037.26		
12-55-b	Wall Panelling over 0.5" thick chipboard & wood frame (2"x0.75") 2'x2'grid : Lamination Sheet	Sft	64.78	199.25	m2	697.07	2,143.91		
12-55-c	Wall Panelling over 0.5" thick chipboard & wood frame (2"x0.75") 2'x2' grid : Commercial Ply	Sft	84.33	164.98	m2	907.44	1,775.20		
12-56-a	Supply and Fixing MS Sheet 16 guage(10x20 feet) box type chowkats including fixing in position with all charges for Hold fast, Hinges and Painting etc	Rft	62.64	360.60	m	205.52	1,183.06		
12-56-b	Wood plastic composite door patio door leap delux (laker coated)	Rft	76.76	640.90	m2	825.96	6,896.14		
12-56-c	Wood plastic composite door patio door leap premium grade (UV coated)	Rft	76.76	687.38	m2	825.96	7,396.22		
12-56-d	Wood plastic composite door patio door with frame and beading deluxe grade (laker coated)	Sft	66.38	946.38	m2	714.23	10,183.04		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-56-e	Wood plastic composite patio door with frame and beading premium grade(UV coated)	Sft	66.38	946.38	m2	714.23	10,183.04		
12-57-a	Wood plastic composite door Leaf only bukhara, flush or steppe type	Sft	66.38	1,275.43	m2	714.23	13,723.63		
12-57-b	Wood plastic composite door Leaf rock type single side	Sft	66.38	1,275.43	m2	714.23	13,723.63		
12-57-c	Wood plastic composite door rock type single type with frame and beading	Sft	66.38	1,275.43	m2	714.23	13,723.63		
12-58	Wood plastic composite door image type single side with frame and beading	Sft	66.38	1,275.43	m2	714.23	13,723.63		
12-59	Wood plastic composite door carving type single side with frame and beading	Sft	66.38	1,275.43	m2	714.23	13,723.63		
12-60-a	Composite windows deluxe grade (laker coated)	Sft	29.12	777.71	m2	313.32	8,368.20		
12-60-b	Composite windows premium grade (UV coated)	Sft	29.02	826.28	m2	312.21	8,890.79		
12-61-a	Wood Plastic Fly Screen Delux Grade	Sft	39.68	418.20	m2	426.96	4,499.83		
12-61-b	Wood Plastic Screen Premium Grade	Sft	39.68	485.30	m2	426.96	5,221.83		
12-61-c	Wood Plastic Screen Door Frame Only	Rft	59.52	487.00	m	195.28	1,597.77		
12-61-d	Wood Plastic Screen Beading Smaller	Sft	59.52	114.90	m	195.28	376.97		
12-61-e	Wood Plastic Screen Beading larger	Sft	59.52	157.60	m	195.28	517.06		
12-62-a	Kitchen Floor Cabinet as per MES Design/Specification..	Sft	201.50	1,097.18	m2	2,168.14	11,805.68		
12-62-b	Kitchen Wall Cabinet as per MES Design/Specification.	Sft	161.20	779.82	m2	1,734.51	8,390.86		
12-62-c	Providing and Fixing Sink Cabinet as per MES Design/Specification.	Each	2,418.00	10,340.05	Each	2,418.00	10,340.05		
12-63	Supply and fixing UPVC Flush doors with 60mm wide frame 2-2.5mm wall thickness inclusive of all accessories and galvanized iron support in any available Plain colour	Sft	150.78	1,189.00	m2	1,622.44	12,793.64		
12-64	Supply and fixing UPVC Fancy doors with 60mm wide frame 2-2.5mm wall thickness inclusive of all accessories and galvanized iron support in any available Plain colour	Sft	180.54	1,341.00	m2	1,942.65	14,429.16		
12-65	Supply and fixing UPVC Fancy doors with 60mm wide frame 2-2.5mm wall thickness inclusive of all accessories and galvanized iron support in Wood texture.	Sft	180.54	1,951.00	m2	1,942.65	20,992.76		
12-66	Supply and fixing UPVC Partially glazed doors with 60mm wide frame 2-2.5mm wall thickness inclusive of all accessories and galvanized iron support in any available Plain colour	Sft	176.58	1,483.40	m2	1,899.96	15,961.38		
12-67	Supply and fixing UPVC Full glazed doors with 60mm wide frame 2-2.5mm wall thickness inclusive of all accessories and galvanized iron support in any available Plain colour	Sft	176.58	1,556.60	m2	1,899.96	16,749.02		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 12 WOOD WORK, WOODEN/ALUMINIUM JOINERY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
12-68	Supply and fixing UPVC full glazed sliding windows with 80mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in any available plain colour I/c fly screen shutter without glass pan.	Sft	105.15	960.00	m2	1,131.44	10,329.60		
12-69	Supply and fixing UPVC full glazed sliding windows with 80mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in any available plain colour without fly screen shutter and without glazing.	Sft	105.15	838.00	m2	1,131.44	9,016.88		
12-70	Supply and fixing UPVC full glazed openable windows with 60mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in any available plain colour without glass pans.	Sft	136.90	1,114.00	m2	1,473.00	11,986.64		
12-71	Supply and fixing UPVC full glazed Fixed windows with 80mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in any available plain colour without glass pans.	Sft	85.31	866.80	m2	917.96	9,326.77		
12-72	Supply and fixing UPVC full glazed sliding windows with 80mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in wooden texture I/c fly screen shutter without glass pan.	Sft	107.14	1,633.00	m2	1,152.78	17,571.08		
12-73	Supply and fixing UPVC full glazed sliding windows with 80mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in wooden texture without fly screen shutter without glazing.	Sft	107.14	1,511.00	m2	1,152.78	16,258.36		
12-74	Supply and fixing UPVC full glazed openable windows with 60mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in wooden texture without glass panes	Sft	136.90	1,785.00	m2	1,473.00	19,206.60		
12-75	Supply and fixing UPVC full glazed fixed windows with 80mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in wooden texture without glass panes	Sft	85.31	1,537.80	m2	917.96	16,546.73		
12-76	Supply and fixing UPVC full glazed fixed lowvers windows with 80mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in any available plain colours without glass panes	Sft	183.52	1,636.80	m2	1,974.68	17,611.97		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 13 PAINTING AND VARNISHING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
13-01	Cleaning painted woodwork with oil & water	100 Sft	148.80	223.20	m2	16.01	24.02		
13-02	Oiling woodwork with boiled linseed oil	100 Sft	148.80	241.50	m2	16.01	25.99		
13-03	Brushing & scraping blisters of old paints from woodwork	100 Sft	310.00	312.50	m2	33.36	33.63		
13-04	Scraping, brushing and removing old paint, from metal surface	100 Sft	1,240.00	1,250.00	m2	133.42	134.50		
13-05-a-01	Painting old corrugated surfaces, pent roofing etc. with oil paint : First coat	100 Sft	613.80	1,217.16	m2	66.04	130.97		
13-05-a-02	Painting old corrugated surfaces, pent roofing etc. with oil paint : Each subsequent coat	100 Sft	465.00	934.30	m2	50.03	100.53		
13-05-b-01	Painting old surfaces : Sashes, fanlights, doors or windows : First coat	100 Sft	372.00	701.66	m2	40.03	75.50		
13-05-b-02	Painting old surfaces : Sashes, fanlights, doors or windows : Each subsequent coat	100 Sft	316.20	578.98	m2	34.02	62.30		
13-05-c-01	Painting old surfaces : Doors / windows any type First coat	100 Sft	613.80	1,217.16	m2	66.04	130.97		
13-05-c-02	Painting old surfaces : Doors / windows any type Each subsequent coat	100 Sft	465.00	934.30	m2	50.03	100.53		
13-05-d-01	Painting old surfaces : Guard bars, gratings, railing & similar open work : First coat	100 Sft	372.00	701.66	m2	40.03	75.50		
13-05-d-02	Painting old surfaces : Guard bars, gratings, railing & similar work : Each subsequent coat	100 Sft	316.20	578.98	m2	34.02	62.30		
13-05-e-01	Painting old surfaces : Fillets, framing, skirting pipes, etc. less than 6" girth : First coat	100 Rft	316.20	619.05	m	10.37	20.31		
13-05-e-02	Painting old surfaces : Fillets, framing, skirting pipes, etc. less than 6" girth : Each subseq. coat	100 Rft	223.20	458.87	m	7.32	15.05		
13-05-f-01	Painting old surfaces : Small detached articles Not exceeding 1 sft : First coat	100 No.	1,395.00	2,548.17	100 No.	1,395.00	2,548.17		
13-05-f-02	Painting old surfaces : Small detached articles Not exceeding 1 sft : Each subsequent coat	100 No.	1,085.00	1,825.02	100 No.	1,085.00	1,825.02		
13-05-g-01	Painting old surfaces : Small detached articles 1sft-3sft area : First coat	100 No.	2,790.00	5,013.99	100 No.	2,790.00	5,013.99		
13-05-g-02	Painting old surfaces : Small detached articles 1sft-3sft area : Each subsequent coat	100 No.	1,550.00	2,858.14	100 No.	1,550.00	2,858.14		
13-06-a-01	Prepare & Paint new corrugated surface, pent roofing etc : Priming coat	100 Sft	694.40	1,570.17	m2	74.72	168.95		
13-06-a-02	Prepare & Paint new corrugated surface, pent roofing etc : Each subsequent coat of paint	100 Sft	359.60	1,099.81	m2	38.69	118.34		
13-06-b-01	Prepare & Paint new surface, sashes, doors & windows etc : Priming coat	100 Sft	415.40	950.73	m2	44.70	102.30		
13-06-b-02	Prepare & Paint new surface, sashes, doors & windows etc : Each subsequent coat of paint	100 Sft	223.20	660.36	m2	24.02	71.05		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 13 PAINTING AND VARNISHING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
13-06-c-01	Prepare & Paint new surface, doors & windows Priming coat	100 Sft	694.40	1,570.17	m2	74.72	168.95		
13-06-c-02	Prepare & Paint new surface, doors & windows Each subsequent coat of paint	100 Sft	359.60	1,099.81	m2	38.69	118.34		
13-06-d-01	Prepare & Paint new surfaces of guard bars, railing & similar open work : Priming coat	100 Sft	415.40	917.79	m2	44.70	98.75		
13-06-d-02	Prepare & Paint new surfaces of guard bars, railing & similar work : Each subsequent coat	100 Sft	223.20	627.42	m2	24.02	67.51		
13-06-e-01	Prepare & Paint new surface of fillets, framing, skirtings etc : Priming coat	100 Rft	316.20	725.56	m	10.37	23.80		
13-06-e-02	Prepare & Paint new surface of fillets, framing, skirtings etc : Each subsequent coat of paint	100 Rft	148.80	478.30	m	4.88	15.69		
13-06-f-01	Prepare & Paint new surface of small detached articles upto 1 sft : Priming coat	100 No.	1,395.00	3,119.13	100 No.	1,395.00	3,119.13		
13-06-f-02	Prepare & Paint new surface of small detached articles upto 1 sft : Each subsequent coat	100 No.	700.60	2,086.99	100 No.	700.60	2,086.99		
13-06-g-01	Prepare & paint surf. of small detached articles 1sft - 3sft area : Priming coat	100 No.	2,790.00	6,128.46	100 No.	2,790.00	6,128.46		
13-06-g-02	Prepare & paint surf. of small detached articles 1sft - 3sft area : Subsequent coat of paint	100 No.	1,240.00	3,720.50	100 No.	1,240.00	3,720.50		
13-06-h	Extra for knotting & stopping to prime coat on new surface of wood	100 Sft	74.40	234.21	m2	8.01	25.20		
13-06-i	Providing and applying 3 coats of approved type of Plastic emulsion paint to Plastic surface as per manufacture specification.	100 Sft	1,860.00	5,507.55	m2	200.14	592.61		
13-07-a	Khanki mixture, applied hot to barrage gates First coat	2000 Sft	9,300.00	18,382.26	m2	50.03	98.90		
13-07-b	Khanki mixture, applied hot to barrage gates Second coat	2000 Sft	7,068.00	13,382.99	m2	38.03	72.00		
13-08-a	French polishing complete: On new work	100 Sft	5,642.00	6,949.10	m2	607.08	747.72		
13-08-b	French polishing complete: On old work	100 Sft	2,852.00	3,521.72	m2	306.88	378.94		
13-09-a	Varnishing wood work, including cleaning & preparing surface : First coat	100 Sft	372.00	1,005.25	m2	40.03	108.17		
13-09-b	Varnishing wood work, including cleaning & preparing surface : Second coat	100 Sft	186.00	664.76	m2	20.01	71.53		
13-09-c	Varnishing wood work, including cleaning & preparing surface : Third coat	100 Sft	186.00	576.19	m2	20.01	62.00		
13-10-a	Bitumen coating to plastered / cement concrete surface : 20 lbs. per 100 sft.	100 Sft	186.00	1,564.76	m2	20.01	168.37		
13-10-b	Bitumen coating to plastered / cement concrete surface : 14 lbs. per 100 sft.	100 Sft	1,116.00	2,115.27	m2	120.08	227.60		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 13 PAINTING AND VARNISHING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
13-10-c	Bitumen coating to plastered / cement concrete surface : 10 Ibs. per 100 sft.	100 Sft	744.00	1,481.88	m2	80.05	159.45		
13-11	Writing letters or figures	Each	11.16	13.35	Each	11.16	13.35		
13-12-a	Coaltar paint applied hot: First coat	100 Sft	245.52	738.67	m2	26.42	79.48		
13-12-b	Coaltar paint applied hot: Second coat	100 Sft	148.80	900.30	m2	16.01	96.87		
13-13-a	Solignum paint applied hot: First coat	100 Sft	409.20	879.15	m2	44.03	94.60		
13-13-b	Solignum paint applied hot: Second coat	100 Sft	210.80	967.38	m2	22.68	104.09		
13-14-a	Creosote paint applied hot: First coat	100 Sft	409.20	782.89	m2	44.03	84.24		
13-14-b	Creosote paint applied hot: Second coat	100 Sft	210.80	463.21	m2	22.68	49.84		
13-15	Burning off or rubbing down with pumice stone, old paint from wood work	100 Sft	806.00	1,310.26	m2	86.73	140.98		
13-16	Removing with caustic soda,old paint from wood work	100 Sft	310.00	397.90	m2	33.36	42.81		
13-17	Painting distance marks with white ground and black letterin on both faces	Each	55.80	143.27	Each	55.80	143.27		
13-18	Painting two feet wide gauges, reading to 1/10th of a foot.	100 RFT	12,475.61	14,887.71	m	409.30	488.44		
13-19	Painting sounding rods and other guages, reading to 1/10th of a foot	100 RFT	6,237.80	7,012.52	m	204.65	230.07		
13-20	Painting levelling staves	100 RFT	18,524.39	19,744.33	m	607.76	647.78		
13-21-a	Painting & lettering (2 coats) on both sides with syn. enamel paint : Mile/km posts	Each	465.00	677.37	Each	465.00	677.37		The ratio in the rate of 1st coat to 2nd coat is 60 % to 40 % in the labour as well as composite rate
13-21-b	Painting & lettering (2 coats) on both sides with syn. enamel paint : Furlong or 1/10 km posts	Each	58.22	84.80	Each	58.22	84.80		
13-21-c	Painting & lettering (2 coats) on both sides with syn. enamel paint : Sign posts	Each	613.80	827.37	Each	613.80	827.37		
13-22	Removing paint or varnish from wall	100 Sft	620.00	625.00	m2	66.71	67.25		
13-23-a	Screing of Khanki paint from barrage gates	100 Sft	7.75	175.56	m2	0.83	18.89		
13-23-b	Scraping of Aluminium paint from barrage headworks	100 Sft	155.00	324.00	m2	16.68	34.86		
13-24	Painting letters with shade	letter	29.76	42.19	letter	29.76	42.19		
13-25	Scraping rust from old rails or girders	100 Sft	930.00	1,105.25	m2	100.07	118.92		
13-26	Chiselling old paint from brick work	100 Sft	1,240.00	1,417.75	m2	133.42	152.55		
13-27	Cleaning glasses with chalk and spirit etc	100 Sft	620.00	792.75	m2	66.71	85.30		
13-28	Cleaning and oiling rafter or rolled steel beams	100 Sft	310.00	323.91	m2	33.36	34.85		
13-29	Cleaning and painting punkha poles, including fixing hooks	Each	620.00	669.74	Each	620.00	669.74		
13-30-a	Preparing surface and painting with emulsion paint : First coat	100 Sft	744.00	1,645.85	m2	80.05	177.09		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 13 PAINTING AND VARNISHING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
13-30-b	Preparing surface and painting with emulsion paint : 2nd & each subsequent coat.	100 Sft	372.00	752.71	m2	40.03	80.99		
13-31	Pavement Marking using Reflective Chlorinated Rubber Paint with Glass Beads as per specification	100 Sft	1,240.00	4,999.85	m2	133.42	537.98		
13-33	Repainting of ceiling fan (all sizes & types) incl painting of blades, canopy etc with syn. enamel	Job	86.80	294.03	Job	86.80	294.03		
13-34	Repainting of iron poles with cross arms, with bitumen or other approved paint	Job	620.00	746.60	Job	620.00	746.60		
13-35-a	Repainting of pipes and specials of GI, MS or PVC conduit etc : Upto 1.5" i/d	100 RFT	378.05	843.28	m	12.40	27.67		
13-35-b	Repainting of pipes and specials of GI, MS or PVC conduit etc : From 1.5" to 2" i/d	100 RFT	567.07	1,345.77	m	18.60	44.15		
13-35-c	Repainting of pipes and specials of GI, MS or PVC conduit etc : From 2" to 4" i/d	100 RFT	756.10	1,725.62	m	24.81	56.61		
13-36	Repainting main switches & branch distribution boards of all sizes & types with approved paint	Job	93.00	182.96	Job	93.00	182.96		
13-37	Extra labour for painting, varnishing etc from 20' height & above, for every additional 10'	100/coat	111.60	112.50	m2	12.01	12.10		The height will be taken from the floor, road or ground underneath, as the case may be, on side towards which the work is to be done.
13-38-a	Preparing surface & painting with snowcem / weathershield paint : First coat	100/coat	930.00	1,712.93	m2	100.07	184.31		
13-38-b	Preparing surface & painting with snowcem / weathershield paint : 2nd & subsequent coats	100/coat	465.00	896.97	m2	50.03	96.51		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-01-a	Providing and Fixing glazed earthen ware WC European type excluding cost of seat & cover : White	Each	531.96	5,050.25	Each	531.96	5,050.25		
14-01-b	Providing and Fixing glazed earthen ware WC European type excluding cost of seat & cover : Coloured	Each	531.96	5,172.25	Each	531.96	5,172.25		
14-02-a	Providing and Fixing double seat & cover only : Bakelite	Each	8.68	496.75	Each	8.68	496.75		
14-02-b	Providing and Fixing double seat & cover only : Plastic	Each	8.68	447.95	Each	8.68	447.95		
14-03-a	Providing and Fixing glazed earthen ware WC squatting type with built-in foot rests : White	Each	483.60	1,677.00	Each	483.60	1,677.00		
14-03-b	Providing and Fixing glazed earthen ware WC squatting type with built-in foot rests : Coloured	Each	483.60	1,768.50	Each	483.60	1,768.50		
14-04	Providing and Fixing white glazed earthenware WC squatting type with separate foot rests	Each	483.60	1,542.80	Each	483.60	1,542.80		
14-05-a-01	Providing and Fixing glazed earthen ware WHB complete Size 22"x16" : White with pedestal	Each	644.80	3,016.80	Each	644.80	3,016.80		
14-05-a-02	Providing and Fixing glazed earthen ware WHB complete Size 22"x16" : Coloured with pedestal	Each	644.80	3,077.80	Each	644.80	3,077.80		
14-05-a-03	Providing and Fixing glazed earthen ware WHB complete Size 22"x16" : White without pedestal	Each	483.60	2,366.30	Each	483.60	2,366.30		
14-05-a-04	Providing and Fixing glazed earthen ware WHB complete Size 22"x16" : Coloured without pedestal	Each	483.60	2,549.30	Each	483.60	2,549.30		
14-05-b-01	Providing and Fixing glazed earthen ware WHB complete Size 25"x18" : White with pedestal	Each	644.80	3,321.80	Each	644.80	3,321.80		
14-05-b-02	Providing and Fixing glazed earthen ware WHB complete Size 25"x18" : Coloured with pedestal	Each	644.80	3,443.80	Each	644.80	3,443.80		
14-05-b-03	Providing and Fixing glazed earthen ware WHB complete Size 25"x18" : White without pedestal	Each	483.60	2,549.30	Each	483.60	2,549.30		
14-05-b-04	Providing and Fixing glazed earthen ware WHB complete Size 25"x18" : Coloured without pedestal	Each	483.60	2,732.30	Each	483.60	2,732.30		
14-06-a	Providing and Fixing stainless steel sink with drain board size 48"x24", including set of brackets, waste pipe etc	Each	644.80	3,809.80	Each	644.80	3,809.80		
14-06-b	Providing and fixing stainless steel sink with drain board size 18"x36" including set of brackets, waste pipe etc	Each	644.80	2,711.80	Each	644.80	2,711.80		
14-06-c	Providing and fixing stainless steel sink with drain board size 18"x48" including set of brackets, waste pipe etc	Each	644.80	3,931.80	Each	644.80	3,931.80		
14-06-d	Providing and fixing stainless steel sink with drain board size 20"x60" including set of brackets, waste pipe etc	Each	644.80	8,445.80	Each	644.80	8,445.80		
14-06-e	Providing and fixing stainless steel sink with drain board size 20"x72" including set of brackets, waste pipe etc	Each	644.80	9,055.80	Each	644.80	9,055.80		
14-07	Providing and Fixing terrazzo concrete sink 25"x18", with drain board of mosaic, including set of brackets etc	-	-	-	-	-	-		DELETED



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-08-a	Providing and Fixing glazed earthen ware sink including set of brackets, waste pipe etc : 25"x18"	-	-	-	-	-	-		DELETED
14-08-b	Providing and Fixing glazed earthen ware sink including set of brackets, waste pipe etc : 25"x18"	-	-	-	-	-	-		DELETED
14-09	Providing and Fixing white glazed earthenware flat back urinal	Each	644.80	2,114.00	Each	644.80	2,114.00		
14-10-a	Providing and Fixing glazed earthen ware low down flushing cistern 3 gallons capacity : White	Each	644.80	2,541.00	Each	644.80	2,541.00		
14-10-b	Providing and Fixing glazed earthen ware low down flushing cistern 3 gallons capacity : Coloured	Each	644.80	3,761.00	Each	644.80	3,761.00		
14-11	Providing and Fixing white enamelled CI low down flushing cistern (3 gallons capacity) including CP water connection	-	-	-	-	-	-		DELETED
14-12-a	Providing and Fixing cast iron high level flushing cistern, including high level flushing cistern including CP : 3 gallons	-	-	-	-	-	-		DELETED
14-12-b	Providing and Fixing cast iron high level flushing cistern, including high level flushing cistern including CP : 1 gallon	-	-	-	-	-	-		DELETED
14-13	Providing and Fixing CP soap dish.	Each	60.76	610.25	Each	60.76	610.25		
14-14-a	Providing and Fixing glazed earthen ware soap dish White	Each	60.76	457.75	Each	60.76	457.75		
14-14-b	Providing and Fixing glazed earthen ware soap dish Coloured	Each	60.76	457.75	Each	60.76	457.75		
14-15	Providing and Fixing CP toilet paper holder	Each	60.76	293.05	Each	60.76	293.05		
14-16-a	Providing and Fixing CP towel rail : 24" long, 3/4" dia	Each	60.76	793.25	Each	60.76	793.25		
14-16-b	Providing and Fixing CP towel rail : 20" long, 1/2" dia	Each	60.76	280.85	Each	60.76	280.85		
14-17	Providing and Fixing best quality 5mm mirror 22"x16" size	Each	201.50	935.13	Each	201.50	935.13		
14-18-a	Providing and Fixing best quality 5mm glass shelf 24"x5" With chromium plated brackets & railing	Each	69.44	619.00	Each	69.44	619.00		
14-18-b	Providing and Fixing best quality 5mm glass shelf 24"x5" Glass shelf only, w/o chromium plated brackets	Each	26.04	575.25	Each	26.04	575.25		
14-19-a	Providing and Fixing glazed earthen ware shelf 24"x5" with CP brackets & railing of : 24" length, 3/4" dia	Each	69.44	314.00	Each	69.44	314.00		
14-19-b	Providing and Fixing glazed earthen ware shelf 24"x5" with CP brackets & railing of : 20" length, 1/2" dia	Each	69.44	619.00	Each	69.44	619.00		
14-20-a	Providing and Fixing Plastic soap dish.	Each	60.76	280.85	Each	60.76	280.85		
14-20-b	Providing and Fixing Plastic toilet paper holder.	Each	60.76	280.85	Each	60.76	280.85		
14-20-c	Providing and Fixing Plastic towel rail.	Each	60.76	305.25	Each	60.76	305.25		
14-20-d	Providing and Fixing Plastic shelf 24"x5" with	Each	60.76	329.65	Each	60.76	329.65		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-21-a	Providing and Fixing CP pillar-cock, heavy type : 3/4"	Each	60.76	976.25	Each	60.76	976.25		
14-21-b	Providing and Fixing CP pillar-cock, heavy type : 1/2"	Each	60.76	976.25	Each	60.76	976.25		
14-22-a	Providing and Fixing CP stop-cock, heavy type : 3/4"	Each	60.76	573.65	Each	60.76	573.65		
14-22-b	Providing and Fixing CP stop-cock, heavy type : 1/2"	Each	60.76	573.65	Each	60.76	573.65		
14-23	Providing and Fixing underground stop-cock 1/2" with CP cover	Each	69.44	633.64	Each	69.44	633.64		
14-24-a	Providing and Fixing CP bib-cock, heavy type : 3/4"	Each	60.76	573.65	Each	60.76	573.65		
14-24-b	Providing and Fixing CP bib-cock, heavy type : 1/2"	Each	60.76	573.65	Each	60.76	573.65		
14-25	Providing and Fixing 1/2" CP tee stop cock	Each	60.76	573.65	Each	60.76	573.65		
14-26-a	Providing and Fixing CP shower rose : 1/2"x4"	Each	60.76	1,232.45	Each	60.76	1,232.45		
14-26-b	Providing and Fixing CP shower rose : 3/4"x6"	Each	60.76	671.25	Each	60.76	671.25		
14-27	Providing and Fixing CP mixing valve for WHB, sink or shower	Each	60.76	2,135.25	Each	60.76	2,135.25		
14-28-a	Providing and Fixing gun metal peet / gate valve (screwed) 1" dia	Each	69.44	1,534.00	Each	69.44	1,534.00	Reduce the composite rate by 10 % incase brase peet / gate valve are used.	
14-28-b	Providing and Fixing gun metal peet / gate valve (screwed) 1.25" dia	Each	69.44	1,839.00	Each	69.44	1,839.00		
14-28-c	Providing and Fixing gun metal peet / gate valve (screwed) 1.75" dia	Each	69.44	1,961.00	Each	69.44	1,961.00		
14-28-d	Providing and Fixing gun metal peet / gate valve (screwed) 2" dia	Each	69.44	5,865.00	Each	69.44	5,865.00		
14-28-e	Providing and Fixing gun metal peet / gate valve (screwed) 3" dia	Each	69.44	6,414.00	Each	69.44	6,414.00		
14-29-a	Providing and Fixing CP or brass oxidized swan-neck cock 1/2" dia : Single way	Each	60.76	915.25	Each	60.76	915.25		
14-29-b	Providing and Fixing CP or brass oxidized swan-neck cock 1/2" dia : Double way	Each	69.44	2,327.00	Each	69.44	2,327.00		
14-29-c	Providing and Fixing CP or brass oxidized swan-neck cock 1/2" dia : Three way	Each	86.80	209.50	Each	86.80	209.50		
14-30-a	Providing and Fixing brass union 1/2" dia	Each	60.76	366.25	Each	60.76	366.25		
14-30-b	Providing and Fixing brass union 3/4" dia	Each	60.76	488.25	Each	60.76	488.25		
14-31-a	Providing and Fixing CI floor trap including CI grating & concrete chamber all round : 4"x2"	Each	148.80	455.00	Each	148.80	455.00		
14-31-b	Providing and Fixing CI floor trap including CI grating & concrete chamber all round : 4"x3"	Each	148.80	808.80	Each	148.80	808.80		
14-32-a	Providing and Fixing 'P' trap including GI grating & PCC chamber 4" of cast iron	Each	133.92	928.00	Each	133.92	928.00		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-32-b	Providing and Fixing 'P' trap including GI grating & PCC chamber 4" glazed	Each	133.92	379.00	Each	133.92	379.00		
14-33	Providing and Fixing 4" gully trap with PCC, including masonry chamber 1'x1' and PVC grating 6"x6"	Each	223.20	987.50	Each	223.20	987.50		
14-34-a-01	Providing and fitting CI soil pipe with : Lead & yarn caulked joint : 4" dia.	Rft	45.37	850.93	m	148.84	2,791.77		
14-34-a-02	Providing and fitting CI soil pipe with : Lead & yarn caulked joint : 2" dia.	Rft	22.68	437.67	m	74.42	1,435.91		
14-34-b-01	Providing and fitting CI soil pipe with : Cement caulked joint : 4" dia	Rft	45.37	826.53	m	148.84	2,711.72		
14-34-b-02	Providing and fitting CI soil pipe with : Cement caulked joint : 2" dia	Rft	22.68	376.67	m	74.42	1,235.78		
14-35-a	Providing and Fixing AC soil pipe with cement caulked joint including all specials : 1"- i/d	Rft	11.34	147.57	m	37.21	484.14		
14-35-b	Providing and Fixing AC soil pipe with cement caulked joint including all specials : 3"- i/d	Rft	13.61	245.07	m	44.65	804.05		
14-35-c	Providing and Fixing AC soil pipe with cement caulked joint including all specials : 4" i/d	Rft	22.68	306.74	m	74.42	1,006.36		
14-35-d	Providing and Fixing AC soil pipe with cement caulked joint including all specials : 6" i/d	Rft	36.29	454.66	m	119.07	1,491.66		
14-36-a	Providing and Fixing CI specials, such as tees, bends etc Lead caulked joint	Each	186.00	978.06	Each	186.00	978.06	Increase the composite rate by 3 %, in case of plug type.	
14-36-b	Providing and Fixing CI specials, such as tees, bends etc Cement caulked joint	Each	186.00	748.70	Each	186.00	748.70		
14-37-a	Supply and Fixing CI manhole cover with frame etc complete 12" dia	Each	94.86	1,315.63	Each	94.86	1,315.63		
14-37-b	Supply and Fixing CI manhole cover with frame etc complete 18" dia	Each	94.86	2,291.63	Each	94.86	2,291.63		
14-37-c	Supply and Fixing CI manhole cover with frame etc complete 24" dia	Each	94.86	3,755.63	Each	94.86	3,755.63		
14-37-d	Providing & Fixing Steel manhole cover with frame 18"x18" full heavy duty	Each	434.00	3,487.50	Each	434.00	3,487.50		
14-38	Providing and Fixing RCC pipe 4" dia, including laying & jointing in trenches	Rft	151.98	344.25	m	498.61	1,129.44		
14-39-a	Providing and Fixing brass stop/bib cock : 1/2" dia	Each	60.76	207.65	Each	60.76	207.65		
14-39-b	Providing and Fixing brass stop/bib cock : 3/4" dia	Each	60.76	305.25	Each	60.76	305.25		
14-40	Hoisting & Placing in position precast RC latrine seat	Each	465.00	468.75	Each	465.00	468.75		
14-41-a	Providing and Fixing CP waste coupling : 1.25"	Each	69.44	338.40	Each	69.44	338.40		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-41-b	Providing and Fixing CP waste coupling : 1.5"	Each	69.44	497.00	Each	69.44	497.00		
14-42-a	Providing and Fixing rubber plug with chain : 1.25"	Each	2.60	27.02	Each	2.60	27.02		
14-42-b	Providing and Fixing rubber plug with chain : 1.5"	Each	2.60	39.22	Each	2.60	39.22		
14-43-a	Providing and Fixing waste pipe of PVC : 1.25"	Each	60.76	134.45	Each	60.76	134.45		
14-43-b	Providing and Fixing waste pipe of PVC : 1.5"	Each	60.76	171.05	Each	60.76	171.05		
14-44-a	Providing and Fixing flushing bend of PVC : 1.25"	Each	43.40	116.95	Each	43.40	116.95		
14-44-b	Providing and Fixing flushing bend of PVC : 1.5"	Each	43.40	141.35	Each	43.40	141.35		
14-45-a	Providing and Fixing CP bottle trough with waste pipe : 1.25" i/d	Each	69.44	1,290.00	Each	69.44	1,290.00		
14-45-b	Providing and Fixing CP bottle trough with waste pipe : 1.5" i/d	Each	69.44	1,595.00	Each	69.44	1,595.00		
14-46-a	Providing and Fixing angle iron brackets for : WHB and cistern	Each	69.44	253.00	Each	69.44	253.00		
14-46-b	Providing and Fixing angle iron brackets for : Sink	Each	69.44	240.80	Each	69.44	240.80		
14-47-a	Providing and Fixing 1/2" dia connection including check nuts etc Plastic rubber connection	Each	26.04	172.65	Each	26.04	172.65		
14-47-b	Providing and Fixing 1/2" dia connection including check nuts etc Copper connection	Each	26.04	209.25	Each	26.04	209.25		
14-47-c	Providing and Fixing 1/2" dia connection including check nuts etc CP connection	Each	26.04	197.05	Each	26.04	197.05		
14-48-a	Providing and Fixing brass ball float valve 1/2" dia	Each	60.76	274.75	Each	60.76	274.75		
14-48-b	Providing and Fixing brass ball float valve 3/4" dia	Each	60.76	366.25	Each	60.76	366.25		
14-48-c	Providing and Fixing brass ball float valve 1" dia	Each	60.76	439.45	Each	60.76	439.45		
14-48-d	Providing and Fixing brass ball float valve 1.25" dia	Each	60.76	671.25	Each	60.76	671.25		
14-48-e	Providing and Fixing brass ball float valve 1.5" dia	Each	60.76	1,159.25	Each	60.76	1,159.25		
14-48-f	Providing and Fixing brass ball float valve 2" dia	Each	60.76	1,220.25	Each	60.76	1,220.25		
14-49-a	Providing and Fixing 4" dia MS high pressure seamwelded pipe & specials complete : 2" dia	Rft	170.55	452.53	m	559.55	1,484.66		
14-49-b	Providing and Fixing 4" dia MS high pressure seamwelded pipe & specials complete : 1" dia	Rft	136.44	381.54	m	447.64	1,251.78		
14-50-a	Providing and Fixing Audeo type valve : 4" dia	Each	682.00	2,029.50	Each	682.00	2,029.50		
14-50-b	Providing and Fixing Audeo type valve : 2" dia	Each	272.80	5,155.00	Each	272.80	5,155.00		
14-50-c	Providing and Fixing Audeo type valve : 1" dia	Each	204.60	3,256.25	Each	204.60	3,256.25		
14-51-a	Providing and Fixing pressure regulator : No. 103	Each	186.00	3,603.50	Each	186.00	3,603.50		
14-51-b	Providing and Fixing pressure regulator : No. 043	Each	186.00	1,407.50	Each	186.00	1,407.50		
14-51-c	Providing and Fixing pressure regulator : People type	Each	186.00	1,041.50	Each	186.00	1,041.50		
14-52-a	Providing and Fixing high pressure flange type valve : 4" dia	Each	682.00	15,937.50	Each	682.00	15,937.50		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-52-b	Providing and Fixing high pressure flange type valve : 2" dia	Each	272.80	8,205.00	Each	272.80	8,205.00		
14-52-c	Providing and Fixing high pressure flange type valve : 1" dia	Each	136.40	4,041.50	Each	136.40	4,041.50		
14-53	Providing and Fixing nipple or bush 1/4" to 3/8" i/d	Each	26.04	50.65	Each	26.04	50.65		
14-54-a	Providing and Fixing eclipse cock : 1" dia	Each	136.40	1,174.50	Each	136.40	1,174.50		
14-54-b	Providing and Fixing eclipse cock : 3/4" dia	Each	136.40	1,113.50	Each	136.40	1,113.50		
14-55-a	Providing and Fixing GI pipe & including specials complete 2" dia (light)	Rft	64.19	320.91	m	210.61	1,052.86		
14-55-b	Providing and Fixing GI pipe & including specials complete 1.5" dia (light)	Rft	64.19	259.91	m	210.61	852.72		
14-55-c	Providing and Fixing GI pipe & including specials complete 1.25" dia (light)	Rft	64.19	217.21	m	210.61	712.63		
14-55-d	Providing and Fixing GI pipe & including specials complete 1" dia (light)	Rft	36.52	152.71	m	119.81	501.03		
14-55-e	Providing and Fixing GI pipe & including specials complete 3/4" dia (light)	Rft	36.33	128.12	m	119.19	420.35		
14-55-f	Providing and Fixing GI pipe & including specials complete 1/2" dia (light)	Rft	32.10	93.36	m	105.30	306.28		
14-56-a	Providing and Fixing oxidized gas cock : 1" dia.	Each	18.60	628.75	Each	18.60	628.75		
14-56-b	Providing and Fixing oxidized gas cock : 3/4" dia.	Each	18.60	445.75	Each	18.60	445.75		
14-56-c	Providing and Fixing oxidized gas cock : 1/2" dia.	Each	18.60	384.75	Each	18.60	384.75		
14-57-a	Providing and Fixing brass gas cock : 1/2" dia	Each	3.72	296.55	Each	3.72	296.55		
14-57-b	Providing and Fixing brass gas cock : 3/4" dia	Each	3.72	430.75	Each	3.72	430.75		
14-58-a	Providing and Fixing 1/4" CP or oxidized gas cock Single way	Each	22.32	107.90	Each	22.32	107.90		
14-58-b	Providing and Fixing 1/4" CP or oxidized gas cock Two way	Each	37.20	190.00	Each	37.20	190.00		
14-58-c	Providing and Fixing 1/4" CP or oxidized gas cock Three way	Each	59.52	249.10	Each	59.52	249.10		
14-59-a	Providing and Fixing approved best quality light burners Single	Each	744.00	1,238.00	Each	744.00	1,238.00		
14-59-b	Providing and Fixing approved best quality light burners Double	Each	744.00	1,970.00	Each	744.00	1,970.00		
14-60-a	Providing and Fixing approved best quality gas room heaters Single pannel	Each	744.00	1,787.00	Each	744.00	1,787.00		
14-60-b	Providing and Fixing approved best quality gas room heaters Double pannel	Each	744.00	2,946.00	Each	744.00	2,946.00		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-61-a	Providing and Fixing approved best quality cooking range with 2 burners & oven	-	-	-	-	-	-		DELETED
14-61-b	Providing and Fixing approved best quality cooking range with 2 burners, oven & rostary	-	-	-	-	-	-		DELETED
14-61-c	Providing and Fixing approved best quality cooking range with 3 burners, oven & hot case	Each	744.00	12,340.00	Each	744.00	12,340.00		
14-61-d	Providing and Fixing approved best quality cooking range with 3 burners, oven, hot case & rostary	Each	744.00	15,390.00	Each	744.00	15,390.00		
14-61-e	Providing and Fixing approved best quality cooking range with 5 burners, oven, hot case & rostary	Each	744.00	22,710.00	Each	744.00	22,710.00		
14-62-a	Providing and Fixing approved best quality gas water heaters 20 gallons capacity	Each	744.00	15,390.00	Each	744.00	15,390.00		
14-62-b	Providing and Fixing approved best quality gas water heaters 30 gallons capacity	Each	744.00	19,050.00	Each	744.00	19,050.00		
14-62-c	Providing and Fixing approved best quality gas water heaters 50 gallons capacity	Each	744.00	25,150.00	Each	744.00	25,150.00		
14-63-a	Providing and Fixing gas cross burners : 6" Size	Each	93.00	642.75	Each	93.00	642.75		
14-63-b	Providing and Fixing gas cross burners : 9" Size	Each	93.00	1,008.75	Each	93.00	1,008.75		
14-63-c	Providing and Fixing gas cross burners : 12" Size	Each	93.00	1,191.75	Each	93.00	1,191.75		
14-64-a	Providing and Fixing gas nozzle star burner with injector 12" nozzle	Each	223.20	896.00	Each	223.20	896.00		
14-64-b	Providing and Fixing gas nozzle star burner with injector 18" nozzle	Each	223.20	1,591.40	Each	223.20	1,591.40		
14-64-c	Providing and Fixing gas nozzle star burner with injector 24" nozzle	Each	223.20	1,994.00	Each	223.20	1,994.00		
14-64-d	Providing and Fixing gas nozzle star burner with injector 32" nozzle	Each	223.20	2,299.00	Each	223.20	2,299.00		
14-65	Providing and Fixing flue pipe for gas room heater any type/make	Each	74.40	123.80	Each	74.40	123.80		
14-66	Providing and Fixing gas twin burners with stand complete Imperial make	Each	223.20	2,067.20	Each	223.20	2,067.20		
14-67	Providing and Fixing angle iron frame wall type brackets for gas room heater	Pair	93.00	380.45	Pair	93.00	380.45		
14-68-a	Providing and Fixing gas tandoor complete : 24" nozzle	Each	682.00	2,151.50	Each	682.00	2,151.50		
14-68-b	Providing and Fixing gas tandoor complete : 32" nozzle	Each	1,023.00	4,081.25	Each	1,023.00	4,081.25		
14-68-c	Providing and Fixing gas tandoor complete : 48" nozzle	Each	1,023.00	3,410.25	Each	1,023.00	3,410.25		
14-69-a-01	P/F Fibre Glass Water Tank 300 gallons	Each	1,488.00	19,480.36	Each	1,488.00	19,480.36		
14-69-a-02	P/F Fibre Glass Water Tank 400 gallons	Each	1,488.00	24,600.46	Each	1,488.00	24,600.46		
14-69-b-01	P/F Polyethylene Water Tank 200 gallons (Horizontal)	Each	1,488.00	14,600.36	Each	1,488.00	14,600.36		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-69-b-02	Supplying and Fixing Polyethylene Water Tank 400 gallons (Vertical)	Each	3,162.00	26,648.10	Each	3,162.00	26,648.10		
14-69-b-03	P/F Polyethylene Water Tank 500 gallons (Vertical)	Each	3,162.00	31,928.26	Each	3,162.00	31,928.26		
14-69-b-04	P/F Polyethylene Water Tank 1000 gallons (Vertical)	Each	4,216.00	64,251.06	Each	4,216.00	64,251.06		
14-69-b-05	P/F Polyethylene Water Tank 1500 gallons (Vertical)	Each	6,324.00	92,146.37	Each	6,324.00	92,146.37		
14-70-a	Providing and Fixing of pipe type B nikasi system including testing in all respect 110 mm (using dadex, or eq)	Rft	45.37	358.91	m	148.84	1,177.54		
14-70-b	Providing and Fixing of pipe type B nikasi system including testing in all respect 75 mm (using dadex, or eq)	Rft	45.37	273.22	m	148.84	896.38		
14-71-a	Providing and Fixing of poly dex high pressure PPR(green including testing ect complete 25 mm(including all special etc)	Rft	32.10	137.25	m	105.30	450.28		
14-71-b	Providing and Fixing of poly dex high pressure PPR(green including testing ect complete 20 mm(including all special etc)	Rft	32.10	125.05	m	105.30	410.25		
14-72-a	Providing of plumbing tape insulation on G.I pipe complete 1/2" dia	20 Rft	28.35	41.60	m	4.65	6.82		
14-72-b	Providing of plumbing tape insulation on G.I pipe complete 3/4" dia	20 Rft	28.35	48.11	m	4.65	7.89		
14-72-c	Providing of plumbing tape insulation on G.I pipe complete 1" dia	20 Rft	28.35	54.62	m	4.65	8.96		
14-72-d	Providing of plumbing tape insulation on G.I pipe complete 1.5" dia	20 Rft	28.35	61.13	m	4.65	10.03		
14-72-e	Providing of plumbing tape insulation on G.I pipe complete 2" dia	20 Rft	28.35	67.64	m	4.65	11.10		
14-72-f	Providing of plumbing tape insulation on G.I pipe complete 2.5" dia	20 Rft	28.35	74.15	m	4.65	12.16		
14-73-a	Providing of thermal insulation of high density (64kg/m3) fiber glass pipe insulation faced with aluminium foil for chilled/hot water piping complete 1/2" dia	20 Rft	74.40	136.00	m	12.20	22.31		
14-73-b	Providing of thermal insulation of high density (64kg/m3) fiber glass pipe insulation faced with aluminium foil for chilled/hot water piping complete 3/4" dia	20 Rft	74.40	140.27	m	12.20	23.01		
14-73-c	Providing of thermal insulation of high density (64kg/m3) fiber glass pipe insulation faced with aluminium foil for chilled/hot water piping complete 1" dia	20 Rft	74.40	154.30	m	12.20	25.31		
14-73-d	Providing of thermal insulation of high density (64kg/m3) fiber glass pipe insulation faced with aluminium foil for chilled/hot water piping complete 1.5" dia	20 Rft	74.40	162.23	m	12.20	26.61		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-73-e	Providing of thermal insulation of high density (64kg/m3) fiber glass pipe insulation faced with aluminium foil for chilled/hot water piping complete 2" dia	20 Rft	74.40	165.28	m	12.20	27.11		
14-73-f	Providing of thermal insulation of high density (64kg/m3) fiber glass pipe insulation faced with aluminium foil for chilled/hot water piping complete 2.5" dia	20 Rft	74.40	179.92	m	12.20	29.51		
14-73-g	Providing of thermal insulation of high density (64kg/m3) fiber glass pipe insulation faced with aluminium foil for chilled/hot water piping complete 3" dia	20 Rft	74.40	195.78	m	12.20	32.12		
14-74-a	Providing and Fixing Gas water Geyser 30 gallons SG 35 DLX with imported Thermostat	Each	744.00	28,688.00	Each	744.00	28,688.00		
14-74-b	Providing and Fixing Gas water Geyser 35 gallons SG 35 DLX with imported Thermostat	Each	744.00	31,311.00	Each	744.00	31,311.00		
14-75-a	Providing & Fixing "Singer" Cooking Range Model 307 (3 Burners Black), Bigger size	Each	186.00	25,685.50	Each	186.00	25,685.50		
14-75-b	Providing & Fixing "Singer" Cooking Range Model 308 (3 Burners Black), Smaller size	Each	186.00	24,587.50	Each	186.00	24,587.50		
14-76	Providing & Fixing "Singer" Cooking Range Model 310 (3 Burners White)	Each	186.00	26,417.50	Each	186.00	26,417.50		
14-77	Providing & Fixing "Singer" Cooking Range Model 312 (5 Burners), (Automatic)	Each	186.00	27,637.50	Each	186.00	27,637.50		
14-78	Supply and Fixing low level plastic flushing cistern.	Each	148.80	1,016.20	Each	148.80	1,016.20		
14-79-a	Supply and fixing of 0.5 HP Monoblock water pump 1.25"x1" single phase upto 72 ft head (Type SE) i/c all accessories.	Each	545.60	14,961.86	Each	545.60	14,961.86		
14-79-b	Supply and fixing of 1.0 HP Monoblock water pump 1.25"x1" single phase upto 90 ft head (Type SE) i/c all accessories.	Each	545.60	17,035.86	Each	545.60	17,035.86		
14-79-c	Supply and fixing of 1.0 HP Monoblock water pump 1.25"x1" single phase upto 88 ft head (Type DE-S2) i/c all accessories.	Each	545.60	17,035.86	Each	545.60	17,035.86		
14-79-d	Supply and fixing of 1.5 HP Monoblock water pump 1.25"x1" single phase upto 130 ft head (Type DE-S2) i/c all accessories.	Each	545.60	18,255.86	Each	545.60	18,255.86		
14-80-a	Supply and fixing of 2.0 HP Monoblock water pump 1.5"x1.25" 3 stage model DE-S3 (Deen Pump) single phase for 150 ft head with all accessories.	Each	545.60	23,632.40	Each	545.60	23,632.40		
14-80-b	Supply and fixing of 2.0 HP Monoblock water pump 1.5"x1.5" 4 stage model DE-S4 single phase for 190 ft head with all accessories.	Each	545.60	23,632.40	Each	545.60	23,632.40		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-80-c	Supply and fixing of 2.0 HP Monoblock water pump 2"x2" size 1 stage SE model single phase for 65 ft head with all accessories and fittings.	Each	545.60	29,047.98	Each	545.60	29,047.98		
14-81-a	Supply and fixing of 3.0 HP Monoblock water pump 1.5"x1.5" size 5 stage DE-S5 model single phase for 220 ft head with all accessories	Each	545.60	27,854.82	Each	545.60	27,854.82		
14-81-b	Supply and fixing of 3.0 HP Monoblock water pump 1.5"x1.25" size 6 stage DE-S6 model single phase for 260 ft head with all accessories	Each	545.60	27,174.06	Each	545.60	27,174.06		
14-81-c	Supply and fixing of 4.0 HP Monoblock water pump 1.5"x1.25" size 7 stage DN-S7 model single phase for 300 ft head with all accessories	Each	545.60	34,990.60	Each	545.60	34,990.60		
14-81-d	Supply and fixing of 3.0 HP Monoblock water pump 2.5"x2" size 2 stage DE-S2 model single phase for 100 ft head with all accessories	Each	992.00	38,310.04	Each	992.00	38,310.04		
14-81-e	Supply and fixing of 4.0 HP Monoblock water pump 1.5"x2" size 3 stage DN-S3 model single phase for 130 ft head with all accessories	Each	545.60	36,753.50	Each	545.60	36,753.50		
14-81-f	Supply and fixing of 4.0 HP Monoblock water pump 1.5"x2" size 4 stage DN-S4 model single phase for 160 ft head with all accessories	Each	992.00	37,203.50	Each	992.00	37,203.50		
14-81-g	Supply and fixing of 3.0 HP Monoblock water pump 3"x3" size 1 stage P.P model single phase for 60 ft head with all accessories	Each	545.60	42,982.82	Each	545.60	42,982.82		
14-81-h	Supply and fixing of 4.0 HP Monoblock water pump 3"x2.5" size 1stage P.P model single phase for 60 ft head with all accessories	Each	545.60	43,120.68	Each	545.60	43,120.68		
14-82-a	Supply and fixing of 1.0 HP Deep well water pump 1"x1" size 1stage Jet S-1 model single phase for 60 ft suction and upto 60 ft head with all accessories	Each	2,170.00	17,860.84	Each	2,170.00	17,860.84		
14-82-b	Supply and fixing of 2.0 HP Deep well water pump 1"x1" size 2 stage Jet S-2 model single phase for 80 ft suction and upto 80 ft head with all accessories	Each	2,170.00	24,570.84	Each	2,170.00	24,570.84		
14-82-c	Supply and fixing of 3.0 HP Deep well water pump 1"x1" size 3 stage Jet S-3 model single phase for 120 ft suction and upto 120 ft head with all accessories	Each	2,170.00	29,450.84	Each	2,170.00	29,450.84		
14-82-d	Supply and fixing of 4.0 HP Deep well water pump 1"x1" size 4 stage Jet S-4 model single phase for 160 ft suction and upto 160 ft head with all accessories	Each	2,170.00	28,230.84	Each	2,170.00	28,230.84		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 14 PLUMBING, SANITARY INSTALLATION AND GAS FITTINGS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
14-83	Providing & Fixing Solar Geysers 35 gallons capacity (a product of Enercon, National Energy Conservation Centre Islamabad)	Each	1,612.00	35,785.00	Each	1,612.00	35,785.00		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-01-a-01	Supply and Erection MS conduit pipe for wiring purpose comp. On surface including clamps etc: 1/2" i/d	Rft	13.61	41.84	m	44.65	137.27		
15-01-a-02	Supply and Erection MS conduit pipe for wiring purpose comp. On surface including clamps etc: 3/4" i/d	Rft	13.61	49.05	m	44.65	160.94		
15-01-a-03	Supply and Erection MS conduit pipe for wiring purpose comp. On surface including clamps etc: 1" i/d	Rft	13.61	61.25	m	44.65	200.97		
15-01-a-04	Supply and Erection MS conduit pipe for wiring purpose comp. On surface including clamps etc: 1.25" i/d	Rft	13.61	67.35	m	44.65	220.98		
15-01-a-05	Supply and Erection MS conduit pipe for wiring purpose comp. On surface including clamps etc: 1.5" i/d	Rft	13.61	73.45	m	44.65	240.99		
15-01-a-06	Supply and Erection MS conduit pipe for wiring purpose comp. On surface including clamps etc: 2" i/d	Rft	13.61	95.29	m	44.65	312.63		
15-01-b-01	Supply and Erection MS conduit pipe for wiring purpose comp. Recessed in walls including chase etc : 1/2" i/d	Rft	34.02	114.49	m	111.63	375.63		
15-01-b-02	Supply and Erection MS conduit pipe for wiring purpose comp. Recessed in walls including chase etc : 3/4" i/d	Rft	34.02	121.71	m	111.63	399.30		
15-01-b-03	Supply and Erection MS conduit pipe for wiring purpose comp. Recessed in walls including chase etc : 1" i/d	Rft	34.02	133.91	m	111.63	439.33		
15-01-b-04	Supply and Erection MS conduit pipe for wiring purpose comp. Recessed in walls including chase etc : 1.25" i/d	Rft	34.02	140.01	m	111.63	459.34		
15-01-b-05	Supply and Erection MS conduit pipe for wiring purpose comp. Recessed in walls including chase etc : 1.5" i/d	Rft	34.02	146.11	m	111.63	479.35		
15-01-b-06	Supply and Erection MS conduit pipe for wiring purpose comp. Recessed in walls including chase etc : 2" i/d	Rft	34.02	163.85	m	111.63	537.56		
15-02-a-01	Supply and Erection PVC pipe for wiring purpose complete On surface including clamps etc: 1/2" i/d	Rft	6.80	29.33	m	22.33	96.21		
15-02-a-02	Supply and Erection PVC pipe for wiring purpose complete On surface including clamps etc: 3/4" i/d	Rft	6.80	28.32	m	22.33	92.92		
15-02-a-03	Supply and Erection PVC pipe for wiring purpose complete On surface including clamps etc: 1" i/d	Rft	6.80	34.42	m	22.33	112.93		
15-02-a-04	Supply and Erection PVC pipe for wiring purpose complete On surface including clamps etc: 1.25" i/d	Rft	10.04	40.68	m	32.95	133.48		
15-02-a-05	Supply and Erection PVC pipe for wiring purpose complete On surface including clamps etc: 1.5" i/d	Rft	13.61	54.11	m	44.65	177.54		
15-02-a-06	Supply and Erection PVC pipe for wiring purpose complete On surface including clamps etc: 2" i/d	Rft	8.68	43.26	m	28.47	141.94		
15-02-a-07	Supply and Erection PVC pipe for wiring purpose complete On surface including clamps etc: 3" i/d	Rft	10.38	71.68	m	34.05	235.18		
15-02-a-08	Supply and Erection PVC pipe for wiring purpose complete On surface including clamps etc: 4" i/d	Rft	13.39	86.55	m	43.94	283.96		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-02-b-01	Supply and Erection PVC pipe for wiring purpose complete Recessed in walls including chase etc : 1/2" i/d	Rft	20.41	43.05	m	66.98	141.22		
15-02-b-02	Supply and Erection PVC pipe for wiring purpose complete Recessed in walls including chase etc : 3/4" i/d	Rft	20.41	94.11	m	66.98	308.77		
15-02-b-03	Supply and Erection PVC pipe for wiring purpose complete Recessed in walls including chase etc : 1" i/d	Rft	20.41	100.77	m	66.98	330.62		
15-02-b-04	Supply and Erection PVC pipe for wiring purpose complete Recessed in walls including chase etc : 1.25" i/d	Rft	20.41	103.76	m	66.98	340.43		
15-02-b-05	Supply and Erection PVC pipe for wiring purpose complete Recessed in walls including chase etc : 1.5" i/d	Rft	27.22	120.95	m	89.30	396.81		
15-02-b-06	Supply and Erection PVC pipe for wiring purpose complete Recessed in walls including chase etc : 2" i/d	Rft	34.02	121.71	m	111.63	399.30		
15-02-b-07	Supply and Erection PVC pipe for wiring purpose complete Recessed in walls including chase etc : 3" i/d	Rft	40.83	154.83	m	133.95	507.96		
15-02-b-08	Supply and Erection PVC pipe for wiring purpose complete Recessed in walls including chase etc : 4" i/d	Rft	51.04	176.94	m	167.44	580.53		
15-03-a	Supply and Erection GI flexible pipe for wiring purpose complete 1/2" i/d	Rft	8.04	38.61	m	26.39	126.67		
15-03-b	Supply and Erection GI flexible pipe for wiring purpose complete 3/4" i/d	Rft	7.94	50.70	m	26.04	166.34		
15-03-c	Supply and Erection GI flexible pipe for wiring purpose complete 1" i/d	Rft	13.64	50.35	m	44.75	165.19		
15-03-d	Supply and Erection GI flexible pipe for wiring purpose complete 1.25" i/d	Rft	14.76	69.78	m	48.41	228.92		
15-03-e	Supply and Erection GI flexible pipe for wiring purpose complete 1.5" i/d	Rft	14.76	75.88	m	48.41	248.93		
15-03-f	Supply and Erection GI flexible pipe for wiring purpose complete 2" i/d	Rft	24.35	103.84	m	79.88	340.69		
15-03-g	Supply and Erection GI flexible pipe for wiring purpose complete 3" i/d	Rft	25.05	61.85	m	82.18	202.92		
15-04-a	Supply and Erection Sahl wood strip batten for wiring complete 1/2"	Rft	3.12	9.75	m	10.25	32.00	Additional width required to accommodate wire will be provided by erection of additional strips.	
15-04-b	Supply and Erection Sahl wood strip batten for wiring complete 3/4"	Rft	3.12	12.16	m	10.25	39.89		
15-04-c	Supply and Erection Sahl wood strip batten for wiring complete 1"	Rft	3.12	21.92	m	10.25	71.90		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-05-a	Supply and Erection single core PVC insulated copper conductor 250/440 V grade cable : 3/0.029"	Rft	4.74	13.32	m	15.56	43.70		
15-05-b	Supply and Erection single core PVC insulated copper conductor 250/440 V grade cable : 3/0.036"	Rft	4.76	18.22	m	15.63	59.78		
15-05-c	Supply and Erection single core PVC insulated copper conductor 250/440 V grade cable : 7/0.029"	Rft	4.46	22.80	m	14.65	74.80		
15-05-d	Supply and Erection single core PVC insulated copper conductor 250/440 V grade cable : 7/0.036"	Rft	4.46	33.78	m	14.65	110.83		
15-05-e	Supply and Erection single core PVC insulated copper conductor 250/440 V grade cable : 7/0.044"	Rft	11.16	53.95	m	36.63	177.01		
15-05-f	Supply and Erection single core PVC insulated copper conductor 250/440 V grade cable : 7/0.064"	Rft	16.74	107.15	m	54.92	351.56		
15-05-g	Supply and Erection single core PVC insulated copper conductor 250/440 V grade cable : 19/0.064"	Rft	27.91	192.83	m	91.56	632.65		
15-06-a	Supply and Erection single core PVC insulated+sheathed copper conductor 250/440 V grade cable : 3/0.029"	Rft	7.81	16.42	m	25.63	53.85		
15-06-b	Supply and Erection single core PVC insulated+sheathed copper conductor 250/440 V grade cable : 3/0.036"	Rft	7.81	21.30	m	25.63	69.87		
15-06-c	Supply and Erection single core PVC insulated+sheathed copper conductor 250/440 V grade cable : 7/0.029"	Rft	8.93	27.30	m	29.29	89.57		
15-06-d	Supply and Erection single core PVC insulated+sheathed copper conductor 250/440 V grade cable : 7/0.036"	Rft	8.93	38.28	m	29.29	125.59		
15-06-e	Supply and Erection single core PVC insulated+sheathed copper conductor 250/440 V grade cable : 7/0.044"	Rft	14.51	57.33	m	47.60	188.07		
15-06-f	Supply and Erection single core PVC insulated+sheathed copper conductor 250/440 V grade cable : 7/0.064"	Rft	22.33	112.79	m	73.25	370.04		
15-07-a	Supply and Erection single core PVC insulated & sheathed copper conductor, 660/1100V cable : 7/0.064"	Rft	22.33	112.79	m	73.25	370.04		
15-07-b	Supply and Erection single core PVC insulated & sheathed copper conductor, 660/1100V cable : 19/0.052"	Rft	37.94	160.25	m	124.49	525.75		
15-07-c	Supply and Erection single core PVC insulated & sheathed copper conductor, 660/1100V cable : 19/0.064"	Rft	37.94	202.95	m	124.49	665.85		
15-07-d	Supply and Erection single core PVC insulated & sheathed copper conductor, 660/1100V cable : 19/0.083"	Rft	55.82	377.13	m	183.13	1,237.29		
15-07-e	Supply and Erection single core PVC insulated & sheathed copper conductor, 660/1100V cable : 37/0.072"	Rft	139.54	585.97	m	457.82	1,922.47		
15-07-f	Supply and Erection single core PVC insulated & sheathed copper conductor, 660/1100V cable : 37/0.083"	Rft	139.54	700.65	m	457.82	2,298.72		
15-07-g	Supply and Erection single core PVC insulated & sheathed copper conductor, 660/1100V cable : 37/0.103"	Rft	139.54	1,001.99	m	457.82	3,287.37		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-08-a	Supply and Erection twin core PVC insulated & sheathed copper conductor 250/440 V grade cable : 3/0.029"	Rft	5.58	32.47	m	18.31	106.51		
15-08-b	Supply and Erection twin core PVC insulated & sheathed copper conductor 250/440 V grade cable : 3/0.036"	Rft	5.58	32.47	m	18.31	106.51		
15-08-c	Supply and Erection twin core PVC insulated & sheathed copper conductor 250/440 V grade cable : 7/0.029"	Rft	7.81	43.26	m	25.63	141.91		
15-08-d	Supply and Erection twin core PVC insulated & sheathed copper conductor 250/440 V grade cable : 7/0.036"	Rft	7.81	63.99	m	25.63	209.96		
15-08-e	Supply and Erection twin core PVC insulated & sheathed copper conductor 250/440 V grade cable : 7/0.044"	Rft	7.81	88.39	m	25.63	290.01		
15-08-f	Supply and Erection twin core PVC insulated & sheathed copper conductor 250/440 V grade cable : 7/0.064"	Rft	7.81	218.93	m	25.63	718.29		
15-09-a	Supply and Erection MS sheet box of 16 SWG, 4"deep with 3/16" thick bakelite sheet top etc. complete : 4"x4"	Each	83.70	145.38	Each	83.70	145.38		
15-09-b	Supply and Erection MS sheet box of 16 SWG, 4"deep with 3/16" thick bakelite sheet top etc. complete : 7"x4"	Each	111.60	191.80	Each	111.60	191.80		
15-09-c	Supply and Erection MS sheet box of 16 SWG, 4"deep with 3/16" thick bakelite sheet top etc. complete : 9"x4"	Each	139.50	250.43	Each	139.50	250.43		
15-09-d	Supply and Erection MS sheet box of 16 SWG, 4"deep with 3/16" thick bakelite sheet top etc. complete : 8"x10"	Each	167.40	327.35	Each	167.40	327.35		
15-09-e	Supply and Erection MS sheet box of 16 SWG, 4"deep with 3/16" thick bakelite sheet top etc. complete : 10"x12"	Each	200.88	385.50	Each	200.88	385.50		
15-09-f	Supply and Erection MS sheet box of 16 SWG, 4"deep with 3/16" thick bakelite sheet top etc. complete : 12"x14"	Each	234.36	419.25	Each	234.36	419.25		
15-10-a	Supply and Erection Sahl wood board, 1.75" deep : 3"x3" dia	-	-	-	-	-	-	DELETED	
15-10-b	Supply and Erection Sahl wood board, 1.75" deep : 4"x4"	-	-	-	-	-	-	DELETED	
15-10-c	Supply and Erection Sahl wood board, 1.75" deep : 7"x4"	-	-	-	-	-	-	DELETED	
15-10-d	Supply and Erection Sahl wood board, 1.75" deep : 8"x10"	-	-	-	-	-	-	DELETED	
15-10-e	Supply and Erection Sahl wood board, 1.75" deep : 10"x12"	-	-	-	-	-	-	DELETED	
15-10-f	Supply and Erection Sahl wood board, 1.75" deep : 12"x14"	Each	55.80	239.25	Each	55.80	239.25		
15-11-a-01	Supply and Erection of iron/aluminium clad, 500V main switch Double pole : 15/20 Amp.	Each	502.20	774.65	Each	502.20	774.65		Reduce the labour and composite rates by 20 % in case, base frame is already installed.
15-11-a-02	Supply and Erection of iron/aluminium clad, 500V main switch Double pole : 30/35 Amp.	Each	502.20	1,177.25	Each	502.20	1,177.25		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-11-a-03	Supply and Erection iron/aluminium clad 500 volts main switch Double Pole : 60/65 Amp	Each	502.20	1,848.25	Each	502.20	1,848.25		
15-11-a-04	Supply and Erection iron/aluminium clad 500 volts main switch Double Pole : 100 Amp	Each	502.20	2,763.25	Each	502.20	2,763.25		
15-11-b-01	Supply and Erection of iron/aluminium clad, 500V main switch Triple pole with neutral link : 15/20 Amp.	Each	502.20	1,177.25	Each	502.20	1,177.25		
15-11-b-02	Supply and Erection of iron/aluminium clad, 500V main switch Triple pole with neutral link : 30/35 Amp.	Each	502.20	1,421.25	Each	502.20	1,421.25		
15-11-b-03	Supply and Erection of iron/aluminium clad, 500V main switch Triple pole with neutral link : 60/65 Amp.	Each	669.60	4,152.00	Each	669.60	4,152.00		
15-11-b-04	Supply and Erection of iron/aluminium clad, 500V main switch Triple pole with neutral link : 100 Amp.	Each	837.00	3,710.75	Each	837.00	3,710.75		
15-12-a	Supply and Erection or iron/aluminium clad, 500V main switch with triple pole, complete : 60 Amp.	Each	279.00	4,063.25	Each	279.00	4,063.25		Reduce the labour and composite rates by 20 % in case, base frame is already installed.
15-12-b	Supply and Erection or iron/aluminium clad, 500V main switch with triple pole, complete : 100 Amp.	Each	279.00	4,429.25	Each	279.00	4,429.25		
15-12-c	Supply and Erection or iron/aluminium clad, 500V main switch with triple pole, complete : 200 Amp.	Each	446.40	6,062.00	Each	446.40	6,062.00		
15-12-d	Supply and Erection or iron/aluminium clad, 500V main switch with triple pole, complete : 300 Amp.	Each	446.40	9,600.00	Each	446.40	9,600.00		
15-12-e	Supply and Erection or iron/aluminium clad, 500V main switch with triple pole, complete : 500 Amp.	Each	446.40	12,650.00	Each	446.40	12,650.00		
15-13	Supply and Erection plain pendent lamp holder, complete with bakelite lamp holder & flexible twin wire of 2m	Each	11.16	215.92	Each	11.16	215.92		Reduce the labour and composite rates by 20 % in case, base frame is already installed.
15-14	Supply and Erection 9" long swan neck plain brass/steel/brass oxidised bracket lamp holder, complete	Each	20.92	69.89	Each	20.92	69.89		
15-15	Supply and Erection wall/pole type bracket with double cover water tight reflector, flexible wire & brass holder	Each	44.64	93.80	Each	44.64	93.80		
15-16	Supply and Erection call bell 220/250V, fixed on Sahl wood board 7"x4"	Each	27.90	144.02	Each	27.90	144.02		
15-17	Supply and Erection bell push or bed switch, with 5m. twin flexible wire 23/0.0076"	Each	8.37	105.06	Each	8.37	105.06		
15-18-a	Supply and Erection switches 10/15 Amp : Open type	Each	16.74	41.28	Each	16.74	41.28		
15-18-b	Supply and Erection switches 10/15 Amp : Recessed type	Each	16.74	41.28	Each	16.74	41.28		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-19-a	Supply and Erection 3 pin 10/15 Amp. wall socket : Open type	Each	27.90	52.53	Each	27.90	52.53		
15-19-b	Supply and Erection 3 pin 10/15 Amp. wall socket : Recessed	Each	27.90	52.53	Each	27.90	52.53		
15-20-a	Supply and Erection 3 pin switch & plug combined recessed type : 5 Amp	Each	27.90	52.53	Each	27.90	52.53		
15-20-b	Supply and Erection 3 pin switch & plug combined recessed type : 10/15 Amp	Each	27.90	52.53	Each	27.90	52.53		
15-21	Supply and Erection 3 pin 10/15 Amp. wall socket with shoe open type	Each	27.90	76.93	Each	27.90	76.93		
15-22-a	Supply and Erection button holder/angle holder Bakelite large size	Each	13.95	38.46	Each	13.95	38.46		
15-22-b	Supply and Erection button holder/angle holder Brass	Each	13.95	62.86	Each	13.95	62.86		
15-23-a	Supply and Erection porcelain fuses (china made) with plastic sheet base on angle iron board : 10/15 Amp.	Each	27.90	125.72	Each	27.90	125.72		
15-23-b	Supply and Erection porcelain fuses (china made) with plastic sheet base on angle iron board : 30 Amp.	Each	27.90	186.73	Each	27.90	186.73		
15-23-c	Supply and Erection porcelain fuses (china made) with plastic sheet base on angle iron board : 60 Amp.	Each	27.90	320.92	Each	27.90	320.92		
15-23-d	Supply and Erection porcelain fuses (china made) with plastic sheet base on angle iron board : 100 Amp.	Each	27.90	613.72	Each	27.90	613.72		
15-23-e	Supply and Erection porcelain fuses (china made) with plastic sheet base on angle iron board : 200 Amp.	Each	27.90	686.92	Each	27.90	686.92		
15-24-a	Supply and Erection tube light, including rod, choke etc complete Double rod (2x40 watts) with 2 chokes & 2 starters	Set	111.60	1,027.50	Set	111.60	1,027.50		
15-24-b	Supply and Erection tube light, including rod, choke etc complete Single rod (40 watts) with 1 choke & 1 starter	Set	83.70	462.58	Set	83.70	462.58		
15-24-c	Supply and Erection tube light, including rod, choke etc complete Round tube (10 watt) 1 choke + 1 starter w/o cover	Each	61.38	610.88	Each	61.38	610.88		
15-25	Supply and Erection girder clamp hook, 5/8" dia. for hanging ceiling fans	Each	27.90	333.13	Each	27.90	333.13		
15-26-a	Supply and Erection circuit breaker (imported) on sahl wood board complete : 2/5/15 Amp.	Each	83.70	318.61	Each	83.70	318.61		
15-26-b	Supply and Erection circuit breaker (imported) on sahl wood board complete : 20/25/30 Amp.	Each	83.70	267.38	Each	83.70	267.38		
15-27	Supply and Erection stay for house service pipe, erected with straining screws and 7/14 SWG stay wire	Rft	10.04	388.94	m	32.95	1,276.05		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-28	Supply and Erection of house service pipe Henley or pole, type 2" dia. erected to install insulated wire etc	Rft	13.39	319.28	m	43.94	1,047.50		
15-29	Supply and Erection shackle/pin insulator, medium size	Each	27.90	1,065.13	Each	27.90	1,065.13		
15-30	Supply and Erection bare copper conductor wire, No. 2 to 16 SWG, including GI binding wire No. 16 SWG	kg	13.95	978.68	kg	13.95	978.68		
15-31	Supply and Erection GI wire of sizes, including binding wire No. 16 SWG for support of rubber wire, pole to pole	kg	13.95	197.06	kg	13.95	197.06		
15-32-a	Wiring overhead line in 2 single core, PVC insulated cable with GI wire #8 SWG : 3/0.029"	Rft	7.81	73.31	m	25.63	240.51		
15-32-b	Wiring overhead line in 2 single core, PVC insulated cable with GI wire #8 SWG : 7/0.029"	Rft	7.81	92.83	m	25.63	304.56		
15-32-c	Wiring overhead line in 2 single core, PVC insulated cable with GI wire #8 SWG : 7/0.036"	Rft	7.81	114.79	m	25.63	376.60		
15-32-d	Wiring overhead line in 2 single core, PVC insulated cable with GI wire #8 SWG : 7/0.044"	Rft	13.39	147.25	m	43.94	483.12		
15-33	Supply and Erection street light pole bracket 1.25" GI pipe 2m. long, complete with 2 pole clamps	Each	251.10	1,119.32	Each	251.10	1,119.32		
15-34	Supply and Fixing dust & weather proof street light fitting with reflector, 400W mercury vapour lamp etc comp.	Each	446.40	2,402.00	Each	446.40	2,402.00		
15-35-a	Supply and Erection pole mounted street light complete for fitting 125/250 W mercury lamp : GEC make	Each	446.40	2,402.00	Each	446.40	2,402.00		
15-35-b	Supply and Erection pole mounted street light complete for fitting 125/250 W mercury lamp : Philips make	Each	446.40	4,354.00	Each	446.40	4,354.00		
15-36-a	Supply and Fixing 125 W mercury vapour lamp with choke	Each	111.60	1,149.50	Each	111.60	1,149.50		
15-36-b	Supply and Fixing 250 W mercury vapour lamp with choke	Each	111.60	2,552.50	Each	111.60	2,552.50		
15-36-c	Supply and Fixing 400 W mercury vapour lamp with choke	Each	111.60	5,236.50	Each	111.60	5,236.50		
15-37	Supply and Fixing mercury sodium lamp 360 Sunlux 400 W complete with choke	Each	111.60	2,064.50	Each	111.60	2,064.50		
15-38	Supply and Fixing mercury blended lamp 160 W	Each	111.60	478.50	Each	111.60	478.50		
15-39	Supply and Erection MS angle lattice structure pole 36' long 14"sq at base & 8"sq. at top for elec. distribution	Each	6,696.00	31,150.00	Each	6,696.00	31,150.00		a) Increase/Reduce composite rate of addition/reduction in height of pole above ground level b) The item does not cover cost of excavation, which is payable separately.



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-40-a-01	Supply and Fixing GI tubular street light pole, 8' of 5" dia, 7' 4" dia, 5' of 3" dia, Single arm of 5' of 1.5" dia	Each	1,674.00	38,653.50	Each	1,674.00	38,653.50		The item does not cover cost of excavation, which is payable separately.
15-40-a-02	Supply and Fixing GI tubular street light pole, 8' of 5" dia, 7' 4" dia, 5' of 3" dia, Double arm of 5' of 1.5" dia	Each	1,674.00	45,973.50	Each	1,674.00	45,973.50		
15-40-b-01	Supply and Fixing GI tubular street light pole, 8' of 4" dia, 7' 3" dia, 5' of 2" dia, Single arm of 5' of 1.5" dia	Each	1,674.00	44,753.50	Each	1,674.00	44,753.50		
15-40-b-02	Supply and Fixing GI tubular street light pole, 8' of 4" dia, 7' 3" dia, 5' of 2" dia, Double arm of 5' of 1.5" dia	Each	1,674.00	24,013.50	Each	1,674.00	24,013.50		
15-40-b-03	Providing street light poles of 40 ft height without arms including fixing complete.	Each	297.60	34,594.81	each	297.60	34,594.81		
15-41	Earthing of iron clad/aluminium switches etc with GI wire #8 SWG in GI pipe 0.5" dia	Job	2,232.00	6,752.28	Job	2,232.00	6,752.28		The item does not cover cost of excavation, which is payable separately.
15-42	Supply and Erection 2'x2'x1/8" copper plate including rivetting to copper tape & placing in mixture of salt and charcol etc	Each	558.00	9,287.94	Each	558.00	9,287.94		
15-43-a	Supply and Erection copper tape, including copper stapple & copper nails/Screw etc : Size 1.5"x1/8"	Rft	7.81	556.97	m	25.63	1,827.32		
15-43-b	Supply and Erection copper tape, including copper stapple & copper nails etc : Size 2"x1/8"	Rft	7.81	587.56	m	25.63	1,927.69		
15-44	Supply and Erection 1" dia & 1m long lightening conductor copper rod with 5 spikes ball & base etc.	Job	1,395.00	4,456.25	Job	1,395.00	4,456.25		
15-45	Wiring of light/fan/call-bell point in 3/0.029 PVC insulated & sheathed cable on sahl wood strip	Each	33.48	979.04	Each	33.48	979.04		
15-46	Wiring of 2/3-pin 5-Amp plug point in 3/0.029 PVC insulated & sheathed cable on sahl wood	Each	33.48	795.72	Each	33.48	795.72		
15-47-a	Wiring of main & sub-main in 2 single core PVC insulated & sheathed cable : 3/0.029	Rft	6.98	66.94	m	22.90	219.64		
15-47-b	Wiring of main & sub-main in 2 single core PVC insulated & sheathed cable : 7/0.029	Rft	6.98	84.02	m	22.90	275.67		
15-47-c	Wiring of main & sub-main in 2 single core PVC insulated & sheathed cable : 7/0.044	Rft	11.16	181.09	m	36.61	594.13		
15-47-d	Wiring of main & sub-main in 2 single core PVC insulated & sheathed cable : 7/0.064	Rft	20.09	451.17	m	65.91	1,480.22		
15-48-a	Wiring of sub main/earthing in 1 single core PVC insulated & sheathed cable : 3/0.029	Rft	4.74	19.68	m	15.56	64.57		
15-48-b	Wiring of sub main/earthing in 1 single core PVC insulated & sheathed cable : 7/0.029	Rft	4.46	29.16	m	14.65	95.67		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-48-c	Wiring of sub main/earthing in 1 single core PVC insulated & sheathed cable : 7/0.044	Rft	4.46	56.00	m	14.65	183.73		
15-48-d	Wiring of sub main/earthing in 1 single core PVC insulated & sheathed cable : 7/0.064	Rft	7.81	106.96	m	25.63	350.90		
15-49	Wiring of light point in 3/0.029 PVC insulated sheathed cable on sahl wood strip batten	Each	53.57	1,681.04	Each	53.57	1,681.05		
15-50	Wiring of light/fan/call-bell point in 3/0.029 PVC insulated bare cable in PVC pipe recessed	Each	50.22	1,355.67	Each	50.22	1,355.67		
15-51	Wiring of 2/3-pin 5-Amp. plug point in 3/0.029 PVC insulated bare cable in PVC pipe recessed	Each	24.55	732.62	Each	24.55	732.62		
15-52	Wiring of light point in 3/0.029 PVC insulated bare cable in PVC pipe recessed in wall comp.	Each	75.89	2,564.68	Each	75.89	2,564.68		
15-53	Special earthing of iron/metal clad switches etc with copper wire No. 8 SWG in GI pipe 1/2" dia	Each	892.80	16,131.10	Each	892.80	16,131.10		
15-54	Supply and Erection enclosed switch of bakelite DP (China) 15/30 Amp. fixed on wooden board complete	Each	55.80	822.41	Each	55.80	822.41		
15-55-a	Supply and erection of fancy wall type bracket with brass holder & fancy shade : Single	Each	44.64	228.00	Each	44.64	228.00		
15-55-b	Supply and erection of fancy wall type bracket with brass holder & fancy shade : Double	Each	44.64	337.80	Each	44.64	337.80		
15-56-a	Supply and Erection white round globe with holder, gallery & 100 Watt bulb complete : 6" dia.	Each	55.80	178.25	Each	55.80	178.25		
15-56-b	Supply and Erection white round globe with holder, gallery & 100 Watt bulb complete : 8" dia.	Each	55.80	202.65	Each	55.80	202.65		
15-56-c	Supply and Erection white round globe with holder, gallery & 100 Watt bulb complete : 10" dia.	Each	55.80	227.05	Each	55.80	227.05		
15-57-a	Supply and Erection white flat globe with holder, gallery & 100 W bulb complete : 8" dia	Each	55.80	202.65	Each	55.80	202.65		
15-57-b	Supply and Erection white flat globe with holder, gallery & 100 W bulb complete : 10" dia	Each	55.80	227.05	Each	55.80	227.05		
15-57-c	Supply and Erection white flat globe with holder, gallery & 100 W bulb complete : 12" dia	Each	55.80	251.45	Each	55.80	251.45		
15-58	Supply and Erection white round globe 6" dia with angle type bakelite gallery, holder & 60-W bulb complete	Each	55.80	324.65	Each	55.80	324.65		
15-59	Supply and Erection 1' long strip light fitting comp. with cover of opalescent perspex in plain finish 10-Watt	Each	111.60	417.50	Each	111.60	417.50		
15-60	Supply and Erection double fluorescent tube light fitting 2 No. 4' long, 40-W with 2 chokes & starters complete	Each	139.50	750.63	Each	139.50	750.63		
15-61-a	Supply and Erection fluorescent tube light fitting including 4' rod, choke, starter, flexible wire etc : Single	Each	111.60	222.30	Each	111.60	222.30		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-61-b	Supply and Erection fluorescent tube light fitting including 4' rod, choke, starter, flexible wire etc : Double	Each	111.60	1,332.50	Each	111.60	1,332.50		
15-62	Supply and Erection porch-light fitting round/square type with gallery, holder & 40 W bulb	Each	83.70	999.38	Each	83.70	999.38		
15-63-a	Supply and Erection gate-light fitting complete with holder & 160-Watt mercury blended lamp: Small	Each	111.60	807.90	Each	111.60	807.90		
15-63-b	Supply and Erection gate-light fitting complete with holder & 160-Watt mercury blended lamp: Medium	Each	111.60	1,234.90	Each	111.60	1,234.90		
15-63-c	Supply and Erection gate-light fitting complete with holder & 160-Watt mercury blended lamp: Large	Each	111.60	807.90	Each	111.60	807.90		
15-64-a	Supply and Erection garden-light fitting with holder and 160 W mercury blended lamp & choke : 18" dia	Each	279.00	2,135.65	Each	279.00	2,135.65		The rate does not include cost of GI pipe and excavation and are to be paid separately
15-64-b	Supply and Erection garden-light fitting with holder and 160 W mercury blended lamp & choke : 19" dia	Each	279.00	2,135.65	Each	279.00	2,135.65		
15-64-c	Supply and Erection garden-light fitting with holder and 160 W mercury blended lamp & choke : 22" dia	Each	279.00	2,135.65	Each	279.00	2,135.65		
15-65-a	Supply and Erection garden-light fitting with porcelain holder 125 W mercury vapour lamp & choke : 18" dia	Each	279.00	2,574.85	Each	279.00	2,574.85		The rate does not include cost of GI pipe and excavation and are to be paid separately
15-65-b	Supply and Erection garden-light fitting with porcelain holder 125 W mercury vapour lamp & choke : 19" dia	Each	279.00	5,014.85	Each	279.00	5,014.85		
15-65-c	Supply and Erection garden-light fitting with porcelain holder 125 W mercury vapour lamp & choke : 22" dia	Each	279.00	5,014.85	Each	279.00	5,014.85		
15-66-a	Supply and Erection flood-light fitting with holder, complete 14" dia with 500-W lamp	Each	279.00	3,331.25	Each	279.00	3,331.25		
15-66-b	Supply and Erection flood-light fitting with holder, complete 19" dia with 1000-W lamp	Each	279.00	6,625.25	Each	279.00	6,625.25		
15-67	Making hole in wall with necessary masonry work for exhaust fan any size complete	Each	167.40	241.95	Each	167.40	241.95		
15-68-a	Supply and Erection best quality AC ceiling fan complete with GI rod, canopy, blades & regulator : 36" sweep	Each	139.50	3,556.63	Each	139.50	3,556.63		Asia, Breeze, Climax, Millat, National & Pak fans are the approved makes.
15-68-b	Supply and Erection best quality AC ceiling fan complete with GI rod, canopy, blades & regulator : 48" sweep	Each	139.50	3,800.63	Each	139.50	3,800.63		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-68-c	Supply and Erection best quality AC ceiling fan complete with GI rod, canopy, blades & regulator : 56" sweep	Each	139.50	4,410.63	Each	139.50	4,410.63		
15-69-a	Supply and Erection best quality exhaust fan complete with shutter & regulator : 12"sweep	Each	111.60	3,162.50	Each	111.60	3,162.50		
15-69-b	Supply and Erection best quality exhaust fan complete with shutter & regulator : 16"sweep	Each	111.60	3,528.50	Each	111.60	3,528.50		
15-69-c	Supply and Erection best quality exhaust fan complete with shutter & regulator : 18"sweep	Each	111.60	3,772.50	Each	111.60	3,772.50		
15-70-a	Supply and Erection transpower auto circuit breaker 3-phase, 400V fungus moisture proofing : 30 Amp.	Each	446.40	4,110.00	Each	446.40	4,110.00		
15-70-b	Supply and Erection transpower auto circuit breaker 3-phase, 400V fungus moisture proofing : 60 Amp.	Each	446.40	5,330.00	Each	446.40	5,330.00		
15-70-c	Supply and Erection transpower auto circuit breaker 3-phase, 400V fungus moisture proofing : 100 Amp.	Each	530.10	7,244.38	Each	530.10	7,244.38		
15-71-a	Supply and Erection single phase imported auto circuit breaker 6 Amp.	Each	83.70	572.38	Each	83.70	572.38		
15-71-b	Supply and Erection single phase imported auto circuit breaker 15 Amp.	Each	83.70	480.88	Each	83.70	480.88		
15-71-c	Supply and Erection single phase imported auto circuit breaker 20 Amp.	Each	83.70	480.88	Each	83.70	480.88		
15-71-d	Supply and Erection single phase imported auto circuit breaker 30 Amp.	Each	83.70	633.38	Each	83.70	633.38		
15-72-a	Supply and Erection of bus bars for 500 volts 3 phase AC S/W 4 copper bars 40 Amp with bar size 1 1/2" X 1/8"	Each	868.00	8,317.00	Each	868.00	8,317.00		
15-72-b	Supply and Erection of bus bars 500 volts 3 phase AC supply with 4 copper bars - 100 Amp with bar size 1 1/2" X 1/8"	Each	868.00	8,347.50	Each	868.00	8,347.50		
15-72-c	Supply and Erection of bus bars 500 volts 3 phase AC supply with 4 copper bars - 200 Amp with bar size 2" X 1/8"	Each	1,550.00	9,065.50	Each	1,550.00	9,065.50		
15-72-d	Supply and Erection of bus bars 500 volts 3 phase AC supply with 4 copper bars - 300 Amp with bar size 2" X 3/16"	Each	1,891.00	9,439.75	Each	1,891.00	9,439.75		
15-72-e	Supply and Erection of bus bars 500 volts 3 phase AC supply with 4 copper bars - 500 Amp with size 2" X 1/4"	Each	2,108.00	10,421.00	Each	2,108.00	10,421.00		
15-73-a	Supply and Erection of bracket of channel 3" X 1 1/2" X 1/4" section 2' long for 2 lines	Each	212.04	524.24	Each	212.04	524.24		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-73-b	Supply and Erection of bracket of MS channel 3" X 1 1/2" X 1/4" Section:- 4' long for 4 lines	Each	267.84	915.99	Each	267.84	915.99		
15-74	Supply and Erection of anchor rod honley type for poles i/e clamps & 7/13 SWG stay wire stranng screws PCC 1:3:6	Rft	9.07	118.69	m	29.77	389.39		
15-75-a	Supply and Erection cubical type factory fabricated floor/wall mounting steel main board comp. : On surface	SFT	2,790.00	3,422.50	m2	30,020.40	36,826.10		
15-75-b	Supply and Erection cubical type factory fabricated floor/wall mounting steel main board comp. : Recessed	SFT	3,236.40	3,872.50	m2	34,823.66	41,668.10		
15-76-a	Flourescent tube lights fitting 2.5x2.5 feet square type suitable for fixing in recess or direct on complete with 4 Nos 2 ft 20 watts tubes, chokes, starters, holders complete in all respect in steel body.	Each	186.00	4,457.50	Each	186.00	4,457.50		
15-76-b	Supply and Fixing of fluorescent tube fitting rectangular box types housing made of 22 SWG stave enamelled steel sheet having spring load inner frame attachement with acrylic or polythene complete with 2 No 4 ft 40 watts	each	186.00	2,627.50	Each	186.00	2,627.50		
15-77-a	Supply and Fixing electric AC exhaust/fresh air circulation(double way) 220/230 single phase plastic frame body and blade complete 8"x8"	each	322.40	2,770.67	Each	322.40	2,770.67		
15-77-b	Supply and Fixing electric AC exhaust/fresh air circulation(double way) 220/230 single phase plastic frame body and blade complete 10"x10"	each	322.40	3,338.22	Each	322.40	3,338.22		
15-77-c	Supply and fixing electric AC exhaust/fresh air circulation(Double way) 220/230 single phase plastic frame body and blade complete 12"x12"	each	121.52	4,207.85	Each	121.52	4,207.85		
15-78	Supply and Fixing bracket fan pak made complete	each	148.80	4,786.00	Each	148.80	4,786.00		
15-79-a	Supply and Fixing PVC conduit for surface wiring (dura duct) 1/2" including all charges for nail screws etc	Rft	6.80	16.62	m	22.33	54.53		
15-79-b	PVC conduit for surface wiring (dura duct) 1" including all charges for nail screws etc complete	Rft	6.80	21.50	m	22.33	70.54		
15-79-c	PVC conduit for surface wiring (dura duct) 1.5" including all charges for nail screws etc complete	Rft	6.80	43.46	m	22.33	142.58		
15-79-d	PVC conduit for surface wiring (dura duct) 2" including all charges for nail screws etc complete	Rft	6.80	58.10	m	22.33	190.62		
15-80	Supply and Fixing dimmer switch complete	each	74.40	380.00	Each	74.40	380.00		
15-81	Supply and Fixing 20 Amp power plug	each	74.40	197.00	Each	74.40	197.00		
15-82	Supply and Fixing Asia porcelin power plug 30 Amp	each	74.40	221.40	Each	74.40	221.40		
15-83	Supply and fixing light plug 10 Amp	each	74.40	148.20	Each	74.40	148.20		
15-84	Supply and fitting of capacitor 2.2 uf for ceiling fans	each	55.80	159.95	Each	55.80	159.95		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 15 ELECTRIC INSTALLATIONS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
15-85	Supply and fitting of ball bearing of size 6201, 6202 or 6203 for ceiling fans	each	69.75	314.31	Each	69.75	314.31		
15-86	Supply and erection of cut out, bakelite open type	each	12.28	150.24	Each	12.28	150.24		
15-87	Supply and erection of cut out bakelite Recessed type cut out	each	12.28	156.34	Each	12.28	156.34		
15-88	Supply and erection of kit kat 500 volts 15/20 Amp	-	-	-	-	-	-	DELETED	
15-89	Supply and erection of kit kat 500 volts 30/35 Amp	-	-	-	-	-	-	DELETED	
15-90	Supply and erection of kit kat 500 volts 60/65 Amp	-	-	-	-	-	-	DELETED	
15-91	Supply and erection of kit kat 500 volts 100 Amp	-	-	-	-	-	-	DELETED	
15-92	Supply and erection of kit kat 500 volts 200 Amp	-	-	-	-	-	-	DELETED	
15-93	Supply and erection of kit kat 500 volts 300 Amp	-	-	-	-	-	-	DELETED	
15-94	Supply and erection of kit kat 500 volts 400 Amp	-	-	-	-	-	-	DELETED	
15-95-a	Providing & Fixing Honda Generator EP 2500ex, 2.2 KVA Petrol driven.	-	-	-	-	-	-	DELETED	
15-95-b	Providing & Fixing Honda Generator EP 2500ex, 2.2 KVA Petrol-cum-Gas driven	-	-	-	-	-	-	DELETED	
15-95-c	Providing & Fixing Honda Generator EP 2800ex, 3.1 KVA Petrol-cum-Gas driven.	-	-	-	-	-	-	DELETED	
15-95-d	Providing & Fixing Honda Generator EP 2800ex, 3.1 KVA Petrol driven.	-	-	-	-	-	-	DELETED	



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 16 ROADS AND BRIDGES

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
16-01	Providing and Laying sub-base course of brick on edge 4.5" thick including compaction to required camber & grade	100 Cft	4,599.16	19,226.23	m3	1,624.18	6,789.69		The Item has been Deleted
16-02	Providing and Laying sub-base course of brick aggregate, including compaction to required camber, grade & density	100 Cft	1,860.00	4,869.18	m3	656.85	1,719.54		
16-03-a	Granular Sub Base Course using Pit Run Gravel	100 Cft	998.82	4,310.93	m3	352.73	1,522.39		
16-03-b	Granular Sub Base Using Crushed Stone Aggregate	100 Cft	602.02	6,278.65	m3	212.60	2,217.29		
16-04-a	Aggregate Base Course	100 Cft	602.02	6,959.48	m3	212.60	2,457.72		
16-04-b	Water Bound Macadam Base Course	100 Cft	602.02	7,021.42	m3	212.60	2,479.59		
16-05	Providing and Laying road edging of 3" wide & 9" deep brick on end, complete	100 Rft	1,798.00	5,960.50	m	58.99	195.55		
16-06	Bitumenous Prime Coat	100 Sft	17.28	1,464.74	m2	1.86	157.61		
16-07	Bitumenous Tack Coat	100 Sft	46.07	548.85	m2	4.96	59.06		
16-08-a	Single bitumenous Surface Treatment	100 Sft	31.29	2,081.17	m2	3.37	223.93		
16-08-b	Double bitumenous Surface Treatment	100 Sft	47.62	4,329.60	m2	5.12	465.87		
16-08-c	Triple bitumenous Surface Treatment	100 Sft	78.74	5,262.36	m2	8.47	566.23		
16-09-a	Resurfacing of road complete with per 100sft : 22 lbs. bitumen, 2.5" cft bajri/crush aggregate	100 Sft	78.12	1,352.55	m2	8.41	145.53		
16-09-b	Resurfacing of road complete with per 100sft : 20 lbs. bitumen, 2" cft bajri/crush aggregate	100 Sft	111.72	1,270.58	m2	12.02	136.71		
16-10	Scarfing/Dismantling old road surface, including removal of debris within one chain (NHA specified)	100 Sft	310.00	312.50	m2	33.36	33.63		
16-11-a	Dense Graded Hot Bitmac (Mobile Asphalt Mixer) 1" Thick	100 Sft	349.68	3,239.17	m2	37.63	348.53		
16-11-b	Dense Graded Hot Bitmac (Mobile Asphalt Mixer) 1.5" Thick	100 Sft	501.58	4,739.16	m2	53.97	509.93		
16-11-c	Dense Graded Hot Bitmac (Mobile Asphalt Mixer) 2" Thick	100 Sft	653.48	6,271.04	m2	70.31	674.76		
16-12-a	Asphaltic Base Course (Asphalt Batch Plant Hot Mixed)	100 Cft	772.46	48,917.61	m3	272.79	17,275.11		The Rate of Item No 16-12-a and b include a Lead of 10 Km. The Lead More than 10 Km is to be paid separately for the loaded trip from the nearest asphalt plant under item no 16-12-c.
16-12-b	Asphaltic Wearing Course (Asphalt Batch Plant Hot Mixed)	100 Cft	772.46	55,259.38	m3	272.79	19,514.68		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 16 ROADS AND BRIDGES

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
16-12-c	Carriage of asphalt concrete from asphalt batch plant to the site of work by dump trucks.	Mile/Ton	0.00	11.79	km/Ton	0.00	7.32		
16-13	Providing RCC railing on bridges (3 feet high)	-	-	-	-	-	-		DELETED
16-14	Providing and fixing GI pipe railing (3 feet high)	100 Rft/3ro	8,709.14	102,378.66	m/3rows	285.66	3,358.02		
16-15-a	P&E at site : RCC km stone	Each	2,027.40	3,919.68	Each	2,027.40	3,919.68		The rate is for complete item of work according to standard design including cement concrete foundation block and painting letters etc.
16-15-b	P&E at site : RCC 1/10th km stone.	Each	487.32	751.40	Each	487.32	751.40		
16-15-c	P&E at site : RCC boundry pillar.	Each	285.20	1,095.22	Each	285.20	1,095.22		
16-16-a	Road signs (not exceeding 1 m ²) without reflection sheet & lettering : Supply and Fixing at site with PCC 1:3:6 upto max 3' depth	100 Sft	13,737.84	75,511.65	m ²	1,478.19	8,125.05		The cost of pedestal, PCC and excavation is included in the rate.
16-16-b	Road signs (not exceeding 1 m ²) without reflection sheet & lettering : Supply to the C&W store/site of work	100 Sft	11,143.81	64,804.61	m ²	1,199.07	6,972.98		
16-17-a	Road sign (any size) double pedestal 4"x2"x0.25" 11' long without reflection sheet & lettering: Supply and Fixing at site with PCC 1:3:6 max 3' depth	100 Sft	20,158.32	116,023.03	m ²	2,169.04	12,484.08		The cost of pedestal, PCC and excavation is included in the rate.
16-17-b	Road sign (any size) double pedestal 4"x2"x0.25" 11' long without reflection sheet & lettering: Supply to the C&W store/site of work	100 Sft	16,815.71	96,413.70	m ²	1,809.37	10,374.11		
16-18-a	Supply and Fixing reflective sheet on MS/aluminium road signs etc including lettering : Diamond grade	100 Sft	1,843.20	62,858.06	m ²	198.33	6,763.53		
16-18-b	Supply and Fixing reflective sheet on MS/aluminium road signs etc including lettering : High intensity grade	100 Sft	1,843.20	50,658.06	m ²	198.33	5,450.81		
16-18-c	Supply and Fixing reflective sheet on MS/aluminium road signs etc including lettering : Engineering grade	100 Sft	1,843.20	7,958.06	m ²	198.33	856.29		
16-19-a-01	Supply and Fixing aluminium alloy road studs as per specs Large, strip 146x30mm, 171 beads: Uni-direction	Each	55.80	702.85	Each	55.80	702.85		
16-19-a-02	Supply and Fixing aluminium alloy road studs as per specs Large, strip 146x30mm, 171 beads: Bi-direction	Each	55.80	922.45	Each	55.80	922.45		
16-19-b-01	Supply and Fixing aluminium alloy road studs as per specs Medium, strip 114x18mm, 74 beads: Uni-direction	Each	55.80	483.25	Each	55.80	483.25		
16-19-b-02	Supply and Fixing aluminium alloy road studs as per specs Medium, strip 114x18mm, 74 beads: Bi-direction	Each	55.80	617.45	Each	55.80	617.45		
16-19-c-01	Supply and Fixing aluminium alloy road studs as per specs Small, strip 75x14mm, 43 beads: Uni-directional	Each	55.80	367.35	Each	55.80	367.35		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 16 ROADS AND BRIDGES

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
16-19-c-02	Supply and Fixing aluminium alloy road studs as per specs Small, strip 75x14mm, 43 beads: Bi-directional	Each	55.80	458.85	Each	55.80	458.85		
16-19-c-03	Supply & Fixing Cat Eye single as specified	Each	55.80	336.85	Each	55.80	336.85		
16-20	Providing and Fixing gantry of structural steel sections as per design / drawings including foundation complete	Cwt	2,110.23	8,439.51	kg	41.36	165.41		The cost of RCC base for the foundation is not included in the rate which is payable separately.
16-21	Providing and Laying dry brick pavement/soling in streets etc including prep, water, compaction & sand cushion	100 Cft	2,356.00	17,682.14	m3	832.01	6,244.39		The nominal thickness of bricks shall be taken for the purpose of measurement and payment.
16-22	Supply & spreading 1"-1.5" guage shingle on road surface including compaction	100 Cft	9.30	2,669.21	m3	3.28	942.62		For different thicknesses, rate is to be calculated on pro-rate basis.
16-23-a	Reinforced Concrete Pipe Culvert (AASHTO M-170) Dia: 460mm	100 Rft	18,136.24	73,986.36	m	595.02	2,427.37		
16-23-b	Reinforced Concrete Pipe Culvert (AASHTO M-170) Dia: 610mm	100 Rft	22,676.39	99,704.82	m	743.98	3,271.16		
16-23-c	Reinforced Concrete Pipe Culvert (AASHTO M-170) Dia: 760mm	100 Rft	27,212.43	138,555.88	m	892.80	4,545.80		
16-23-d	Reinforced Concrete Pipe Culvert (AASHTO M-170) Dia: 910mm	100 Rft	31,744.37	200,718.72	m	1,041.48	6,585.26		
16-23-e	Reinforced Concrete Pipe Culvert (AASHTO M-170) Dia: 1070mm	100 Rft	36,281.10	253,732.78	m	1,190.32	8,324.57		
16-23-f	Reinforced Concrete Pipe Culvert (AASHTO M-170) Dia: 1220mm	100 Rft	40,823.28	321,996.13	m	1,339.35	10,564.18		
16-23-g	Reinforced Concrete Pipe Culvert (AASHTO M-170) Dia: 1520mm	100 Rft	45,353.51	527,219.38	m	1,487.98	17,297.22		
16-24	Granular Material in Bed to RCC Pipe Culvert	100 Cft	579.33	4,049.65	m3	204.59	1,430.12		
16-25-a	Confirmatory Boring including SPT's, samples, lab test bore-hole logs & Report : Alluvial Soils	100 Rft	111,600.00	295,500.00	m	3,661.42	9,694.88		a) The bore hole dia shall not be less than 200mm and the method of execution of pre-construction boring shall be done with casing and appropriate to soil encountered.



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 16 ROADS AND BRIDGES

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
16-25-b	Confirmatory Boring including SPT's, samples, lab test, bore-hole logs, report : in Gravelly Soil	100 Rft	111,600.00	283,300.00	m	3,661.42	9,294.62		b) Preparation and submission of bore-logs based on soil classification with SPT's values as per BS-1377 is included in the rate.
16-26-a	Pile Load Testing : Max Load up to 240 tonne	Job	0.00	489,326.28	Job	0.00	489,326.31		Rates includes all material, equipment, instruments and temporary work required to construct anchor pile, load test and load settlement readings and preparation of graphs of the test pile, Less Cost of Test Pile.
16-26-b	Pile Load Testing : Max Load 240 - 300 tonne	Job	0.00	525,926.31	Job	0.00	525,926.31		
16-26-c	Pile Load Testing : Max Load 300 - 360 tonne	Job	0.00	562,526.31	Job	0.00	562,526.31		
16-26-d	Pile Load Testing : Max Load 360 - 600 tonne	Job	0.00	586,926.31	Job	0.00	586,926.31		
16-27-a	Boring for Cast-in-place RCC Piles in Alluvial Soils : Dia up to 760mm	100 Rft	0.00	183,000.00	m	0.00	6,003.94		
16-27-b	Boring for Cast-in-place RCC Piles in Alluvial Soils : Dia 760 - 1220 mm	100 Rft	0.00	219,600.00	m	0.00	7,204.72		
16-27-c	Boring for Cast-in-place RCC Piles in Alluvial Soils : Dia 1220 - 2000 mm	100 Cft	0.00	244,000.00	m	0.00	8,005.25		
16-28-a	Boring for Cast-in-place RCC Piles in Gravelly Soils : Dia up to 660mm	100 Rft	0.00	170,800.00	m	0.00	5,603.67		
16-28-b	Boring for Cast-in-place RCC Piles in Gravelly Soils : Dia 660 - 910 mm	100 Rft	0.00	219,600.00	m	0.00	7,204.72		
16-29	Supply fabricate & install welded MS lining in piles of thickness as per specs/drwg	Cwt	799.80	8,940.91	kg	15.68	175.24		
16-30-a	Supply and Fixing Neoprene Bearing Pad as per specs & design	Cubic Inch	4.95	26.95	cm ³	0.30	1.64		
16-30-b	Supply and Fixing Steel Bearing Pads as per specs & design	Cwt	1,637.79	10,327.98	kg	32.10	202.43		
16-34	Supply and Fixing spirally wound sheath of 50mm dia. for pre-stressing of cables in precast conc. girders	100 Rft	1,020.46	4,383.69	m	33.48	143.82		
16-35	Supply and Fixing stressing anchorages for high tensile steel wire cables in precast girders	Set	167.40	961.75	Set	167.40	961.75		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 16 ROADS AND BRIDGES

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
16-36	Launching girders in place, including lifting & handling any number of time including temporary works comp	Ft	510.35	663.19	m	1,674.39	2,175.81		
16-37	Stressing Cable of High Tensile Steel Wire Strands	Each	967.20	1,585.00	Each	967.20	1,585.00		
16-38	Inject Cement Grout in Sheath Pipe after stressing	100 Rft	680.30	3,346.03	m	22.32	109.78		
16-39	Cut off projecting wire ends of cables & make good anchorage recess with 1:2:4 cem. conc.	Each	171.24	269.29	Each	171.24	269.29		
16-40	Supply and place in position MS expansion joint assemblies as specified & as per drawing	Cwt	1,763.78	8,090.26	kg	34.57	158.57		
16-41	Supply and place in position galvanised steel 3" dia drain scuppers in deck slab as per specs/drwg	Each	173.60	614.20	Each	173.60	614.20		
16-42	Providing and Fixing rain water outlet of AC pipe	Each	86.80	687.74	Each	86.80	687.74		
16-43	Supply and Fixing polystrene fill in expansion joints & under diaphragms at transoms.	100 Cft	4,219.72	4,422.11	m3	1,490.18	1,561.65		
16-44	Providing and Laying expansion joint of neoprene strip 4"x1/4" and plastic bitumen	100 Rft	7,484.64	20,355.00	m	245.56	667.82		
16-46	Repair to cracks to reinforced or plain cement concrete work by grouting with cement gun in (1:2) cement sand mortar including cutting the chase of required size.	100 Rft	2,759.00	3,828.62	m	90.52	125.61		
16-47	Dismantling bitumen carpet of any description from existing roads surface including its removal and disposal within 3 chains lead as desired.	100 Sft	620.00	625.00	m2	66.71	67.25		
16-48	Removing the existing worn out bituminous surface having pot holes and ruts in patches of regular shape brushing and re-carpeting with 1" thick (consolidated) asphalt macadam as per specifications.	100 Sft	1,410.81	5,955.22	m2	151.80	640.78		
16-49	Providing and Laying 1" thick(consolidated) asphalt macadam with liquid asphalt(cut backs) of any approved grade with premixed sand seal coat, as specified.	100 Sft	945.81	5,486.47	m2	101.77	590.34		
16-50	Removing the existing worn out bituminous surface pot holes and ruts in patches of regular shape brushing and re-carpeting with 2" thick(consolidated) asphalt macadam as per specificaiton complete	100 Sft	1,494.14	7,960.72	m2	160.77	856.57		
16-51	Providing and Laying 2" thick (consolidated) asphalt macadam with liquid asphalt(cut backs) of approved grade with precoated bajri seal coat as specified.	100 Sft	1,029.14	7,491.97	m2	110.74	806.14		
16-52	Removing of existing worn out bituminous surface pot holes and ruts in patches and re-carpeting with 3" thick(consolidated) asphalt macadam as per specifiedcomplete including disposal of excavated stuff within one chain	100 Sft	1,893.48	11,295.58	m2	203.74	1,215.40		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 16 ROADS AND BRIDGES

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
16-53	Providing and Laying 3" thick (consolidated) asphalt macadam with liquid asphalt(cut backs) of approved grade with precoated bajri seal coat as specified.	100 Sft	1,428.48	10,826.83	m2	153.70	1,164.97		
16-54	Surface dressing with bituman 80/100 or any other approved grade on a primary coat of liquid asphalt (cut backs) of any approved grade primer at 22lbs&bituman at 35lbs with 5cft of 1/2 standard size bajri per %sft of road surface complete with rolling.	100 Sft	42.10	3,282.39	m2	4.53	353.19		
16-55	Providing and Laying PVC pipe (b) 8" dia in foot path of bridge for utilities.	10 Rft	74.40	4,910.35	m	24.41	1,611.01		
16-56	Providing and filling sand behind abutment of bridges, culverts.	100 Cft	1,478.08	4,174.00	m3	521.98	1,474.04		
16-57	Formation of shoulder with permeable material Passing less than 7 % from 200 sieve and P.I less than 4 as specified.	1000 Cft	2,098.08	39,691.00	m3	74.09	1,401.68		
16-58-a	Cold Milling of asphalt concrete 0-70 mm	100 Sft	93.00	1,623.63	m2	10.01	174.70		
16-58-b	Cold Milling of asphalt concrete 0-50 mm	100 Sft	62.00	1,126.34	m2	6.67	121.19		
16-58-c	Cold Milling of asphalt concrete 0-30 mm	100 Sft	37.20	635.30	m2	4.00	68.36		
16-59	Seal Coat / Pad Coat	100 Sft	245.52	1,120.59	m2	26.42	120.58		
16-60	Providing and Laying Asphalt concrete in pot holes/ deep patching upto 30 cm including ramming completel	100 Cft	3,844.00	19,521.50	m3	1,357.50	6,893.96		
16-61	Grooving in existing BT road of size 4x4 cm @ 2 meter c/c.	100 Sft	384.40	387.50	m2	41.36	41.69		
16-62	Leveling dressing and compaction with power roller of existing base coarse layer after asphalt scarification.	100 Sft	793.60	1,288.00	m2	85.39	138.59		
16-63-a	Providing and fixing kerb stone (12"x18"x6") in cement sand mortar 1:3 in center media or round about as specified.	100 Rft	2,356.00	20,688.30	m	77.30	678.75		
16-63-b	Providing and fixing kerb stone (12"x14"x6") in cement sand mortar 1:3 in center media or round about as specified.	100 Rft	2,356.00	17,638.30	m	77.30	578.68		
16-63-c	Providing and fixing kerb stone (12"x12"x6") in cement sand mortar 1:3 in center media or round about as specified.	100 Rft	2,356.00	17,638.30	m	77.30	578.68		
16-64	Bailing out water by Mechanical mean.	100 Cft	13.02	58.88	m3	4.60	20.79		
16-65-a	Pavement marking in reflective thermoplast paint with glass beads for line 15 cm width.	100 Rft	341.00	4,613.75	m	11.19	151.37		
16-65-b	Pavement marking in reflective thermoplast paint with glass beads for line 20 cm width.	100 Rft	341.00	6,065.55	m	11.19	199.00		
16-66-a	Pavement marking in non-reflective thermoplast paint for line 15 cm width.	100 Rft	341.00	4,918.75	m	11.19	161.38		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 16 ROADS AND BRIDGES

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
16-66-b	Pavement marking in non-reflective thermoplast paint for line 20 cm width.	100 Rft	341.00	6,474.25	m	11.19	212.41		
16-67-a	Pavement marking in reflective chlorinated rubber paint with glass beads for line 15 cm width.	100 Rft	341.00	30,843.75	m	11.19	1,011.93		
16-67-b	Pavement marking in reflective chlorinated rubber paint with glass beads for line 20 cm width.	100 Rft	341.00	41,213.75	m	11.19	1,352.16		
16-68-a	Pavement marking in reflective chlorinated rubber paint for line 15 cm width.	100 Rft	341.00	30,843.75	m	11.19	1,011.93		
16-68-b	Pavement marking in reflective chlorinated rubber paint for line 20 cm width.	100 Rft	341.00	41,213.75	m	11.19	1,352.16		
16-69	Providing & laying stone soling in water logged area including granular filling & compaction complete.	100 Cft	1,209.00	5,979.68	m3	426.95	2,111.71		
16-70	Tucking and chipping of road surface before hot surface dressing over existing road.	100 Sft	310.00	312.50	m2	33.36	33.63		
16-71	Leveling course on existing surface of road.	100 Cft	673.07	42,735.68	m3	237.69	15,091.98		
16-72-a	Jack Anchorage For 20 to 24 Wires 0.5" Strand (Comprising Trumpet, Stressing Block & Wedges Complete)	Each	167.40	14,076.75	Each	167.40	14,076.75		
16-72-b	Jack Anchorage For 16 to 19 Wires 0.5" Strand (Comprising Trumpet, Stressing Block & Wedges Complete)	Each	167.40	11,295.15	Each	167.40	11,295.15		
16-72-c	Jack Anchorage For 10 to 12 Wires 0.5" Strand (Comprising Trumpet, Stressing Block & Wedges Complete)	Each	167.40	8,708.75	Each	167.40	8,708.75		
16-72-d	Jack Anchorage For 13 to 15 Wires 0.5" Strand (Comprising Trumpet, Stressing Block & Wedges Complete)	Each	167.40	9,684.75	Each	167.40	9,684.75		
16-72-e	Jack Anchorage For 8 to 9 Wires 0.5" Strand (Comprising Trumpet, Stressing Block & Wedges Complete)	Each	167.40	6,268.75	Each	167.40	6,268.75		
16-72-f	Jack Anchorage For 5 to 7 Wires 0.5" Strand (Comprising Trumpet, Stressing Block & Wedges Complete)	Each	167.40	5,658.75	Each	167.40	5,658.75		
16-72-g	Jack Anchorage For upto 4 Wires 0.5" Strand (Comprising Trumpet, Stressing Block & Wedges Complete)	Each	167.40	4,072.75	Each	167.40	4,072.75		
16-73-a	Un-galvanized Sheath for 20 to 24 Wires 0.5" Strand Cable	Rft	10.20	101.78	m	33.47	333.93		
16-73-b	Un-galvanized Sheath for 16 to 19 Wires 0.5" Strand Cable	Rft	10.20	89.58	m	33.47	293.91		
16-73-c	Un-galvanized Sheath for 13 to 15 Wires 0.5" Strand Cable	Rft	10.20	52.98	m	33.47	173.83		
16-73-d	Un-galvanized Sheath for 10 to 12 Wires 0.5" Strand Cable	Rft	10.20	49.32	m	33.47	161.82		
16-73-e	Un-galvanized Sheath for 8 to 9 Wires 0.5" Strand Cable	Rft	10.20	46.88	m	33.47	153.81		
16-73-f	Un-galvanized Sheath for 5 to 7 Wires 0.5" Strand Cable	Rft	10.20	45.66	m	33.47	149.81		
16-73-g	Un-galvanized Sheath for upto 4 Wires 0.5" Strand Cable	Rft	10.20	42.00	m	33.47	137.80		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 16 ROADS AND BRIDGES

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
16-73-h	Stressing and Grouting for Cables upto 24/0.5" (Single End Stressing).	Each	967.20	3,415.00	Each	967.20	3,415.00		
16-73-i	Stressing and Grouting for Cables ranging from 13/0.5" to 24/0.5" (Single End Stressing).	Each	644.80	3,090.00	Each	644.80	3,090.00		
16-73-j	Stressing and Grouting for Cable below 13/0.5" (Single End Stressing).	Each	446.40	2,890.00	Each	446.40	2,890.00		
16-74-a	Supply of High Tensile Pre-stressed concrete steel wire strand Grade 270K 0.5" dia. Packed in standard reeless/weldless coils of two 2000 kgs approximately binded and wraped in Hessian Cloth.	Tonne	0.00	163,480.00	ton	0.00	166,103.36		
16-74-b	Supply of P.C Steel wire Dia 7 mm and 8 mm. Packed in reeless coils of 600 kgs to 800kgs properly binded.	tonne	0.00	140,300.00	ton	0.00	142,551.39		
16-74-c	Supply of P.C Steel wire Dia 4 mm and 5 mm. Packed in reeless coils of 600 kgs to 800kgs properly binded.	Tonne	0.00	158,600.00	ton	0.00	161,145.05		
16-75-a	Galvanized Sheath for 20 to 24 Wires 0.5" Strand Cable	Rft	10.20	213.78	m	33.47	701.37		
16-75-b	Galvanized Sheath for 16 to 19 Wires 0.5" Strand Cable	Rft	10.20	185.96	m	33.47	610.11		
16-75-c	Galvanized Sheath for 13 to 15 Wires 0.5" Strand Cable	Rft	10.20	161.07	m	33.47	528.46		
16-75-d	Galvanized Sheath for 10 to 12 Wires 0.5" Strand Cable	Rft	10.20	140.58	m	33.47	461.22		
16-75-e	Galvanized Sheath for 8 to 9 Wires 0.5" Strand Cable	Rft	10.20	129.84	m	33.47	425.99		
16-75-f	Galvanized Sheath for 5 to 7 Wires 0.5" Strand Cable	Rft	10.20	117.64	m	33.47	385.97		
16-75-g	Galvanized Sheath for upto 4 Wires 0.5" Strand Cable	Rft	10.20	100.56	m	33.47	329.93		
16-76-a	Precast Reinforced Concrete Kerb New Jersy Barrier for Median (Double Face)	8 Rft	0.00	19,010.31	m	0.00	7,796.22		
16-76-b	Precast Reinforced Concrete Kerb New Jersy Barrier for Bridge (Single Face)	8 Rft	0.00	5,806.33	m	0.00	2,381.21		
16-77	Repair to pot holes including cleaning, brushing, removal of loose material and filling of the same with clean stone of size 0.75" to 1.5" with hot bitumen manual compaction with rammer (water bound 3% biutmen)	100 Sft	2,039.80	5,484.35	m2	219.48	590.12		
16-78-a	Metal Guard Rail as per NHA (604a)	Rft	46.87	1,084.25	m	153.78	3,557.25	0	
16-78-b	Metal Guard Rail End Pieces as per NHA (604b)	Each	59.52	2,256.00	Each	59.52	2,256.00	0	
16-78-c	Steel Post of Metal Guard Rail as per NHA (604d)	Each	198.40	8,740.00	Each	198.40	8,740.00	0	



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 17 LINING OF CANALS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
17-01-a	Formation, dressing and preparing sub-grade in bed	100 Sft	710.52	716.25	m2	76.45	77.07		
17-01-b	Formation, dressing and preparing sub-grade On slope	100 Sft	992.00	1,000.00	m2	106.74	107.60		
17-02	Stabilized layer of cement, sand mortar 1:30 2" thick on slope	100 Sft	1,798.00	2,594.52	m2	193.46	279.17		
17-03-a	1/2" thick plaster of cement, sand motar 1:10 in bed	100 Sft	1,298.28	1,624.73	m2	139.69	174.82		
17-03-b	1/2" thick plaster of cement, sand motar 1:10 On slope	100 Sft	1,643.00	1,972.23	m2	176.79	212.21		
17-04-a	1<" thick plaster of cement, sand mortar 1:6 in bed	100 Sft	1,643.00	2,956.65	m2	176.79	318.14		
17-04-b	1<" thick plaster of cement, sand mortar 1:6 On slope	100 Sft	2,077.00	3,394.15	m2	223.49	365.21		
17-05-a	3/8" thick plaster of cement, sand mortar 1:3 in bed	100 Sft	1,298.28	1,800.29	m2	139.69	193.71		
17-05-b	3/8" thick plaster of cement, sand mortar 1:3 On slope	100 Sft	1,643.00	2,147.79	m2	176.79	231.10		
17-06-a	Lining with Brick tiles 12"x6"x2", in c/s mortar 1:6 over a layer of 1/8" thick c/s mortar 1:6 (in bed)	100 Cft	6,355.00	29,648.47	m3	2,244.25	10,470.27		The rates covers laying tiles including mortar item 17.01 to 17.05 are payable separately.
17-06-b	Lining with Brick tiles 12"x6"x2", in c/s mortar 1:6 over a layer of 1/8" thick c/s mortar 1:6 (On slope)	100 Cft	7,254.00	30,554.72	m3	2,561.73	10,790.31		
17-07-a	Lining with Brick tiles 12"x6"x2", in c/s mortar 1:3 over a layer of 1/8" thick c/s mortar 1:3 (in bed)	100 Cft	6,355.00	31,092.95	m3	2,244.25	10,980.38	ditto	
17-07-b	Lining with Brick tiles 12"x6"x2", in c/s mortar 1:3 over a layer of 1/8" thick c/s mortar 1:3 (On slope)	100 Cft	7,254.00	31,999.20	m3	2,561.73	11,300.42		
17-08-a	Lining with bricks 9"x4.5"x3" (First Class) in c/s mort. 1:6 over a layer of 1/8" thick c/s mortar 1:6 (in bed)	100 Cft	6,355.00	23,151.97	m3	2,244.25	8,176.05	ditto	
17-08-b	Lining with bricks 9"x4.5"x3" (First Class), in c/s mort. 1:6 over a layer of 1/8" thick c/s mortar 1:6 (On slope)	100 Cft	7,254.00	24,058.22	m3	2,561.73	8,496.09		
17-09-a	Lining with bricks 9"x4.5"x3" (First Class), in c/s mort. 1:3 over a layer of 1/8" thick c/s mortar 1:3 (in bed)	100 Cft	6,355.00	24,596.45	m3	2,244.25	8,686.16	ditto	
17-09-b	Lining with bricks 9"x4.5"x3" (First Class), in c/s mort. 1:3 over a layer of 1/8" thick c/s mortar 1:3 (On slope)	100 Cft	7,254.00	25,502.70	m3	2,561.73	9,006.20		
17-10-a-01	4" thick PCC lining, using washed screened & graded/crushed stone aggregate : in bed : Ratio 1:2:4	100 Cft	5,146.00	19,907.78	m3	1,817.29	7,030.37		
17-10-a-02	4" thick PCC lining, using washed screened & graded/crushed stone aggregate : in bed : Ratio 1:3:6	100 Cft	5,146.00	17,336.26	m3	1,817.29	6,122.25		
17-10-a-03	4" thick PCC lining, using washed screened & graded/crushed stone aggregate : in bed : Ratio 1:4:8	100 Cft	5,146.00	15,135.38	m3	1,817.29	5,345.01		
17-10-b-01	4" thick PCC lining, using washed screened & graded/crushed stone aggregate : On slope : Ratio 1:2:4	100 Cft	6,045.00	20,814.03	m3	2,134.77	7,350.41		
17-10-b-02	4" thick PCC lining, using washed screened & graded/crushed stone aggregate : On slope : Ratio 1:3:6	100 Cft	6,045.00	18,242.51	m3	2,134.77	6,442.29		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 17 LINING OF CANALS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
17-10-b-03	4" thick PCC lining, using washed screened & graded/crushed stone aggregate : On slope : Ratio 1:4:8	100 Cft	6,045.00	16,041.63	m3	2,134.77	5,665.05		
17-11-a	Providing and Laying segments in Precast lining (Parabola type) Type A	Rft	257.30	766.61	m	844.16	2,515.14		
17-11-b	Providing and Laying segments in Precast lining (Parabola type) Type B	Rft	171.53	391.11	m	562.77	1,283.17		
17-11-c	Providing and Laying PCC segments in Precast lining (Parabola type) Type C	Rft	138.47	291.27	m	454.29	955.61		
17-11-d	Providing and Laying PCC segments in Precast lining (Parabola type) Type D	Rft	138.47	257.44	m	454.29	844.63		
17-11-e	Providing and Laying PCC segments in Precast lining (Parabola type) Type SPL D	Rft	126.07	218.79	m	413.60	717.80		
17-11-f	Providing and Laying PCC segments in Precast lining (Parabola type) Type E	Rft	126.07	201.34	m	413.60	660.57		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 18 SHEET PILING

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
18-01	Cutting Ransome & Larson piles.	Each	279.00	281.25	Cut	279.00	281.25		
18-02	Cutting universal piles	Each	301.32	303.75	Cut	301.32	303.75		
18-03-a	Driving steel piles to depth of: Upto 15'	Rft	101.88	102.71	m	334.27	336.96		a) The rates includes laying and removing of track and also carriage way of piles to machine, average distance of 100 ft.
18-03-b	Driving steel piles to depth of: More than 15' to 25'	Rft	138.18	139.29	m	453.34	456.99		b) The rates are for the tackle ganges only supplied by the contractor. Mechincal staff on machine will be supplied by the Govt;
18-03-c	Driving steel piles to depth of: More than 25' to 30'	Rft	144.30	145.46	m	473.43	477.25		c) T-piles and adjustable junction piles will be counted as two piles.
18-04	Dolleying piles upto 5'	Each	272.80	275.00	Each	272.80	275.00		
18-05	Drilling holes in piles by hand	Each	33.48	33.75	Each	33.48	33.75		
18-06	Raising and lowering machine	Each	10,854.96	10,942.50	Each	10,854.96	10,942.50		
18-07-a	Turning Machine : 90	Job	6,324.00	6,375.00	Job	6,324.00	6,375.00		
18-07-b	Turning Machine : 135	Job	7,936.00	8,000.00	Job	7,936.00	8,000.00		
18-07-c	Turning Machine : 180	Job	10,292.00	10,375.00	Job	10,292.00	10,375.00		
18-08	Travelling machine (light)	50 meter	10,019.20	10,100.00	50 m	10,019.20	10,100.00		
18-09	Loading and unloading piles	tonne	229.40	231.25	tonne	229.40	231.25		To be done by hand carts or ramps, including cost of ropes.
18-10	Carriage of piling machine under different conditions	50 meter	4,929.00	4,968.75	50 m	4,929.00	4,968.75		
18-11	Erecting piling machines	Each	26,139.20	26,350.00	Each	26,139.20	26,350.00		
18-12	Dismantling piling machine	Each	26,139.20	26,350.00	Each	26,139.20	26,350.00		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 19 PROTECTION AND DIVERSION WORKS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
19-01	Cutting pilchi, frash or sarkanda including carriage within 1.5 km.	100 Cft	1,178.00	1,187.50	m3	416.01	419.36		
19-02	Weaving matresses	100 Sft	2,232.00	2,250.00	m2	240.16	242.10		
19-03-a	Supply & fill used synthetic fibre/plastic bags 1.25cft capacity with sand or earth, sewing & stacking : in dry	Each	50.22	68.93	Each	50.22	68.93		The rate does not include supply of sand or earth for filling of bags, which shall be paid extra.
19-03-b	Supply & fill used synthetic fibre/plastic bags 1.25cft capacity with sand or earth, sewing & stacking : Under water	Each	62.62	81.43	Each	62.62	81.43		
19-03-c	Supply & fill used cotton bags 1.25 cft capacity with sand or earth, sewing & stacking : in dry	Each	50.22	123.82	each	50.22	123.82		
19-03-d	Supply & fill used cotton bags 1.25 cft capacity with sand or earth, sewing & stacking : Under Water	Each	62.62	136.32	each	62.62	136.32		
19-04-a	Supply & fill new synthetic fibre/plastic bags 4-5cft capacity with sand or earth,sewing, stacking : in dry	Each	200.88	239.10	Each	200.88	239.10	ditto	
19-04-b	Supply & fill new synthetic fibre/plastic bags 4-5cft capacity with sand or earth,sewing, stacking : Under water	Each	250.48	289.10	Each	250.48	289.10		
19-04-c	Supply & fill used cotton bags 4-5 cft capacity with sand or earth, sewing & stacking : in dry	Each	200.88	385.50	Each	200.88	385.50		
19-04-d	Supply & fill used cotton bags 4-5 cft capacity with sand or earth, sewing & stacking : Under Water	Each	250.48	435.50	Each	250.48	435.50		
19-05-a	Carriage of synthetic fibre/plastic bags 1.25 cft capacity filled with sand / earth : 1st 50 m	100 No.	254.20	256.25	100 No.	254.20	256.25		
19-05-b	Carriage of synthetic fibre/plastic bags 1.25 cft capacity filled with sand / earth : 2nd & 3rd 50 m	100No/50m	192.20	193.75	100No/50	192.20	193.75		
19-05-c	Carriage of synthetic fibre/plastic bags 1.25 cft capacity filled with sand / earth : 4th and subsequent 50 m	100No/50m	21.08	21.25	100No/50	21.08	21.25		
19-06-a	Carriage of new synthetic fibre/plastic bags 4-5 cft capacity filled with sand/earth : 1st 50 m	100 No.	1,016.80	1,025.00	100 No.	1,016.80	1,025.00		
19-06-b	Carriage of new synthetic fibre/plastic bags 4-5 cft capacity filled with sand/earth : 2nd & 3rd 50 m	100No/50m	768.80	775.00	100No/50	768.80	775.00		
19-06-c	Carriage of new synthetic fibre/plastic bags 4-5 cft capacity filled with sand/earth : 4th & subsequent 50 m	100No/50m	84.32	85.00	100No/50	84.32	85.00		
19-07-a	Rolling matresses to river edge & floating, after unrolling with area : Upto 200 m ²	100 Sft	682.00	687.50	m2	73.38	73.97		
19-07-b	Rolling matresses to river edge & floating, after unrolling with area : Over 200 to 250 m ²	100 Sft	1,085.00	1,093.75	m2	116.75	117.69		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 19 PROTECTION AND DIVERSION WORKS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
19-07-c	Rolling mattresses to river edge & floating, after unrolling with area : Over 250 m2	100 Sft	1,295.80	1,306.25	m2	139.43	140.55		
19-08	Sewing empty cement bags in sheets	100 No.	899.00	1,322.57	100 No.	899.00	1,322.57		
19-09	Making compact round pilchi, frash or sarkanda round bundles of specified size for the work	100 Cft	1,209.00	1,218.75	m3	426.95	430.40		Measured in the shape of compact round bundles and of size specified for the work before filling at site.
19-10	Launching the bundles mentioned in Item 19-09 above & placing in position	100 Cft	744.00	750.00	m3	262.74	264.86		
19-11-a	Supply within 150m (500 feet) : Boulders 9" and above	100 Cft	2,244.40	2,262.50	m3	792.60	799.00		
19-11-b	Supply within 150m (500 feet) : Over size shingle 3" to 9"	100 Cft	1,500.40	1,512.50	m3	529.86	534.13		
19-11-c	Supply within 150m (500 feet) : Mixed graded shingle	100 Cft	1,773.20	1,787.50	m3	626.20	631.25		
19-12	Supplying munj or patha trungers (6" mesh to hold 3 cft) stones/boulders	Each	155.00	211.46	Each	155.00	211.46		
19-13-a-01	Provide & weave GI wire netting for wire crates 6"x9" mesh : 15 SWG wire	100 Sft	1,302.00	2,190.90	m2	140.10	235.74		
19-13-a-02	Provide & weave GI wire netting for wire crates 6"x9" mesh : 10 SWG wire	100 Sft	1,302.00	4,160.71	m2	140.10	447.69		
19-13-a-03	Provide & weave GI wire netting for wire crates 6"x9" mesh : 8 SWG wire	100 Sft	1,302.00	4,367.38	m2	140.10	469.93		
19-13-b-01	Provide & weave GI wire netting for wire crates 6"x6" mesh : 15 SWG wire	100 Sft	1,562.40	2,251.37	m2	168.11	242.25		
19-13-b-02	Provide & weave GI wire netting for wire crates 6"x6" mesh : 10 SWG wire	100 Sft	1,562.40	3,644.85	m2	168.11	392.19		
19-13-b-03	Provide & weave GI wire netting for wire crates 6"x6" mesh : 8 SWG wire	100 Sft	1,562.40	5,560.98	m2	168.11	598.36		
19-13-c-01	Provide & weave GI wire netting for wire crates 4"x4" mesh : 15 SWG wire	100 Sft	1,736.00	2,766.75	m2	186.79	297.70		
19-13-c-02	Provide & weave GI wire netting for wire crates 4"x4" mesh : 10 SWG wire	100 Sft	1,736.00	4,854.78	m2	186.79	522.37		
19-13-c-03	Provide & weave GI wire netting for wire crates 4"x4" mesh : 8 SWG wire	100 Sft	1,736.00	6,331.34	m2	186.79	681.25		
19-14	Providing and Laying shingle on top of bund, including handling of materials within 100 m.	100 Cft	620.00	2,699.00	m3	218.95	953.14		
19-15-a	Supply & dump at site, without boat, including handling within 100m : Stone	100 Cft	1,240.00	3,690.00	m3	437.90	1,303.11		
19-15-a-01	Supply & dump at site, without boat, including handling within 100m : boulders	100 Cft	1,240.00	3,568.00	m3	437.90	1,260.03		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 19 PROTECTION AND DIVERSION WORKS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
19-15-b	Supply & dump at site, without boat, including handling within 100m : Shingle or spawls	100 Cft	1,240.00	3,324.00	m3	437.90	1,173.86		
19-15-c	Supply & dump at site, without boat, including handling within 100m : Brick bats	100 Cft	930.00	4,801.24	m3	328.43	1,695.54		
19-16-a	Supplying and dumping by boat, including loading within 100m lead : Stone or boulder	100 Cft	6,820.00	9,193.00	m3	2,408.46	3,246.48		
19-16-b	Supplying and dumping by boat, including loading within 100m lead : Shingle or spawls	100 Cft	6,820.00	8,949.00	m3	2,408.46	3,160.31		
19-16-c	Supplying and dumping by boat, including loading within 100m lead : Brick bats	-	-	-	-	-	-		DELETED
19-17-a	Provide & fill brick bats in crates, excluding cost of crates : without hand packing.	-	-	-	-	-	-		DELETED
19-17-b	Provide & fill brick bats in crates, excluding cost of crates : with hand packing.	-	-	-	-	-	-		DELETED
19-18-a	Supply & fill bricks in wire crates including sewing crates, excl cost of crates : Stone or boulder	100 Cft	1,339.20	3,668.00	m3	472.93	1,295.34		
19-18-b	Supply & fill bricks in wire crates including sewing crates, excl cost of crates : Shingle or spawls	-	-	-	-	-	-		DELETED
19-19	Extra for anchoring boat for dumping by boats or tipping crates	100 Cft	124.00	125.00	m3	43.79	44.14		
19-20	Extra for tipping crates (in addition to anchoring boats)	100 Cft	1,240.00	1,250.00	m3	437.90	441.43		
19-21	Pilchi revetment, including carriage upto 1.5 km	100 Sft	620.00	2,662.40	m2	66.71	286.47		
19-22	Surface protection with pilchi mattresses including carriage upto 1.5 km.	100 Sft	0.00	195.20	m2	0.00	21.00		
19-23	Pilchi, sarkanda or frash pitching on slopes, incl supply within 1.5 km, pegging & tying with wire	100 Sft	1,240.00	4,090.16	m2	133.42	440.10		
19-24-a	P&E groynes, vertical wooden stakes 7"-12" dia Upto 1.5 m high, single row of stakes at 0.3m	100 Sft	1,364.00	6,360.53	m2	146.77	684.39		
19-24-b	P&E groynes, vertical wooden stakes 7"-12" dia Upto 3 m high, double row of stakes at 0.6m	100 Sft	2,418.00	8,106.23	m2	260.18	872.23		
19-25	Providing and Laying stone pitching/filling, dry hand packed in pitching & aprons	100 Cft	1,736.00	5,654.00	m3	613.06	1,996.69		
19-26	Supplying stone and stone filling in GI wire crate and its sewing, excluding cost of crates	100 Cft	1,860.00	5,779.00	m3	656.85	2,040.84		
19-27	Providing and Laying stone pitching with hammer dressed stones on surface, laid in courses	100 Cft	4,092.00	8,809.80	m3	1,445.08	3,111.15		
19-28-a	Providing and Laying stone pitching for top layer only : On slope	100 Cft	5,332.00	10,059.80	m3	1,882.98	3,552.59		
19-28-b	Providing and Laying stone pitching for top layer only : On level	100 Cft	4,092.00	8,809.80	m3	1,445.08	3,111.15		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 19 PROTECTION AND DIVERSION WORKS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
19-29-a	Providing and Laying stone or spawl filling : On slope	100 Cft	899.00	5,200.65	m3	317.48	1,836.59		
19-29-b	Providing and Laying stone or spawl filling : On level	100 Cft	744.00	5,044.40	m3	262.74	1,781.41		
19-30-a	Providing and Laying grouted stone pitching, in 1:8 c/s mortar Top layer on slope	100 Cft	6,510.00	13,602.51	m3	2,298.99	4,803.69		
19-30-b	Providing and Laying grouted stone pitching, in 1:8 c/s mortar Top layer on level	100 Cft	5,332.00	12,415.01	m3	1,882.98	4,384.32		
19-30-c	Providing and Laying grouted stone pitching, in 1:8 c/s mortar Stone pitching/filling on slope or on level	100 Cft	4,433.00	11,508.76	m3	1,565.50	4,064.28		
19-31-a	Grouting stone pitching or apron etc, in : Cement, sand mortar (1:3)	100 Sft	2,542.00	6,753.20	m2	273.52	726.64		
19-31-b	Grouting stone pitching or apron etc, in : Cement, sand mortar (1:8)	100 Sft	2,542.00	4,868.20	m2	273.52	523.82		
19-32	Sand grouting in stone apron, with high pressure hose	100 Sft	899.00	2,040.85	m2	96.73	219.60		
19-33	Grouting stone filling or pitching with bajri	100 Cft	775.00	1,806.05	m3	273.69	637.80		
19-34	Remove stone & repitching hand packed, on slopes or level, making good damaged portion	100 Cft	4,464.00	4,500.00	m3	1,576.45	1,589.16		
19-35	Collect & stack boulders from nullah beds or loose shale etc within 100m lead	100 Cft	1,860.00	1,875.00	m3	656.85	662.15		
19-36	Levelling and dressing stone filling under blocks and grouting with shingle	100 Cft	899.00	1,528.45	m3	317.48	539.77		
19-37	Grouting jharies between blocks with bajri	100 Cft	1,488.00	2,524.80	m3	525.48	891.63		
19-38-a	Breaking stone into spawls and stacking	100 Cft	930.00	937.50	m3	328.43	331.08		
19-38-b	Stone pitching with hammer dressed stone on surface laid in courses including carriage of material with in 91.50 (300 feet) meters.	100 Cft	5,611.00	10,341.05	m3	1,981.51	3,651.91		
19-38-c	Stone pitching hand packed with surface levelled off to the correct section with hammer dressed stone and voids filled in 1:8 cement mortar in floors of bridges and along banks and in aprons etc including 91.50 meter lead.	100 Cft	6,510.00	13,569.94	m3	2,298.99	4,792.18		
19-38-d	Removing stone and repitching, hand packed on slopes after making good damage slope.	100 Cft	2,418.00	2,437.50	m3	853.91	860.80		
19-38-e	Collecting and stacking boulders from nullah beds or loose shale from any other site, within 91.50 (300 feet) meter lead	100 Cft	1,240.00	1,250.00	m3	437.90	441.43		
19-38-f-01	Stone pitching for top layer only on slop	-	-	-	-	-	-		DELETED
19-38-f-02	Stone pitching for top layer only on Bed	-	-	-	-	-	-		DELETED
19-38-g-01	Laying stone or spawl filling. a)on level	100 Cft	744.00	5,044.40	m3	262.74	1,781.41		
19-38-g-02	Laying stone or spawl filling. a)on slop	100 Cft	899.00	5,200.65	m3	317.48	1,836.59		
19-39-a	Fix floating spurs, with material from canal plantation within 1 km : Upto 2' FS depth	Each	30.38	30.63	Each	30.38	30.63		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 19 PROTECTION AND DIVERSION WORKS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
19-39-b	Fix floating spurs, with material from canal plantation within 1 km : Over 2' to 3' FS depth	Each	43.15	43.50	Each	43.15	43.50		
19-39-c	Fix floating spurs, with material from canal plantation within 1 km : Over 3' to 4' FS depth	Each	60.76	61.25	Each	60.76	61.25		
19-39-d	Fix floating spurs, with material from canal plantation within 1 km : Exceeding 4' depth	Each	121.52	122.50	Each	121.52	122.50		
19-40-a-01	Stake & bush from canal plantation etc : Pegs 3.5' long, 3"-6" dia: Unsharpened within 1km	100 No.	1,864.96	2,172.80	100 No.	1,864.96	2,172.80		Royalty to be paid to the forest Department or cost to the private owner, as the case may be, if and when required.
19-40-a-02	Stake & bush from canal plantation etc : Pegs 3.5' long, 3"-6" dia: Sharpening one end	100 No.	744.00	750.00	100 No.	744.00	750.00		
19-40-a-03	Stake & bush from canal plantation etc : Pegs 3.5' long, 3"-6" dia: Driving 1' below ground	100 No.	775.00	781.25	100 No.	775.00	781.25		
19-40-a-04	Stake & bush from canal plantation etc : Pegs 3.5' long, 3"-6" dia: Tying with munj, patha ban	100 Rft	310.00	343.00	100 Rft	310.00	343.00		
19-40-a-05	Stake & bush from canal plantation etc : Pegs 3.5' long, 3"-6" dia: Wattle+intertwine brushwood	100 Rft	2,170.00	3,407.50	100 Rft	2,170.00	3,407.50		
19-40-b-01	Stake & bush from canal plantation etc : Pegs 4' long, 3"-6" dia: Unsharpened within 1km	100 No.	2,174.96	3,412.50	100 No.	2,174.96	3,412.50		
19-40-b-02	Stake & bush from canal plantation etc : Pegs 4' long, 3"-6" dia: Sharpening one end	100 No.	744.00	750.00	100 No.	744.00	750.00		
19-40-b-03	Stake & bush from canal plantation etc : Pegs 4' long, 3"-6" dia: Driving 1.25' below ground	100 No.	1,085.00	1,093.75	100 No.	1,085.00	1,093.75		
19-40-b-04	Stake & bush from canal plantation etc : Pegs 4' long, 3"-6" dia: Tying with munj, patha ban	100 Rft	310.00	343.00	100 Rft	310.00	343.00		
19-40-b-05	Stake & bush from canal plantation etc : Pegs 4' long, 3"-6" dia: Wattle+intertwine brushwood	100 Rft	2,635.00	3,876.25	100 Rft	2,635.00	3,876.25	ditto	
19-40-c-01	Stake & bush from canal plantation etc : Pegs 5' long, 3"-6" dia: Unsharpened within 1km	100 No.	2,542.00	2,855.30	100 No.	2,542.00	2,855.30		
19-40-c-02	Stake & bush from canal plantation etc : Pegs 5' long, 3"-6" dia: Sharpening one end	100 No.	793.60	800.00	100 No.	793.60	800.00		
19-40-c-03	Stake & bush from canal plantation etc : Pegs 5' long, 3"-6" dia: Driving 1.5' below ground	100 No.	989.52	997.50	100 No.	989.52	997.50		
19-40-c-04	Stake & bush from canal plantation etc : Pegs 5' long, 3"-6" dia: Tying with munj, patha ban	100 Rft	310.00	343.00	100 Rft	310.00	343.00		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 19 PROTECTION AND DIVERSION WORKS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
19-40-c-05	Stake & bush from canal plantation etc : Pegs 5' long, 3"-6" dia: Wattle+intertwine brushwood	100 Rft	3,224.00	4,470.00	100 Rft	3,224.00	4,470.00		Royalty to be paid to the forest Department or cost to the private owner, as the case may be, if and when required.
19-40-d-01	Stake & bush from canal plantation etc : Pegs 6' long, 3"-6" dia: Unsharpened within 1km	100 No.	3,100.00	3,417.80	100 No.	3,100.00	3,417.80		
19-40-d-02	Stake & bush from canal plantation etc : Pegs 6' long, 3"-6" dia: Sharpening one end	100 No.	922.56	930.00	100 No.	922.56	930.00		
19-40-d-03	Stake & bush from canal plantation etc : Pegs 6' long, 3"-6" dia: Driving 1.75' below ground	100 No.	1,165.85	1,175.25	100 No.	1,165.85	1,175.25		
19-40-d-04	Stake & bush from canal plantation etc : Pegs 6' long, 3"-6" dia: Tying with munj, patha ban	100 Rft	310.00	343.00	100 Rft	310.00	343.00		
19-40-d-05	Stake & bush from canal plantation etc : Pegs 6' long, 3"-6" dia: Wattle+intertwine brushwood	100 Rft	4,030.00	5,282.50	100 Rft	4,030.00	5,282.50		ditto
19-40-e-01	Stake & bush from canal plantation etc : Pegs 8' long, 4"-8" dia: Unsharpened within 1km	100 No.	6,510.00	6,855.30	100 No.	6,510.00	6,855.30		
19-40-e-02	Stake & bush from canal plantation etc : Pegs 8' long, 4"-8" dia: Sharpening one end	100 No.	1,160.64	1,170.00	100 No.	1,160.64	1,170.00		
19-40-e-03	Stake & bush from canal plantation etc : Pegs 8' long, 4"-8" dia: Driving 2' below ground	100 No.	1,289.35	1,299.75	100 No.	1,289.35	1,299.75		
19-40-e-04	Stake & bush from canal plantation etc : Pegs 8' long, 4"-8" dia: Tying with munj, patha ban	100 Rft	310.00	349.10	100 Rft	310.00	349.10		
19-40-e-05	Stake & bush from canal plantation etc : Pegs 8' long, 4"-8" dia: Wattle+intertwine brushwood	100 Rft	4,650.00	5,907.50	100 Rft	4,650.00	5,907.50		ditto
19-41-a-01	Stake, market bamboo, bush from any source 8'-10' long, 2.5"-5" dia : Supply bamboo	100 No.	0.00	21,960.00	100 No.	0.00	21,960.00		ditto
19-41-a-02	Stake, market bamboo, bush from any source 8'-10' long, 2.5"-5" dia : Sharpen one end	100 No.	992.00	1,000.00	100 No.	992.00	1,000.00		
19-41-a-03	Stake, market bamboo, bush from any source 8'-10' long, 2.5"-5" dia : Driving bamboo 2.5'	100 No.	1,488.00	1,500.00	100 No.	1,488.00	1,500.00		
19-41-a-04	Stake, market bamboo, bush from any source 8'-10' long, 2.5"-5" dia : Tying bamboo with wire	100 Rft	620.00	661.60	100 Rft	620.00	661.60		
19-41-a-05	Stake, market bamboo, bush from any source 8'-10' long, 2.5"-5" dia : Wattle & intertwine	100 Rft	5,890.00	7,889.50	100 Rft	5,890.00	7,889.50		Royalty to be paid to the forest Department or cost to the private owner, as the case may be, if and when required.



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 19 PROTECTION AND DIVERSION WORKS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
19-41-b-01	Stake, market bamboo, bush from any source 10'-12' long, 2.5"-5" dia : Supply bamboo	100 No.	0.00	28,060.00	100 No.	0.00	28,060.00		
19-41-b-02	Stake, market bamboo, bush from any source 10'-12' long, 2.5"-5" dia : Sharpen one end	100 No.	1,160.64	1,170.00	100 No.	1,160.64	1,170.00		
19-41-b-03	Stake, market bamboo, bush from any source 10'-12' long, 2.5"-5" dia : Driving bamboo 2.75'	100 No.	1,562.40	1,575.00	100 No.	1,562.40	1,575.00		
19-41-b-04	Stake, market bamboo, bush from any source 10'-12' long, 2.5"-5" dia : Tying bamboo with wire	100 Rft	310.00	3,804.14	100 Rft	310.00	3,804.14		
19-41-b-05	Stake, market bamboo, bush from any source 10'-12' long, 2.5"-5" dia : Wattle & intertwine	100 Rft	7,316.00	9,815.00	100 Rft	7,316.00	9,815.00	ditto	
19-41-c-01	Stake, market bamboo, bush from any source 12'-14' long, 2.5"-5" dia : Supply bamboo	100 No.	0.00	33,550.00	100 No.	0.00	33,550.00		
19-41-c-02	Stake, market bamboo, bush from any source 12'-14' long, 2.5"-5" dia : Sharpen one end	100 No.	1,309.44	1,320.00	100 No.	1,309.44	1,320.00		
19-41-c-03	Stake, market bamboo, bush from any source 12'-14' long, 2.5"-5" dia : Driving bamboo 3.5'	100 No.	1,735.75	1,749.75	100 No.	1,735.75	1,749.75		
19-41-c-04	Stake, market bamboo, bush from any source 12'-14' long, 2.5"-5" dia : Tying bamboo with wire	100 Rft	310.00	3,804.14	100 Rft	310.00	3,804.14		
19-41-c-05	Stake, market bamboo, bush from any source 12'-14' long, 2.5"-5" dia : Wattle & intertwine	100 Rft	8,537.40	12,022.25	100 Rft	8,537.40	12,022.25	ditto	
19-41-d-01	Stake, market bamboo, bush from any source 14'-16' long, 2.5"-5" dia : Supply bamboo	100 No.	0.00	39,650.00	100 No.	0.00	39,650.00		
19-41-d-02	Stake, market bamboo, bush from any source 14'-16' long, 2.5"-5" dia : Sharpen one end	100 No.	1,488.00	1,500.00	100 No.	1,488.00	1,500.00		
19-41-d-03	Stake, market bamboo, bush from any source 14'-16' long, 2.5"-5" dia : Driving bamboo 4'	100 No.	1,934.40	1,950.00	100 No.	1,934.40	1,950.00		
19-41-d-04	Stake, market bamboo, bush from any source 14'-16' long, 2.5"-5" dia : Tying bamboo with wire	100 Rft	310.00	3,804.14	100 Rft	310.00	3,804.14		
19-41-d-05	Stake, market bamboo, bush from any source 14'-16' long, 2.5"-5" dia : Wattle & intertwine	100 Rft	8,680.00	12,654.00	100 Rft	8,680.00	12,654.00	Royalty to be paid to the forest Department or cost to the private owner, as the case may be, if and when required.	
19-41-e-01	Stake, market bamboo, bush from any source 16'-20' long, 2.5"-5" dia : Supply bamboo	100 No.	0.00	45,750.00	100 No.	0.00	45,750.00		
19-41-e-02	Stake, market bamboo, bush from any source 16'-20' long, 2.5"-5" dia : Sharpen one end	100 No.	1,745.92	1,760.00	100 No.	1,745.92	1,760.00		
19-41-e-03	Stake, market bamboo, bush from any source 16'-20' long, 2.5"-5" dia : Driving bamboo 4'	100 No.	2,330.95	2,349.75	100 No.	2,330.95	2,349.75		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 19 PROTECTION AND DIVERSION WORKS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
19-41-e-04	Stake, market bamboo, bush from any source 16'-20' long, 2.5"-5" dia : Tying bamboo with wire	100 Rft	310.00	3,804.14	100 Rft	310.00	3,804.14		
19-41-e-05	Stake, market bamboo, bush from any source 16'-20' long, 2.5"-5" dia : Wattle & intertwine	100 Rft	9,300.00	13,767.00	100 Rft	9,300.00	13,767.00	ditto	
19-42	Cut & supply brushwood from canal plantation or from any other source, within 1.5 km.	100 Cft	620.09	1,479.95	m3	218.98	522.64	ditto	
19-43	Filling brush wood only, thoroughly packed	100 Cft	308.99	311.49	m3	109.12	110.00	Measured in compacted and packed shape before filling.	
19-44	Covering road 10' to 12' wide, with 3" sarkanda or jungle, upto 50m lead	100 Rft	370.76	373.75	50 m	608.05	612.95		
19-45	Gachi pitching 1' thick	100 Sft	4,033.46	4,065.99	m2	434.00	437.50		
19-46	Gachi pitching done with silt clearance and berm dressing	100 Sft	3,411.15	3,438.66	m2	367.04	370.00		
19-47	Filter granular backfill behind retaining wall (stone/boulder filling upto one meter to prevent choking of weep holes).	100 Cft	1,364.00	3,697.70	m3	481.69	1,305.83		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 20 OUTLETS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
20-01-a	Earthwork for Outlets : Exc/Refill/Ram/Puddle Upto 50 cusecs channel discharge	Job	1,550.00	1,562.50	Job	1,550.00	1,562.50		Includes consolidation of earth after refilling
20-01-b	Earthwork for outlets : Exc/Refill/Ram/Puddle 51-100 cusecs channel discharge	Job	2,046.00	2,062.50	Job	2,046.00	2,062.50		
20-01-c	Earthwork for outlets : Exc/Refill/Ram/Puddle 101-200 cusecs channel discharge	Job	3,100.00	3,125.00	Job	3,100.00	3,125.00		
20-01-d	Earthwork for outlets : Exc/Refill/Ram/Puddle 201-350 cusecs channel discharge	Job	4,185.00	4,218.75	Job	4,185.00	4,218.75		
20-01-e	Earthwork for Outlets : Ex/Refill/Ram/Puddle Over 350 cusecs channel discharge	Job	6,200.00	6,250.00	Job	6,200.00	6,250.00		
20-02-a	Dismantling outlets: Old types such as KGO's offices, etc	Each	1,550.00	1,562.50	Each	1,550.00	1,562.50		The rates are for total dismantlement and removal of material. The rates do not include earthwork for which rates are given in item No 20-01 above.
20-02-b	Dismantling outlets: APM or OF, 'H' upto 2.0 ft.	Each	2,325.00	2,343.75	Each	2,325.00	2,343.75		
20-02-c	Dismantling outlets: APM or OF, 'H' from 2.1-3.0ft	Each	3,100.00	3,125.00	Each	3,100.00	3,125.00		
20-02-d	Dismantling outlets: APM or OF, 'H' above 3.0 ft	Each	3,875.00	3,906.25	Each	3,875.00	3,906.25		
20-02-e	Dismantling outlets: Tail cluster bifurcation	Each	2,325.00	2,343.75	Each	2,325.00	2,343.75		
20-02-f	Dismantling outlets: Tail cluster trifurcation	Each	3,100.00	3,125.00	Each	3,100.00	3,125.00		
20-02-g	Dismantling outlets: Tail cluster quardification	Each	3,875.00	3,906.25	Each	3,875.00	3,906.25		
20-03	Making temporary APM brick block & fixing at site	Each	572.88	961.19	Each	572.88	961.19		
20-04	Dismantling walls, taking out temporary APM brick block, fixing iron block & rebuilding walls	Job	1,457.00	1,468.75	Job	1,457.00	1,468.75		
20-05	Dismantling walls & fitting iron block of OF outlet	Each	1,457.00	1,468.75	Each	1,457.00	1,468.75		
20-06-a	Constructing, watching & removing bund for outlet built in running water : Upto 3' depth	Each	3,100.00	3,125.00	Each	3,100.00	3,125.00		
20-06-b	Constructing, watching & removing bund for outlet built in running water : Over 3' depth	Each	4,185.00	4,218.75	Each	4,185.00	4,218.75		
20-07	Adjusting "B" of tail cluster by dismantling and rebuilding throat walls	Each	911.40	1,462.87	Each	911.40	1,462.87		
20-08	Adjusting "Y" of an APM outlet, including dismantling and rebuilding	Each	1,767.00	2,652.33	Each	1,767.00	2,652.33		
20-09-a	Extra labour in fixing APM and OF outlet blocks Depth exceeding 5.0'	Each	1,736.00	1,896.40	Each	1,736.00	1,896.40		
20-09-b	Extra labour in fixing APM and OF outlet blocks Depth more than 4.0' to 5.0'	Each	1,302.00	1,458.90	Each	1,302.00	1,458.90		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 20 OUTLETS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
20-09-c	Extra labour in fixing APM and OF outlet blocks Depth more than 3.0' to 4.0'	Each	1,041.60	1,196.40	Each	1,041.60	1,196.40		
20-09-d	Extra labour in fixing APM and OF outlet blocks Depth more than 2.0' to 3.0'	Each	868.00	991.51	Each	868.00	991.51		
20-09-e	Extra labour in fixing APM and OF outlet blocks Depth upto 2.0'	Each	694.40	786.62	Each	694.40	786.62		
20-10	Repairing damaged reducing collar of hume pipe outlets	Each	572.88	774.53	Each	572.88	774.53		
20-11	Laying iron pipes for outlets.	Rft	47.26	47.64	m	155.04	156.29		
20-12	Water allowance for constructing outlets or culverts, when canal water not flowing	Each	775.00	781.25	Each	775.00	781.25		At the discretion of the Engineer-in-Charge depending upon the distance and the source of supply.
20-13	Hoisting and placing RC slab or stone in position on outlets or WC culverts	Each	626.20	631.25	Each	626.20	631.25		
20-14-a	Fixing pipe outlet, including backfilling of earth & puddling : Portion under bank	Rft	126.53	139.79	m	415.13	458.62		
20-14-b	Fixing pipe outlet, including backfilling of earth & puddling : Portion under road, beyond bank	Rft	57.46	70.16	m	188.53	230.18		
20-15-a	Removing pipe outlet,refilling earth & puddling Portion under bank	Rft	103.40	104.23	m	339.23	341.96		
20-15-b	Removing pipe outlet,refilling earth & puddling Portion under road, beyond	Rft	38.75	39.06	m	127.13	128.16		
20-16-a	Changing pipe outlets by removing one pipe & replacing : Portion under bank	Rft	148.01	161.43	m	485.58	529.64		
20-16-b	Changing pipe outlets by removing one pipe & replacing : Portion under road, beyond	Rft	73.83	86.66	m	242.23	284.32		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 21 SINKING OF WELLS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
21-01-a-01	Excavate well in dry & dispose of soil within 50m in ordinary soil or sand : Upto 1.5 m depth	100 Cft	459.98	463.69	m3	162.44	163.75		
21-01-a-02	Excavate well in dry & dispose of soil within 50m in ordinary soil or sand : 1.5 to 3 m depth	100 Cft	481.05	484.93	m3	169.88	171.25		
21-01-a-03	Excavate well in dry & dispose of soil within 50m in ordinary soil or sand : 3 to 4.5 m depth	100 Cft	542.49	546.87	m3	191.58	193.12		
21-01-a-04	Excavate well in dry & dispose of soil within 50m in ordinary soil or sand : 4.5 to 6 m depth	100 Cft	619.74	624.74	m3	218.86	220.63		
21-01-b-01	Excavate well in dry & dispose of soil within 50m in hard soil : Upto 1.5 m depth	100 Cft	561.81	566.34	m3	198.40	200.00		
21-01-b-02	Excavate well in dry & dispose of soil within 50m in hard soil : Above 1.5 to 3 m depth	100 Cft	586.38	591.11	m3	207.08	208.75		
21-01-b-03	Excavate well in dry & dispose of soil within 50m in hard soil : Above 3 to 4.5 m depth	100 Cft	640.81	645.98	m3	226.30	228.13		
21-01-b-04	Excavate well in dry & dispose of soil within 50m in hard soil : Above 4.5 to 6 m depth	100 Cft	721.57	727.39	m3	254.82	256.88		
21-01-c-01	Excavate well in dry & dispose of soil within 50m in hard strata like shingle : Upto 1.5 m depth	100 Cft	1,209.64	1,219.39	m3	427.18	430.62		
21-01-c-02	Excavate well in dry & dispose of soil within 50m in hard strata like shingle : 1.5 to 3 m depth	100 Cft	1,253.53	1,263.64	m3	442.68	446.25		
21-01-c-03	Excavate well in dry & dispose of soil within 50m in hard strata like shingle : 3 to 4.5 m depth	100 Cft	1,306.20	1,316.73	m3	461.28	465.00		
21-01-c-04	Excavate well in dry & dispose of soil within 50m in hard strata like shingle : 4.5 to 6 m depth	100 Cft	1,402.76	1,414.07	m3	495.38	499.37		
21-02-a-01	Dry sinking of well & disposal of soil within 50m in ordinary soil : 3 to 4.5 m depth	100 Cft	2,480.72	2,500.73	m3	876.06	883.12		
21-02-a-02	Dry sinking of well & disposal of soil within 50m in ordinary soil : 4.5 to 6 m depth	100 Cft	3,100.47	3,125.47	m3	1,094.92	1,103.75		
21-02-a-03	Dry sinking of well & disposal of soil within 50m in ordinary soil : 6 to 7.5 m depth	100 Cft	3,720.21	3,750.21	m3	1,313.78	1,324.38		
21-02-a-04	Dry sinking of well & disposal of soil within 50m in ordinary soil : 7.5 to 9 m depth	100 Cft	4,339.95	4,374.95	m3	1,532.64	1,545.00		
21-02-a-05	Dry sinking of well & disposal of soil within 50m in ordinary soil : 9 to 10.5 m depth	100 Cft	4,959.69	4,999.69	m3	1,751.50	1,765.62		
21-02-a-06	Dry sinking of well & disposal of soil within 50m in ordinary soil : 10.5 to 12 m depth	100 Cft	5,579.43	5,624.43	m3	1,970.36	1,986.25		
21-02-a-07	Dry sinking of well & disposal of soil within 50m in ordinary soil : 12 to 13.5 m depth	100 Cft	6,200.93	6,250.94	m3	2,189.84	2,207.50		
21-02-a-08	Dry sinking of well & disposal of soil within 50m in ordinary soil : Exceeding 13.5 m depth	100 Cft	6,820.67	6,875.68	m3	2,408.70	2,428.13		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 21 SINKING OF WELLS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
21-02-b-01	Dry sinking of well & disposal of soil within 50m in hard soil : 3 to 4.5 m depth	100 Cft	3,409.46	3,436.95	m3	1,204.04	1,213.75		
21-02-b-02	Dry sinking of well & disposal of soil within 50m in hard soil : 4.5 to 6 m depth	100 Cft	4,029.20	4,061.69	m3	1,422.90	1,434.38		
21-02-b-03	Dry sinking of well & disposal of soil within 50m in hard soil : 6 to 7.5 m depth	100 Cft	4,650.70	4,688.20	m3	1,642.38	1,655.63		
21-02-b-04	Dry sinking of well & disposal of soil within 50m in hard soil : 7.5 to 9 m depth	100 Cft	5,270.44	5,312.94	m3	1,861.24	1,876.25		
21-02-b-05	Dry sinking of well & disposal of soil within 50m in hard soil : 9 to 10.5 m depth	100 Cft	5,890.18	5,937.68	m3	2,080.10	2,096.88		
21-02-b-06	Dry sinking of well & disposal of soil within 50m in hard soil : 10.5 to 12 m depth	100 Cft	6,509.92	6,562.42	m3	2,298.96	2,317.50		
21-02-b-07	Dry sinking of well & disposal of soil within 50m in hard soil : 12 to 13.5 m depth	100 Cft	7,129.67	7,187.16	m3	2,517.82	2,538.13		
21-02-b-08	Dry sinking of well & disposal of soil within 50m in hard soil : Exceeding 13.5 m depth	100 Cft	7,749.41	7,811.90	m3	2,736.68	2,758.75		
21-02-c-01	Dry sinking of well & disposal of soil within 50m in hard strata like shingle : 3 to 4.5 m depth	100 Cft	4,648.94	4,686.43	m3	1,641.76	1,655.00		
21-02-c-02	Dry sinking of well & disposal of soil within 50m in hard strata like shingle : 4.5 to 6 m depth	100 Cft	5,270.44	5,312.94	m3	1,861.24	1,876.25		
21-02-c-03	Dry sinking of well & disposal of soil within 50m in hard strata like shingle : 6 to 7.5 m depth	100 Cft	5,890.18	5,937.68	m3	2,080.10	2,096.88		
21-02-c-04	Dry sinking of well & disposal of soil within 50m in hard strata like shingle : 7.5 to 9 m depth	100 Cft	6,509.92	6,562.42	m3	2,298.96	2,317.50		
21-02-c-05	Dry sinking of well & disposal of soil within 50m in hard strata like shingle : 9 to 10.5 m depth	100 Cft	7,129.67	7,187.16	m3	2,517.82	2,538.13		
21-02-c-06	Dry sinking of well & disposal of soil within 50m in hard strata like shingle : 10.5 to 12 m depth	100 Cft	7,749.41	7,811.90	m3	2,736.68	2,758.75		
21-02-c-07	Dry sinking of well & disposal of soil within 50m in hard strata like shingle : 12 to 13.5 m depth	100 Cft	8,370.91	8,438.41	m3	2,956.16	2,980.00		
21-02-c-08	Dry sinking of well & disposal of soil within 50m in hard strata like shingle : Over 13.5 m depth	100 Cft	8,990.65	9,063.15	m3	3,175.02	3,200.62		
21-03-a-01	Wet sinking of well for depths below spring level Upto 1.5 m depth	100 Cft	2,548.14	2,568.69	m3	899.87	907.12	The outer dimensions of the curb shall from basis of payment.	
21-03-a-02	Wet sinking of well for depths below spring level Above 1.5 to 3 m depth	100 Cft	5,207.59	5,249.58	m3	1,839.04	1,853.87		
21-03-a-03	Wet sinking of well for depths below spring level Above 3 to 4.5 m depth	100 Cft	8,013.46	8,078.08	m3	2,829.93	2,852.75		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 21 SINKING OF WELLS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
21-03-a-04	Wet sinking of well for depths below spring level Above 4.5 to 6 m depth	100 Cft	10,848.47	10,935.96	m3	3,831.10	3,862.00		
21-03-a-05	Wet sinking of well for depths below spring level Above 6 to 7.5 m depth	100 Cft	14,310.25	14,425.65	m3	5,053.62	5,094.38		
21-03-a-06	Wet sinking of well for depths below spring level Above 7.5 to 9 m depth	100 Cft	18,273.78	18,421.15	m3	6,453.33	6,505.37		
21-03-a-07	Wet sinking of well for depths below spring level Above 9 to 10.5 m depth	100 Cft	22,163.59	22,342.33	m3	7,827.01	7,890.13		
21-03-a-08	Wet sinking of well for depths below spring level Above 10.5 to 12 m depth	100 Cft	27,406.29	27,627.30	m3	9,678.45	9,756.50		
21-03-a-09	Wet sinking of well for depths below spring level Above 12 to 13.5 m depth	100 Cft	32,544.00	32,806.45	m3	11,492.82	11,585.50		
21-03-a-10	Wet sinking of well for depths below spring level Exceeding 13.5 m depth	100 Cft	39,156.45	39,472.23	m3	13,827.98	13,939.50		
21-03-b-01	Wet sinking of well for depths below spring level in cohesive soil : Upto 1.5 m depth	100 Cft	3,277.79	3,304.22	m3	1,157.54	1,166.88		
21-03-b-02	Wet sinking of well for depths below spring level in cohesive soil : 1.5 to 3 m depth	100 Cft	6,510.98	6,563.48	m3	2,299.33	2,317.88		
21-03-b-03	Wet sinking of well for depths below spring level in cohesive soil : Above 3 to 4.5 m depth	100 Cft	9,827.39	9,906.64	m3	3,470.51	3,498.50		
21-03-b-04	Wet sinking of well for depths below spring level in cohesive soil : Above 4.5 to 6 m depth	100 Cft	13,020.20	13,125.20	m3	4,598.04	4,635.13		
21-03-b-05	Wet sinking of well for depths below spring level in cohesive soil : Above 6 to 7.5 m depth	100 Cft	17,958.47	18,103.30	m3	6,341.98	6,393.13		
21-03-b-06	Wet sinking of well for depths below spring level in cohesive soil : Above 7.5 to 9 m depth	100 Cft	22,644.63	22,827.25	m3	7,996.88	8,061.38		
21-03-b-07	Wet sinking of well for depths below spring level in cohesive soil : Above 9 to 10.5 m depth	100 Cft	27,774.97	27,998.96	m3	9,808.65	9,887.75		
21-03-b-08	Wet sinking of well for depths below spring level in cohesive soil : Above 10.5 to 12 m depth	100 Cft	34,725.91	35,005.96	m3	12,263.35	12,362.25		
21-03-b-09	Wet sinking of well for depths below spring level in cohesive soil : Above 12 to 13.5 m depth	100 Cft	40,681.05	41,009.13	m3	14,366.39	14,482.25		
21-03-b-10	Wet sinking of well for depths below spring level in cohesive soil : Exceeding 13.5 m depth	100 Cft	48,668.52	49,061.01	m3	17,187.14	17,325.75		
21-03-c-01	Wet sinking of well for depths below spring level in shingle/gravel etc : Upto 1.5 m depth	100 Cft	6,348.40	6,399.60	m3	2,241.92	2,260.00		
21-03-c-02	Wet sinking of well for depths below spring level in shingle/gravel etc : 1.5 to 3 m depth	100 Cft	15,116.44	15,238.34	m3	5,338.33	5,381.37		
21-03-c-03	Wet sinking of well for depths below spring level in shingle/gravel etc : 3 to 4.5 m depth	100 Cft	20,612.65	20,778.88	m3	7,279.30	7,338.00		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 21 SINKING OF WELLS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
21-03-c-04	Wet sinking of well for depths below spring level in shingle/gravel etc : 4.5 to 6 m depth	100 Cft	28,541.84	28,772.01	m3	10,079.46	10,160.75		
21-03-c-05	Wet sinking of well for depths below spring level in shingle/gravel etc : 6 to 7.5 m depth	100 Cft	42,895.97	43,241.91	m3	15,148.58	15,270.75		
21-03-c-06	Wet sinking of well for depths below spring level in shingle/gravel etc : 7.5 to 9 m depth	100 Cft	55,502.19	55,949.79	m3	19,600.43	19,758.50		
21-03-c-07	Wet sinking of well for depths below spring level in shingle/gravel etc : 9 to 10.5 m depth	100 Cft	69,607.73	70,169.09	m3	24,581.76	24,780.00		
21-03-c-08	Wet sinking of well for depths below spring level in shingle/gravel etc : 10.5 to 12 m depth	100 Cft	90,169.80	90,896.98	m3	31,843.20	32,100.00		
21-03-c-09	Wet sinking of well for depths below spring level in shingle/gravel etc : 12 to 13.5 m depth	100 Cft	113,372.40	114,286.69	m3	40,037.12	40,360.00		
21-03-c-10	Wet sinking of well for depths below spring level in shingle/gravel etc : Exceeding 13.5 m depth	100 Cft	144,268.19	145,431.64	m3	50,947.88	51,358.73		
21-04	Making & fixing in position, kikar wood well curb	100 Cft	190,698.95	347,786.84	m3	67,344.78	122,819.87		
21-05	Laying well curb in position only	Each	1,209.00	1,218.75	Each	1,209.00	1,218.75		
21-06-a	Providing & laying RCC well curb in position, using coarse sand : Ratio 1:1.5:3	100 Cft	15,919.47	33,860.93	m3	5,621.91	11,957.89		a) If concrete mixer is supplied by government, all charges including depreciation will be recovered from the contractor.
21-06-b	Providing & laying RCC well curb in position, using coarse sand : Ratio 1:2:4	100 Cft	15,919.47	31,460.92	m3	5,621.91	11,110.33		b) The rate does not include cost of steel reinforcement and its labour for bending/binding, which is payable separately.
21-07	Providing and fixing structural steel for cutting edge	Ton	31,000.00	179,992.41	tonne	30,510.20	177,148.52		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 22 SURFACE DRAINAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
22-01-a-01	Tega formed of pacca bricks on end, laid in and over c/s mortar : 3" thick : Ratio 1:3	100 Rft	1,209.72	4,025.34	m	39.69	132.06		
22-01-a-02	Tega formed of pacca bricks on end, laid in and over c/s mortar : 3" thick : Ratio 1:5	100 Rft	1,209.72	3,734.83	m	39.69	122.53		
22-01-b-01	Tega formed of pacca bricks on end, laid in and over c/s mortar : 4.5" thick : Ratio 1:3	100 Rft	1,320.98	4,697.45	m	43.34	154.12		
22-01-b-02	Tega formed of pacca bricks on end, laid in and over c/s mortar : 4.5" thick : Ratio 1:5	100 Rft	1,320.98	4,537.79	m	43.34	148.88		
22-02-a	Pacca flat brick 3" thick, laid in reimbursement, in c/s mortar, on sides of drains etc : Ratio 1:3	100 Sft	1,612.60	6,178.44	m2	173.52	664.80		
22-02-b	Pacca flat brick 3" thick, laid in reimbursement, in c/s mortar, on sides of drains etc : Ratio 1:5	100 Sft	1,612.60	5,888.26	m2	173.52	633.58		
22-02-c	Pacca flat brick 3" thick, laid in reimbursement, in c/s mortar, on sides of drains etc : Ratio 1:6	100 Sft	1,612.60	5,804.53	m2	173.52	624.57		
22-03-a	Pacca brick on edge, laid in reimbursement, in c/s mortar, on sides of drains etc : Ratio 1:3	100 Sft	1,816.96	8,646.85	m2	195.50	930.40		
22-03-b	Pacca brick on edge, laid in reimbursement, in c/s mortar, on sides of drains etc : Ratio 1:5	100 Sft	1,816.96	8,221.53	m2	195.50	884.64		
22-03-c	Pacca brick on edge, laid in reimbursement, in c/s mortar, on sides of drains etc : Ratio 1:6	100 Sft	1,816.96	8,094.09	m2	195.50	870.92		
22-04-a	Pacca flat brick, Herring bond pitching in c/s mortar laid to line, grade, slope etc : Ratio 1:3	100 Sft	1,519.61	6,657.56	m2	163.51	716.35		
22-04-b	Pacca flat brick, Herring bond pitching in c/s mortar laid to line, grade, slope etc : Ratio 1:5	100 Sft	1,519.61	6,331.33	m2	163.51	681.25		
22-04-c	Pacca flat brick, Herring bond pitching in c/s mortar laid to line, grade, slope etc : Ratio 1:6	100 Sft	1,519.61	6,259.18	m2	163.51	673.49		
22-05-a	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type I	100 Rft	1,558.31	7,321.60	m	51.13	240.21	The rate does not include cost of excavation, which is to be paid separately.	
22-05-b	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type II	100 Rft	3,964.90	17,298.62	m	130.08	567.54		
22-05-c	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type III	100 Rft	5,038.99	21,927.20	m	165.32	719.40		
22-05-d	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type IV	100 Rft	5,428.75	26,325.56	m	178.11	863.70		
22-05-e	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type V	100 Rft	7,280.16	35,139.95	m	238.85	1,152.89		
22-05-f	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type VI	100 Rft	8,226.11	40,013.94	m	269.89	1,312.79		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 22 SURFACE DRAINAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
22-05-g	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type VII	100 Rft	8,353.14	42,024.05	m	274.05	1,378.74		
22-05-h	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type VIII	100 Rft	12,579.86	62,736.71	m	412.73	2,058.29		
22-05-i	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type IX	100 Rft	14,344.80	70,270.06	m	470.63	2,305.45		
22-05-j	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type X	100 Rft	15,473.80	84,552.30	m	507.67	2,774.03		
22-05-k	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type XI	100 Rft	16,915.66	89,424.41	m	554.98	2,933.87		
22-05-l	Construct Punjab standard drains, of cement concrete 1:1.5:3, complete : Type XII	100 Rft	17,291.29	91,667.91	m	567.30	3,007.48		
22-06-a	Laying RC hume pipes in position including jointing 6" to 12" dia	100 Rft	8,992.91	9,513.86	m	295.04	312.13		
22-06-b	Laying RC hume pipes in position including jointing 12" to 24" dia	100 Rft	13,651.98	14,670.55	m	447.90	481.32		
22-06-c	Laying RC hume pipes in position including jointing 24" to 36" dia	100 Rft	18,018.90	19,536.76	m	591.17	640.97		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 23 SEWERAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
23-01-a	Providing and Laying RCC pipe, moulded with cement concrete 1:1.5:3, including cost of reinforcement, testing etc : 4" dia:	Rft	89.79	194.21	m	294.58	637.17		
23-01-b	Providing and Laying RCC pipe, moulded with cement concrete 1:1.5:3, including cost of reinforcement, testing etc : 6" dia:	Rft	98.29	214.99	m	322.48	705.33		
23-01-c	Providing and Laying RCC pipe, moulded with cement concrete 1:1.5:3, including cost of reinforcement, testing etc : 9" dia:	Rft	118.14	259.39	m	387.60	851.03		
23-02-a	Providing and Laying non-reinforced concrete pipe, moulded with cement concrete 1:1.5:3 complete : 4" internal diameter	Rft	75.61	198.22	m	248.06	650.33		
23-02-b	Providing and Laying non-reinforced concrete pipe, moulded with cement concrete 1:1.5:3 complete : 6" i/d	Rft	98.29	251.59	m	322.48	825.41		
23-02-c	Providing and Laying non-reinforced concrete pipe, moulded with cement concrete : 9" i/d wall thickness 1".	Rft	143.66	343.07	m	471.32	1,125.55		
23-03-a-01	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 12" i/d, Wall B	Rft	245.73	552.71	m	806.21	1,813.36		
23-03-a-02	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 15" i/d, Wall B	Rft	302.44	716.63	m	992.25	2,351.14		
23-03-a-03	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 18" i/d, Wall B	Rft	368.60	859.57	m	1,209.31	2,820.12		
23-03-a-04	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 21" i/d, Wall B	Rft	442.74	1,025.81	m	1,452.57	3,365.53		
23-03-a-05	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 24" i/d, Wall B	Rft	491.46	1,151.18	m	1,612.41	3,776.83		
23-03-a-06	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 27" i/d, Wall B	Rft	661.40	1,505.48	m	2,169.94	4,939.24		
23-03-a-07	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 30" i/d, Wall B	Rft	737.20	1,734.39	m	2,418.62	5,690.26		
23-03-a-08	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 33" i/d, Wall B	Rft	803.35	2,121.33	m	2,635.68	6,959.75		
23-03-a-09	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 36" i/d, Wall B	Rft	878.21	2,410.29	m	2,881.26	7,907.78		
23-03-a-10	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 42" i/d, Wall B	Rft	1,134.15	3,125.79	m	3,720.95	10,255.23		
23-03-a-11	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 48" i/d, Wall B	Rft	1,304.28	3,907.29	m	4,279.12	12,819.20		
23-03-a-12	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 54" i/d, Wall B	Rft	1,701.22	4,917.44	m	5,581.43	16,133.33		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 23 SEWERAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
23-03-a-13	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 60" i/d, Wall B	Rft	2,343.90	6,937.81	m	7,689.97	22,761.83		
23-03-a-14	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 66" i/d, Wall B	Rft	3,220.98	8,858.95	m	10,567.51	29,064.80		
23-03-a-15	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class II : 72" i/d, Wall B	Rft	4,375.92	11,731.21	m	14,356.68	38,488.22		
23-03-b-01	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 12" i/d, Wall B	Rft	245.73	583.21	m	806.21	1,913.43		
23-03-b-02	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 15" i/d, Wall B	Rft	302.44	762.38	m	992.25	2,501.24		
23-03-b-03	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 18" i/d, Wall B	Rft	368.60	951.07	m	1,209.31	3,120.31		
23-03-b-04	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 21" i/d, Wall B	Rft	442.32	1,177.89	m	1,451.18	3,864.45		
23-03-b-05	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 24" i/d, Wall B	Rft	491.46	1,334.18	m	1,612.41	4,377.22		
23-03-b-06	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 27" i/d, Wall B	Rft	661.64	1,734.48	m	2,170.74	5,690.54		
23-03-b-07	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 30" i/d, Wall B	Rft	737.20	2,115.64	m	2,418.62	6,941.08		
23-03-b-08	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 33" i/d, Wall B	Rft	803.35	2,517.83	m	2,635.68	8,260.61		
23-03-b-09	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 36" i/d, Wall B	Rft	878.89	2,654.98	m	2,883.49	8,710.55		
23-03-b-10	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 42" i/d, Wall B	Rft	1,134.15	3,583.29	m	3,720.95	11,756.21		
23-03-b-11	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 48" i/d, Wall B	Rft	1,304.73	4,365.25	m	4,280.61	14,321.69		
23-03-b-12	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 54" i/d, Wall B	Rft	1,701.22	5,618.94	m	5,581.43	18,434.84		
23-03-b-13	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 60" i/d, Wall B	Rft	2,343.90	7,242.81	m	7,689.97	23,762.48		
23-03-b-14	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 66" i/d, Wall B	Rft	3,203.96	9,695.80	m	10,511.69	31,810.38		
23-03-b-15	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class III : 72" i/d, Wall B	Rft	4,375.92	12,951.21	m	14,356.68	42,490.85		
23-03-c-01	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 12" i/d, Wall B	Rft	245.73	613.71	m	806.21	2,013.50		
23-03-c-02	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 15" i/d, Wall B	Rft	302.44	731.88	m	992.25	2,401.18		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 23 SEWERAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
23-03-c-03	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 18" i/d, Wall B	Rft	368.60	957.17	m	1,209.31	3,140.33		
23-03-c-04	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 21" i/d, Wall B	Rft	442.32	1,208.39	m	1,451.18	3,964.52		
23-03-c-05	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 24" i/d, Wall B	Rft	491.46	1,715.43	m	1,612.41	5,628.04		
23-03-c-06	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 27" i/d, Wall B	Rft	661.42	1,947.75	m	2,170.00	6,390.25		
23-03-c-07	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 30" i/d, Wall B	Rft	737.20	2,329.14	m	2,418.62	7,641.54		
23-03-c-08	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 33" i/d, Wall B	Rft	803.35	3,188.83	m	2,635.68	10,462.05		
23-03-c-09	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 36" i/d, Wall B	Rft	877.75	3,446.83	m	2,879.77	11,308.50		
23-03-c-10	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 42" i/d, Wall B	Rft	1,134.15	4,254.29	m	3,720.95	13,957.65		
23-03-c-11	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 48" i/d, Wall B	Rft	1,304.73	5,341.25	m	4,280.61	17,523.79		
23-03-c-12	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 54" i/d, Wall B	Rft	1,701.22	6,899.94	m	5,581.43	22,637.60		
23-03-c-13	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 60" i/d, Wall B	Rft	2,343.90	8,950.80	m	7,689.97	29,366.16		
23-03-c-14	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 66" i/d, Wall B	Rft	3,203.96	12,257.80	m	10,511.69	40,215.88		
23-03-c-15	Providing and Laying RCC pipe sewers complete As per ASTM C-76-79, Class IV : 72" i/d, Wall B	Rft	4,375.92	16,306.21	m	14,356.68	53,498.07		
23-04-a	Lowering of sub-soil water table by tubewells Upto 1 ft below SSWL	Rft	0.00	185.98	m	0.00	610.16		a) This rate shall be payable, in addition to the item of excavation below SSWL for sewer and manholes under chapter 3 earthwork
23-04-b	Lowering of sub-soil water table by tubewells 0 - 2 ft below SSWL	Rft	0.00	395.20	m	0.00	1,296.58		b) The grant of these rates shall be subject to Superintending Engineer's approval.
23-04-c	Lowering of sub-soil water table by tubewell 0 - 3 ft below SSWL	Rft	0.00	623.02	m	0.00	2,044.02		c) The rate includes cost of providing pumps, POL and all operation charges at the site of work, etc



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 23 SEWERAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
23-04-d	Lowering of sub-soil water table by tubewells 0 - 4 ft below SSWL	Rft	0.00	864.79	m	0.00	2,837.23		
23-04-e	Lowering of sub-soil water table by tubewells 0 - 5 ft below SSWL	Rft	0.00	1,134.45	m	0.00	3,721.95		
23-04-f	Lowering of sub-soil water table by tubewells 0 - 6 ft below SSWL	Rft	0.00	1,413.41	m	0.00	4,637.19		
23-04-g	Lowering of sub-soil water table by tubewells 0 - 7 ft below SSWL	Rft	0.00	1,673.78	m	0.00	5,491.40		
23-04-h	Lowering of sub-soil water table by tubewells 0 - 8 ft below SSWL	Rft	0.00	1,915.55	m	0.00	6,284.61		
23-04-i	Lowering of sub-soil water table by tubewells 0 - 9 ft below SSWL	Rft	0.00	2,175.91	m	0.00	7,138.83		
23-04-j	Lowering of sub-soil water table by tubewells 0 - 10 ft below SSWL	Rft	0.00	2,566.46	m	0.00	8,420.16		
23-04-k	Lowering of sub-soil water table by tubewells 0 - 11 ft below SSWL	Rft	0.00	2,715.24	m	0.00	8,908.28		
23-04-l	Lowering of sub-soil water table by tubewells 0 - 12 ft below SSWL	Rft	0.00	2,975.61	m	0.00	9,762.50		
23-05-a	Constructing gully grating chamber complete With CI gully trap,weighing 81 lbs. frame hinged	Each	1,693.84	7,538.33	Each	1,693.84	7,538.33	Pipe connection to be paid separately.	
23-05-b	Constructing gully grating chamber complete Concrete gully trap	Each	1,693.84	4,794.83	Each	1,693.84	4,794.83		
23-06	Fixing manhole frame and cover in RCC slab, including carriage to site	Set	1,271.00	1,281.25	Set	1,271.00	1,281.25		
23-07	Providing and Fixing 3" thick RCC manhole cover, 22" dia with tee shaped CI frame of 20" clear i/d complete	Set	2,923.73	6,967.11	Set	2,923.73	6,967.11		
23-08-a	RCC manhole cover 22" dia with: Tee shaped CI frame, 22" i/d complete	Set	4,066.58	18,808.25	Set	4,066.58	18,808.25		
23-08-b	RCC manhole cover 22" dia with: 3"x3"x1/4" angle iron frame, 22" i/d complete	Set	4,062.24	16,879.87	Set	4,062.24	16,879.87		
23-09-a	Providing and Fixing CI ventilating shaft of 9" i/d, painted with bitumenous paint complete : 18 ft. long	100 Kg	297.60	14,720.40	100 Kg	297.60	14,720.40		
23-09-b	Providing and Fixing CI ventilating shaft of 9" i/d, painted with bitumenous paint complete : 24 ft. long	100 Kg	396.80	14,820.40	100 Kg	396.80	14,820.40		
23-09-c	Providing and Fixing CI ventilating shaft of 9" i/d, painted with bitumenous paint complete : 30 ft. long	100 Kg	496.00	14,920.40	100 Kg	496.00	14,920.40		
23-09-d	Providing and Fixing CI ventilating shaft of 9" i/d, painted with bitumenous paint complete : 36 ft. long	100 Kg	595.20	15,020.40	100 Kg	595.20	15,020.40		
23-10	Septic Tank (int.Size: 7'x2'x5') complete	Each	2,852.00	16,482.59	Each	2,852.00	16,482.59		
23-11	Soakage Pit (6'dia x 15' deep) complete	Each	2,852.00	17,023.44	Each	2,852.00	17,023.44		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 23 SEWERAGE

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-01	Mobilization of plant, equipment and camping arrangements etc & demobilization after completion	Job	0.00	42,700.00	Job	0.00	42,700.00		
24-02-a-01	Tubewell boring in all soils except shingle/rock From ground upto 100' below ground : 3" i/d	Rft	99.54	185.74	m	326.57	609.39		
24-02-a-02	Tubewell boring in all soils except shingle/rock From ground upto 100' below ground : 4" i/d	Rft	148.18	277.48	m	486.17	910.36		
24-02-a-03	Tubewell boring in all soils except shingle/rock From ground upto 100' below ground : 5" i/d	Rft	223.43	410.98	m	733.05	1,348.36		
24-02-a-04	Tubewell boring in all soils except shingle/rock From ground upto 100' below ground : 6" i/d	Rft	335.95	598.70	m	1,102.18	1,964.23		
24-02-a-05	Tubewell boring in all soils except shingle/rock From ground upto 100' below ground : 8" i/d	Rft	503.92	859.05	m	1,653.30	2,818.39		
24-02-a-06	Tubewell boring in all soils except shingle/rock From ground upto 100' below ground : 10" i/d	Rft	755.89	1,200.80	m	2,479.94	3,939.65		
24-02-a-07	Tubewell boring in all soils except shingle/rock From ground upto 100' below ground : 12" i/d	Rft	944.86	1,479.06	m	3,099.93	4,852.58		
24-02-a-08	Tubewell boring in all soils except shingle/rock From ground upto 100' below ground : 15" i/d	Rft	1,181.09	1,796.19	m	3,874.98	5,893.02		
24-02-a-09	Tubewell boring in all soils except shingle/rock From ground upto 100' below ground : 18" i/d	Rft	1,476.37	2,154.41	m	4,843.74	7,068.28		
24-02-b-01	Tubewell boring in all soils except shingle/rock From 100' to 200' below ground : 5" i/d	Rft	380.75	699.58	m	1,249.17	2,295.22		
24-02-b-02	Tubewell boring in all soils except shingle/rock From 100' to 200' below ground : 6" i/d	Rft	537.52	1,128.72	m	1,763.52	3,703.16		
24-02-b-03	Tubewell boring in all soils except shingle/rock From 100' to 200' below ground : 8" i/d	Rft	655.10	1,116.76	m	2,149.29	3,663.91		
24-02-b-04	Tubewell boring in all soils except shingle/rock From 100' to 200' below ground : 10" i/d	Rft	725.60	1,258.04	m	2,380.57	4,127.42		
24-02-b-05	Tubewell boring in all soils except shingle/rock From 100' to 200' below ground : 12" i/d	Rft	994.30	1,607.90	m	3,262.15	5,275.26		
24-02-b-06	Tubewell boring in all soils except shingle/rock From 100' to 200' below ground : 15" i/d	Rft	1,358.23	2,065.59	m	4,456.13	6,776.88		
24-02-b-07	Tubewell boring in all soils except shingle/rock From 100' to 200' below ground : 18" i/d	Rft	1,697.78	2,477.53	m	5,570.16	8,128.38		
24-02-c-01	Tubewell boring in all soils except shingle/rock From 200' to 300' below ground : 5" i/d	Rft	514.09	944.52	m	1,686.65	3,098.83		
24-02-c-02	Tubewell boring in all soils except shingle/rock From 200' to 300' below ground : 6" i/d	Rft	672.01	1,197.52	m	2,204.76	3,928.86		
24-02-c-03	Tubewell boring in all soils except shingle/rock From 200' to 300' below ground : 8" i/d	Rft	630.08	1,205.63	m	2,067.19	3,955.47		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-02-c-04	Tubewell boring in all soils except shingle/rock From 200' to 300' below ground : 10" i/d	Rft	1,088.47	1,729.16	m	3,571.11	5,673.09		
24-02-c-05	Tubewell boring in all soils except shingle/rock From 200' to 300' below ground : 12" i/d	Rft	1,303.90	2,041.10	m	4,277.89	6,696.54		
24-02-c-06	Tubewell boring in all soils except shingle/rock From 200' to 300' below ground : 15" i/d	Rft	1,494.05	2,272.15	m	4,901.74	7,454.57		
24-02-c-07	Tubewell boring in all soils except shingle/rock From 200' to 300' below ground : 18" i/d	Rft	1,870.14	2,727.88	m	6,135.63	8,949.73		
24-02-d-01	Tubewell boring in all soils except shingle/rock From 300' to 400' below ground : 8" i/d	Rft	982.65	1,675.14	m	3,223.91	5,495.85		
24-02-d-02	Tubewell boring in all soils except shingle/rock From 300' to 400' below ground : 10" i/d	Rft	1,306.17	2,074.99	m	4,285.33	6,807.70		
24-02-d-03	Tubewell boring in all soils except shingle/rock From 300' to 400' below ground : 12" i/d	Rft	1,564.68	2,449.33	m	5,133.46	8,035.85		
24-02-d-04	Tubewell boring in all soils except shingle/rock From 300' to 400' below ground : 15" i/d	Rft	1,793.74	2,727.46	m	5,884.96	8,948.37		
24-02-d-05	Tubewell boring in all soils except shingle/rock From 300' to 400' below ground : 18" i/d	Rft	2,241.08	3,270.34	m	7,352.62	10,729.46		
24-03-a-01	Rotary drilling except in shingle, gravel & rock From ground to 250' below ground : 5"-18" i/d	Rft	0.00	2,196.00	m	0.00	7,204.72		
24-03-a-02	Rotary drilling except in shingle, gravel & rock From ground to 250' below ground : 20"-26" i/d	Rft	0.00	2,196.00	m	0.00	7,204.72		
24-03-b-01	Rotary drilling except in shingle, gravel & rock Exceeding 250' below ground : 5"-18" i/d	Rft	0.00	2,745.00	m	0.00	9,005.91		
24-03-b-02	Rotary drilling except in shingle, gravel & rock Exceeding 250' below ground : 20"-26" i/d	Rft	0.00	2,745.00	m	0.00	9,005.91		
24-04-a-01	Boring for tubewell in shingle, gravel & rock From ground to 200' below ground : 12"-18" i/d	Rft	0.00	5,490.00	m	0.00	18,011.81	Location and depth of shingle, gravel or rock is to be determined from the bore log.	
24-04-a-02	Boring for tubewell in shingle, gravel & rock From ground to 200' below ground : 20"-26" i/d	Rft	0.00	5,490.00	m	0.00	18,011.81		
24-04-b-01	Boring for tubewell in shingle, gravel & rock Over 200' depth below ground : 12"-18" i/d	Rft	0.00	6,873.48	m	0.00	22,550.79		
24-04-b-02	Boring for tubewell in shingle, gravel & rock Over 200' depth below ground : 20"-26" i/d	Rft	0.00	6,873.48	m	0.00	22,550.79		
24-05	Providing strong substantially built box of deodar 4x2'x9", with compartments & lock	Job	1,147.00	8,905.20	Job	1,147.00	8,905.20		
24-06	Furnishing sample of water from bore hole	Per set	2,480.00	2,792.80	Per set	2,480.00	2,792.80		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-07-a	Providing and installing brass strainer in tubewell bore hole 6" i/d, 3/16" thick	Rft	378.05	3,675.10	m	1,240.32	12,057.41		Cost/labour of jointing both ends is included in the rate.
24-07-b	Providing and installing brass strainer in tubewell bore hole 8" i/d, 3/16" thick	Rft	552.90	4,827.35	m	1,813.96	15,837.78		
24-07-c	Providing and installing brass strainer in tubewell bore hole 10" i/d 3/16" thick	Rft	567.07	5,451.65	m	1,860.48	17,885.98		
24-07-d	Providing and installing brass strainer in tubewell bore hole 10" i/d, 1/4" thick	Rft	567.07	6,793.65	m	1,860.48	22,288.87		
24-07-e	Providing and installing brass strainer in tubewell bore hole 12" i/d, 1/4" thick	Rft	604.88	8,173.76	m	1,984.51	26,816.79		
24-08-a	Providing and installing MS bail plug in tubewell bore hole 6" i/d, 2 ft. long	Rft	238.93	3,534.85	m	783.88	11,597.29		
24-08-b	Providing and installing MS bail plug in tubewell bore hole 8" i/d, 2 ft. long	Rft	260.85	4,776.96	m	855.82	15,672.43		
24-08-c	Providing and installing MS bail plug in tubewell bore hole 10" i/d, 2 ft. long	Rft	260.85	5,874.96	m	855.82	19,274.80		
24-08-d	Providing and installing MS bail plug in tubewell bore hole 12" i/d, 2 ft. long	Rft	274.46	7,596.68	m	900.47	24,923.48		
24-09-a-01	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'B' working pressure : 6" i/d	Rft	362.93	701.35	m	1,190.70	2,301.03		
24-09-a-02	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'B' working pressure : 8" i/d	Rft	453.66	975.82	m	1,488.38	3,201.50		
24-09-a-03	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'B' working pressure : 10" i/d	Rft	483.90	1,372.30	m	1,587.61	4,502.31		
24-09-a-04	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'B' working pressure : 12" i/d	Rft	544.39	1,768.78	m	1,786.06	5,803.09		
24-09-b-01	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'C' working pressure : 6" i/d	Rft	362.93	951.45	m	1,190.70	3,121.57		
24-09-b-02	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'C' working pressure : 8" i/d	Rft	453.66	1,189.32	m	1,488.38	3,901.96		
24-09-b-03	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'C' working pressure : 10" i/d	Rft	483.90	1,768.80	m	1,587.61	5,803.17		
24-09-b-04	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'C' working pressure : 12" i/d	Rft	544.39	2,073.78	m	1,786.06	6,803.74		
24-09-c-01	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'D' working pressure : 6" i/d	Rft	362.93	1,036.85	m	1,190.70	3,401.75		
24-09-c-02	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'D' working pressure : 8" i/d	Rft	453.66	1,421.12	m	1,488.38	4,662.46		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-09-c-03	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'D' working pressure : 10" i/d	Rft	483.90	1,951.80	m	1,587.61	6,403.56		
24-09-c-04	Providing and installing PVC strainer, in tubewell borehole comp. BSS Class 'D' working pressure : 12" i/d	Rft	544.39	2,561.78	m	1,786.06	8,404.79		
24-10-a-01	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'B' working pressure : 6" i/d : 2' long	Each	396.80	1,025.86	Each	396.80	1,025.86		
24-10-a-02	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'B' working pressure : 8" i/d : 2' long	Each	496.00	1,451.60	Each	496.00	1,451.60		
24-10-a-03	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'B' working pressure : 10" i/d : 2' long	Each	496.00	1,963.99	Each	496.00	1,963.98		
24-10-a-04	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'B' working pressure : 12" i/d : 2' long	Each	595.20	2,719.14	Each	595.20	2,719.14		
24-10-b-01	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'C' working pressure : 6" i/d : 2' long	Each	396.80	1,329.63	Each	396.80	1,329.63		
24-10-b-02	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'C' working pressure : 8" i/d : 2' long	Each	496.00	1,912.75	Each	496.00	1,912.75		
24-10-b-03	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'C' working pressure : 10" i/d : 2' long	Each	496.00	2,619.14	Each	496.00	2,619.14		
24-10-b-04	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'C' working pressure : 12" i/d : 2' long	Each	595.20	5,623.55	Each	595.20	5,623.55		
24-10-c-01	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'D' working pressure : 6" i/d : 2' long	Each	396.80	1,607.78	Each	396.80	1,607.78		
24-10-c-02	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'D' working pressure : 8" i/d : 2' long	Each	496.00	2,308.02	Each	496.00	2,308.02		
24-10-c-03	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'D' working pressure : 10" i/d : 2' long	Each	496.00	3,266.94	Each	496.00	3,266.94		
24-10-c-04	Providing and installing PVC pipe with wooden bail plug in tubewell BSS Class 'D' working pressure : 12" i/d : 2' long	Each	595.20	7,248.81	Each	595.20	7,248.81		
24-11-a	Providing and installing MS blind pipe socket/welded joint MS reducer in tubewell borehole : 6" i/d, 3/16" thick	Rft	680.49	1,722.98	m	2,232.57	5,652.81		
24-11-b	Providing and installing MS blind pipe socket/welded joint MS reducer in tubewell borehole : 8" i/d, 3/16" thick	Rft	793.90	1,898.30	m	2,604.67	6,228.04		
24-11-c	Providing and installing MS blind pipe socket/welded joint MS reducer in tubewell borehole : 10" i/d 3/16" thick	Rft	945.12	2,111.74	m	3,100.79	6,928.29		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-11-d	Providing and installing MS blind pipe socket/welded joint MS reducer in tubewell borehole : 12" i/d, 1/4" thick	Rft	1,088.78	3,049.56	m	3,572.12	10,005.12		
24-12-a-01	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'B' working pressure : 6" i/d	Rft	635.12	958.26	m	2,083.73	3,143.90		
24-12-a-02	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'B' working pressure : 8" i/d	Rft	756.10	1,245.73	m	2,480.64	4,087.04		
24-12-a-03	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'B' working pressure : 10" i/d	Rft	1,063.26	1,815.73	m	3,488.39	5,957.13		
24-12-a-04	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'B' working pressure : 12" i/d	Rft	1,020.73	2,105.76	m	3,348.86	6,908.66		
24-12-b-01	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'C' working pressure : 6" i/d	Rft	642.68	1,120.24	m	2,108.54	3,675.32		
24-12-b-02	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'C' working pressure : 8" i/d	Rft	756.10	1,480.06	m	2,480.64	4,855.82		
24-12-b-03	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'C' working pressure : 10" i/d	Rft	831.71	1,915.21	m	2,728.70	6,283.50		
24-12-b-04	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'C' working pressure : 12" i/d	Rft	1,020.73	3,581.58	m	3,348.86	11,750.60		
24-12-c-01	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'D' working pressure : 6" i/d	Rft	642.68	1,261.57	m	2,108.54	4,139.03		
24-12-c-02	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'D' working pressure : 8" i/d	Rft	756.10	1,680.90	m	2,480.64	5,514.78		
24-12-c-03	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'D' working pressure : 10" i/d	Rft	831.71	2,244.38	m	2,728.70	7,363.45		
24-12-c-04	Providing and installing PVC blind pipe in tubewell with strainer BSS Class 'D' working pressure : 12" i/d	Rft	1,020.73	4,407.42	m	3,348.86	14,460.05		
24-13-a	Test & develop tubewell of size 6" i/d & above continuously : Upto 1.5 cusecs discharge	Hour	0.00	854.00	Hour	0.00	854.00		
24-13-b	Test & develop tubewell of size 6" i/d & above continuously : Over 1.5 cusecs discharge with DNT unit	Hour	0.00	1,000.40	Hour	0.00	1,000.40		
24-14	Shrouding with graded pack grave 3/8" to 1/8" around tubewell in bore hole	Rft	236.28	487.65	m	775.20	1,599.91	The rate includes wastage etc.	
24-15-a	Providing and Laying cut, joint, test & disinfect, CI pipeline in trenches, complete : 3" i/d	Rft	56.71	484.16	m	186.05	1,588.47	a) Pipes to be supplied by Govt;	
24-15-b	Providing and Laying cut, joint, test & disinfect, CI pipeline in trenches, complete : 4" i/d	Rft	75.61	625.22	m	248.06	2,051.25	b) Providing and installing specials and valves is not included in the rate, which is payable separately.	



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-15-c	Providing and Laying cut, joint, test & disinfect, CI pipeline in trenches, complete : 6" i/d	Rft	113.41	1,090.33	m	372.10	3,577.20		
24-15-d	Providing and Laying cut, joint, test & disinfect, CI pipeline in trenches. complete : 8" i/d	Rft	189.02	2,630.55	m	620.16	8,630.41		
24-15-e	Providing and Laying cut, joint, test & disinfect, CI pipeline in trenches, complete : 10" i/d	Rft	245.73	2,870.71	m	806.21	9,418.35		
24-15-f	Providing and Laying cut, joint, test & disinfect, CI pipeline in trenches, complete : 12" i/d	Rft	245.73	3,236.71	m	806.21	10,619.14		
24-16-a-01	Providing and Laying cut, joint, test & disinfect GI pipe line Using heavy quality GI Pipe : 4" Dia	Rft	71.83	773.91	m	235.66	2,539.07		
24-16-a-02	Providing and Laying cut, joint, test & disinfect GI pipe line Using heavy quality GI Pipe : 6" Dia	Rft	102.07	1,139.90	m	334.89	3,739.82		
24-16-a-03	Providing and Laying cut, joint, test & disinfect GI pipe line Using heavy quality GI Pipe : 8" Dia	Rft	132.32	1,475.38	m	434.11	4,840.50		
24-16-b-01	Providing and Laying cut, joint, test & disinfect GI pipe line Using medium quality GI Pipe : 4" Dia	Rft	71.83	712.91	m	235.66	2,338.94		
24-16-b-02	Providing and Laying cut, joint, test & disinfect GI pipe line Using medium quality GI Pipe : 6" Dia	Rft	102.07	1,200.90	m	334.89	3,939.95		
24-16-b-03	Providing and Laying cut, joint, test & disinfect GI pipe line Using medium quality GI Pipe : 8" Dia	Rft	132.32	2,146.38	m	434.11	7,041.94		
24-16-c-01	Providing and Laying cut, joint, test & disinfect GI pipe line Using light quality GI Pipe : 1/2" i/d	Rft	18.90	80.05	m	62.02	262.65	Cost of sockets, tees, elbows, bends, crosses, unions and plugs etc is included in the rates.	
24-16-c-02	Providing and Laying cut, joint, test & disinfect GI pipe line Using light quality GI Pipe : 3/4" i/d	Rft	22.68	114.37	m	74.42	375.22		
24-16-c-03	Providing and Laying cut, joint, test & disinfect GI pipe line Using light quality GI Pipe : 1" i/d	Rft	25.05	141.15	m	82.17	463.08		
24-16-c-04	Providing and Laying cut, joint, test & disinfect GI pipe line Using light quality GI Pipe : 1.25" i/d	Rft	30.24	182.99	m	99.23	600.35		
24-16-c-05	Providing and Laying cut, joint, test & disinfect GI pipe line Using light quality GI Pipe : 1.5" i/d	Rft	34.02	229.50	m	111.63	752.95		
24-16-c-06	Providing and Laying cut, joint, test & disinfect GI pipe line Using light quality GI Pipe : 2" i/d	Rft	37.86	294.37	m	124.22	965.77		
24-16-c-07	Providing and Laying cut, joint, test & disinfect GI pipe line Using light quality GI Pipe : 2.5" i/d	Rft	41.59	377.42	m	136.43	1,238.26		
24-16-c-08	Providing and Laying cut, joint, test & disinfect GI pipe line Using light quality GI Pipe : 3" i/d	Rft	56.71	453.66	m	186.05	1,488.40		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-16-c-09	Providing and Laying cut, joint, test & disinfect GI pipe line Using light quality GI Pipe : 4" i/d	Rft	71.83	621.41	m	235.66	2,038.74		
24-17-a-01	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 3" i/d	Rft	30.24	213.49	m	99.23	700.42		Providing and installing specials and valves is not included in the rate, which is payable separately.
24-17-a-02	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 4" i/d	Rft	34.02	266.10	m	111.63	873.03		
24-17-a-03	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 6" i/d	Rft	49.15	415.54	m	161.24	1,363.33		
24-17-a-04	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 8" i/d	Rft	68.05	678.60	m	223.26	2,226.37		
24-17-a-05	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 10" i/d	Rft	82.41	906.58	m	270.39	2,974.34		
24-17-a-06	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 12" i/d	Rft	113.41	1,212.33	m	372.10	3,977.46		
24-17-a-07	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 14" i/d	Rft	132.32	1,658.38	m	434.11	5,440.89		
24-17-a-08	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 16" i/d	Rft	151.22	1,982.44	m	496.13	6,504.06		
24-17-a-09	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 18" i/d	Rft	173.90	2,432.30	m	570.55	7,980.00		
24-17-a-10	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 20" i/d	Rft	204.15	2,981.29	m	669.77	9,781.15		
24-17-a-11	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'B'working pressure : 24" i/d	Rft	241.95	4,086.90	m	793.80	13,408.47		
24-17-b-01	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C'working pressure : 3" i/d	Rft	30.24	243.99	m	99.23	800.48		
24-17-b-02	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C'working pressure : 4" i/d	Rft	34.02	272.20	m	111.63	893.04		
24-17-b-03	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C'working pressure : 6" i/d	Rft	49.15	476.54	m	161.24	1,563.46		
24-17-b-04	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C'working pressure : 8" i/d	Rft	68.05	800.60	m	223.26	2,626.63		
24-17-b-05	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C'working pressure : 10" i/d	Rft	86.95	1,039.25	m	285.27	3,409.62		
24-17-b-06	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C'working pressure : 12" i/d	Rft	134.68	1,416.77	m	441.86	4,648.18		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-17-b-07	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C' working pressure : 14" i/d	Rft	132.32	2,146.38	m	434.11	7,041.94		
24-17-b-08	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C' working pressure : 16" i/d	Rft	151.22	2,775.44	m	496.13	9,105.77		
24-17-b-09	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C' working pressure : 18" i/d	Rft	173.90	3,347.30	m	570.55	10,981.97		
24-17-b-10	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C' working pressure : 20" i/d	Rft	204.15	3,987.79	m	669.77	13,083.31		
24-17-b-11	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'C' working pressure : 24" i/d	Rft	241.95	5,550.90	m	793.80	18,211.62		
24-17-c-01	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 3" i/d	Rft	30.24	243.99	m	99.23	800.48		
24-17-c-02	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 4" i/d	Rft	40.40	345.73	m	132.56	1,134.28		
24-17-c-03	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 6" i/d	Rft	58.36	607.83	m	191.47	1,994.20		
24-17-c-04	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 8" i/d	Rft	80.81	996.46	m	265.12	3,269.22		
24-17-c-05	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 10" i/d	Rft	113.46	1,456.38	m	372.25	4,778.14		
24-17-c-06	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 12" i/d	Rft	134.68	2,270.77	m	441.86	7,450.02		
24-17-c-07	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 14" i/d	Rft	157.13	3,147.39	m	515.51	10,326.10		
24-17-c-08	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 16" i/d	Rft	179.57	4,024.02	m	589.15	13,202.17		
24-17-c-09	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 18" i/d	Rft	206.51	4,783.17	m	677.52	15,692.83		
24-17-c-10	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 20" i/d	Rft	242.42	5,917.38	m	795.35	19,413.97		
24-17-c-11	Providing and Laying cut, joint, test & disinfect AC pipe line BSS Class 'D' working pressure : 24" i/d	Rft	287.32	9,439.63	m	942.64	30,969.93		
24-18-a-01	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'B' working pressure : 3" i/d	Rft	35.91	143.32	m	117.83	470.21	a) Providing and installing specials and valves is not included in the rate, which is payable separately.	



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-18-a-02	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'B' working pressure : 4" i/d	Rft	40.40	200.66	m	132.56	658.33		b) When sockets are used for jointing of pipes instead of by overlap pipe. Its providing installation will be paid extra.
24-18-a-03	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'B' working pressure : 6" i/d	Rft	58.36	376.85	m	191.47	1,236.38		
24-18-a-04	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'B' working pressure : 8" i/d	Rft	80.81	564.99	m	265.12	1,853.66		
24-18-a-05	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'B' working pressure : 10" i/d	Rft	103.25	847.98	m	338.76	2,782.09		
24-18-a-06	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'B' working pressure : 12" i/d	Rft	134.68	1,212.56	m	441.86	3,978.22		
24-18-b-01	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'C' working pressure : 2.5" i/d	Rft	35.91	133.80	m	117.83	438.99		
24-18-b-02	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'C' working pressure : 3" i/d	Rft	35.91	170.10	m	117.83	558.07		
24-18-b-03	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'C' working pressure : 4" i/d	Rft	40.40	252.74	m	132.56	829.20		
24-18-b-04	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'C' working pressure : 6" i/d	Rft	58.36	531.20	m	191.47	1,742.79		
24-18-b-05	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'C' working pressure : 8" i/d	Rft	80.81	799.32	m	265.12	2,622.44		
24-18-b-06	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'C' working pressure : 10" i/d	Rft	103.25	1,180.88	m	338.76	3,874.29		
24-18-b-07	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'C' working pressure : 12" i/d	Rft	134.68	2,688.38	m	441.86	8,820.16		
24-18-c-01	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 1.25" i/d	Rft	28.73	91.27	m	94.26	299.44		
24-18-c-02	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 1.5" i/d	Rft	33.34	83.82	m	109.40	274.99		
24-18-c-03	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 2" i/d	Rft	33.34	109.86	m	109.40	360.44		
24-18-c-04	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 2.5" i/d	Rft	35.91	127.70	m	117.83	418.98		
24-18-c-05	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 3" i/d	Rft	35.91	216.76	m	117.83	711.17		
24-18-c-06	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 4" i/d	Rft	40.40	330.85	m	132.56	1,085.45		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-18-c-07	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 6" i/d	Rft	58.36	672.54	m	191.47	2,206.50		
24-18-c-08	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 8" i/d	Rft	80.81	1,000.17	m	265.12	3,281.39		
24-18-c-09	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 10" i/d	Rft	103.25	1,510.05	m	338.76	4,954.24		
24-18-c-10	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'D' working pressure : 12" i/d	Rft	134.68	3,514.23	m	441.86	11,529.62		
24-18-d-01	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'E' working pressure : 3/4" i/d	Rft	30.77	54.20	m	100.96	177.83		
24-18-d-02	Providing and Laying cut, joint, test, disinfect PVC pipe line BSS Class 'E' working pressure : 1" i/d	Rft	15.65	49.21	m	51.35	161.44		
24-19-a-01	Providing and Fixing CI specials of BSS class 'B', 'C' & 'D' CISS specials, with spigot & socket : 3"-6" i/d	kg	58.90	260.67	kg	58.90	260.67		a) Labour rates include the cost of jointing material and labour b) The internal dia of the pipe, from which the branch is taken out, will be considered internal dia for the purpose of payment of specials.
24-19-a-02	Providing and Fixing CI specials of BSS class 'B', 'C' & 'D' CISS specials, with spigot & socket : 8"-12" i/d	kg	70.06	271.92	kg	70.06	271.92		
24-19-b-01	Providing and Fixing CI specials of BSS class 'B', 'C' & 'D' CI flanged specials with flanged joint : 3"-6" i/d	kg	29.45	230.99	kg	29.45	230.99		
24-19-b-02	Providing and Fixing CI specials of BSS class 'B', 'C' & 'D' CI flanged specials with flanged joint : 8"-12" i/d	kg	47.12	248.80	kg	47.12	248.80		
24-19-c-01	Providing and Fixing CI specials of BSS class 'B', 'C' & 'D' CI specials with tyton joints : 3"-6" i/d	kg	13.61	215.02	kg	13.61	215.02		
24-19-c-02	Providing and Fixing CI specials of BSS class 'B', 'C' & 'D' CI specials with tyton joints : 8"-12" i/d	kg	24.99	226.49	kg	24.99	226.49		
24-20-a	Providing and Fixing CI specials of BSS Class 'B', 'C' & 'D' working pressure for AC pipe line : 3" to 6" i/d	kg	75.86	277.77	kg	75.86	277.77		a) Labour rates include the cost of jointing material and labour b) The internal dia of the pipe, from which the branch is taken out, will be considered internal dia for the purpose of payment of specials.



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-20-b	Providing and Fixing CI specials of BSS Class 'B', 'C' & 'D' working pressure for AC pipe line : 8" to 18" i/d	kg	117.80	320.05	kg	117.80	320.05		
24-21-a	Providing and Fixing sluice valve, BSS quality/weight, Class 'B' working pressure for CI & AC pipe line : 3" i/d	Each	1,825.90	13,796.63	Each	1,825.90	13,796.63		Labour rates include the cost of jointing material and labour
24-21-b	Providing and Fixing sluice valve, BSS quality/weight, Class 'B' working pressure for CI & AC pipe line : 4" i/d	Each	471.20	13,895.00	Each	471.20	13,895.00		
24-21-c	Providing and Fixing sluice valve, BSS quality/weight, Class 'B' working pressure for CI & AC pipe line : 6" i/d	Each	1,909.60	19,615.00	Each	1,909.60	19,615.00		
24-21-d	Providing and Fixing sluice valve, BSS quality/weight, Class 'B' working pressure for CI & AC pipe line : 8" i/d	Each	1,909.60	28,765.00	Each	1,909.60	28,765.00		
24-21-e	Providing and Fixing sluice valve, BSS quality/weight, Class 'B' working pressure for CI & AC pipe line : 10" i/d	Each	2,356.00	37,633.00	Each	2,356.00	37,633.00		
24-21-f	Providing and Fixing sluice valve, BSS quality/weight, Class 'B' working pressure for CI & AC pipe line : 12" i/d	Each	3,534.00	62,122.50	Each	3,534.00	62,122.50		
24-22-a	Providing and Fixing sluice valve of BSS quality weight for GI & PVC pipe line including jointing material : 3" i/d	Each	1,937.50	15,104.72	Each	1,937.50	15,104.72	ditto	
24-22-b	Providing and Fixing sluice valve of BSS quality weight for GI & PVC pipe line including jointing material : 4" i/d	Each	1,937.50	16,715.13	Each	1,937.50	16,715.13		
24-22-c	Providing and Fixing sluice valve of BSS quality weight for GI & PVC pipe line including jointing material : 6" i/d	Each	2,356.00	21,834.00	Each	2,356.00	21,834.00		
24-22-d	Providing and Fixing sluice valve of BSS quality weight for GI & PVC pipe line including jointing material : 8" i/d	Each	2,945.00	32,492.75	Each	2,945.00	32,492.75		
24-22-e	Providing and Fixing sluice valve of BSS quality weight for GI & PVC pipe line including jointing material : 10" i/d	Each	3,813.00	42,627.55	Each	3,813.00	42,627.55		
24-22-f	Providing and Fixing sluice valve of BSS quality weight for GI & PVC pipe line including jointing material : 12" i/d	Each	4,712.00	69,166.00	Each	4,712.00	69,166.00		
24-22-g	Providing and Fixing sluice valve of BSS quality weight for GI & PVC pipe line including jointing material : 15" i/d	Each	4,712.00	129,190.00	Each	4,712.00	129,190.00		
24-22-h	Providing and Fixing sluice valve of BSS quality weight for GI & PVC pipe line including jointing material : 18" i/d	Each	4,712.00	184,578.00	Each	4,712.00	184,578.00		
24-23	Providing and Fixing fire hydrants BSS quality and weight of 2.5" dia (including cost of jointing material)	Each	3,534.00	11,004.50	Each	3,534.00	11,004.50		a) Labour rates include cost of jointing material and labour b) Connecting pipes and specials , if used will be paid extra.
24-24-a	Providing and Fixing air valve 2nd i/d of BSS quality and weight complete with jointing material : Single	Each	2,356.00	5,730.00	Each	2,356.00	5,730.00		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-24-b	Providing and Fixing air valve 2" i/d of BSS quality and weight complete with jointing material : Double	Each	3,534.00	8,686.50	Each	3,534.00	8,686.50		
24-25-a	Providing and Fixing CI flanges 5/8" thick on pipes including turning, facing & fitting etc complete : 3" to 6" i/d	Each	1,441.50	4,381.13	Each	1,441.50	4,381.13		
24-25-b	Providing and Fixing CI flanges 5/8" thick on pipes including turning, facing & fitting etc complete : 8" to 12" i/d	Each	2,117.30	6,648.38	Each	2,117.30	6,648.38		
24-26-a-01	Providing and installing PVC bends BSS Class 'B' working pressure : 2" i/d	Each	201.81	325.56	Each	201.81	325.56		
24-26-a-02	Providing and installing PVC bends BSS Class 'B' working pressure : 3" i/d	Each	220.88	501.79	Each	220.88	501.79		
24-26-a-03	Providing and installing PVC bends BSS Class 'B' working pressure : 4" i/d	Each	294.50	668.61	Each	294.50	668.61		
24-26-a-04	Providing and installing PVC bends BSS Class 'B' working pressure : 6" i/d	Each	427.02	1,610.09	Each	427.02	1,610.09		
24-26-a-05	Providing and installing PVC bends BSS Class 'B' working pressure : 8" i/d	Each	589.00	3,948.75	Each	589.00	3,948.75		
24-26-a-06	Providing and installing PVC bends BSS Class 'B' working pressure : 10" i/d	Each	620.00	5,993.00	Each	620.00	5,993.00		
24-26-a-07	Providing and installing PVC bends BSS Class 'B' working pressure : 12" i/d	Each	744.00	7,460.00	Each	744.00	7,460.00		
24-26-b-01	Providing and installing PVC bends BSS Class 'C' working pressure : 2" i/d	Each	170.19	293.68	Each	170.19	293.68		
24-26-b-02	Providing and installing PVC bends BSS Class 'C' working pressure : 3" i/d	Each	186.00	466.64	Each	186.00	466.64		
24-26-b-03	Providing and installing PVC bends BSS Class 'C' working pressure : 4" i/d	Each	248.00	621.73	Each	248.00	621.73		
24-26-b-04	Providing and installing PVC bends BSS Class 'C' working pressure : 6" i/d	Each	359.60	1,542.12	Each	359.60	1,542.12		
24-26-b-05	Providing and installing PVC bends BSS Class 'C' working pressure : 8" i/d	Each	496.00	4,861.50	Each	496.00	4,861.50		
24-26-b-06	Providing and installing PVC bends BSS Class 'C' working pressure : 10" i/d	Each	620.00	7,335.00	Each	620.00	7,335.00		
24-26-b-07	Providing and installing PVC bends BSS Class 'C' working pressure : 12" i/d	Each	744.00	7,862.60	Each	744.00	7,862.60		
24-26-c-01	Providing and installing PVC bends BSS Class 'D' working pressure : 2" i/d	Each	170.19	293.68	Each	170.19	293.68		
24-26-c-02	Providing and installing PVC bends BSS Class 'D' working pressure : 3" i/d	Each	186.00	466.64	Each	186.00	466.64		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-26-c-03	Providing and installing PVC bends BSS Class 'D' working pressure : 4" i/d	Each	294.50	668.61	Each	294.50	668.61		
24-26-c-04	Providing and installing PVC bends BSS Class 'D' working pressure : 6" i/d	Each	427.02	1,610.09	Each	427.02	1,610.09		
24-26-c-05	Providing and installing PVC bends BSS Class 'D' working pressure : 8" i/d	Each	589.00	6,364.35	Each	589.00	6,364.35		
24-26-c-06	Providing and installing PVC bends BSS Class 'D' working pressure : 10" i/d	Each	736.25	8,794.19	Each	736.25	8,794.19		
24-26-c-07	Providing and installing PVC bends BSS Class 'D' working pressure : 12" i/d	Each	883.50	9,613.63	Each	883.50	9,613.63		
24-27-a-01	Providing and installing PVC tees BSS Class 'B' working pressure : 2" i/d	Each	294.50	453.89	Each	294.50	453.89		
24-27-a-02	Providing and installing PVC tees BSS Class 'B' working pressure : 3" i/d	Each	353.40	752.14	Each	353.40	752.14		
24-27-a-03	Providing and installing PVC tees BSS Class 'B' working pressure : 4" i/d	Each	471.20	1,049.38	Each	471.20	1,049.38		
24-27-a-04	Providing and installing PVC tees BSS Class 'B' working pressure : 6" i/d	Each	647.90	2,560.11	Each	647.90	2,560.11		
24-27-a-05	Providing and installing PVC tees BSS Class 'B' working pressure : 8" i/d	Each	957.13	4,454.04	Each	957.13	4,454.04		
24-27-a-06	Providing and installing PVC tees BSS Class 'B' working pressure : 10" i/d	Each	1,104.38	4,669.58	Each	1,104.38	4,669.58		
24-27-a-07	Providing and installing PVC tees BSS Class 'B' working pressure : 12" i/d	Each	1,325.25	5,361.94	Each	1,325.25	5,361.94		
24-27-b-01	Providing and installing PVC tees BSS Class 'C' working pressure : 2" i/d	Each	294.50	453.89	Each	294.50	453.89		
24-27-b-02	Providing and installing PVC tees BSS Class 'C' working pressure : 3" i/d	Each	353.40	752.14	Each	353.40	752.14		
24-27-b-03	Providing and installing PVC tees BSS Class 'C' working pressure : 4" i/d	Each	471.20	1,049.38	Each	471.20	1,049.38		
24-27-b-04	Providing and installing PVC tees BSS Class 'C' working pressure : 6" i/d	Each	647.90	2,560.11	Each	647.90	2,560.11		
24-27-b-05	Providing and installing PVC tees BSS Class 'C' working pressure : 8" i/d	Each	957.13	10,023.34	Each	957.13	10,023.34		
24-27-b-06	Providing and installing PVC tees BSS Class 'C' working pressure : 10" i/d	Each	1,098.80	9,360.96	Each	1,098.80	9,360.96		
24-27-b-07	Providing and installing PVC tees BSS Class 'C' working pressure : 12" i/d	Each	1,325.25	12,407.44	Each	1,325.25	12,407.44		
24-27-c-01	Providing and installing PVC tees BSS Class 'D' working pressure : 2" i/d	Each	294.50	453.89	Each	294.50	453.89		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-27-c-02	Providing and installing PVC tees BSS Class 'D' working pressure : 3" i/d	Each	353.40	752.14	Each	353.40	752.14		
24-27-c-03	Providing and installing PVC tees BSS Class 'D' working pressure : 4" i/d	Each	471.20	1,049.38	Each	471.20	1,049.38		
24-27-c-04	Providing and installing PVC tees BSS Class 'D' working pressure : 6" i/d	Each	647.90	2,560.11	Each	647.90	2,560.11		
24-27-c-05	Providing and installing PVC tees BSS Class 'D' working pressure : 8" i/d	Each	957.13	6,131.54	Each	957.13	6,131.54		
24-27-c-06	Providing and installing PVC tees BSS Class 'D' working pressure : 10" i/d	Each	1,104.38	9,500.78	Each	1,104.38	9,500.78		
24-27-c-07	Providing and installing PVC tees BSS Class 'D' working pressure : 12" i/d	Each	1,325.25	10,729.94	Each	1,325.25	10,729.94		
24-28-a-01	Providing and installing PVC sockets BSS Class 'B' working pressure : 2" i/d	Each	98.58	198.68	Each	98.58	198.68		
24-28-a-02	Providing and installing PVC sockets BSS Class 'B' working pressure : 3" i/d	Each	103.07	295.81	Each	103.07	295.81		
24-28-a-03	Providing and installing PVC sockets BSS Class 'B' working pressure : 4" i/d	Each	147.25	380.60	Each	147.25	380.60		
24-28-a-04	Providing and installing PVC sockets BSS Class 'B' working pressure : 6" i/d	Each	1,085.19	1,925.98	Each	1,085.19	1,925.98		
24-28-a-05	Providing and installing PVC sockets BSS Class 'B' working pressure : 8" i/d	Each	294.50	2,925.85	Each	294.50	2,925.85		
24-28-a-06	Providing and installing PVC sockets BSS Class 'B' working pressure : 10" i/d	Each	367.85	2,048.31	Each	367.85	2,048.31		
24-28-a-07	Providing and installing PVC sockets BSS Class 'B' working pressure : 12" i/d	Each	441.75	2,525.41	Each	441.75	2,525.41		
24-28-b-01	Providing and installing PVC sockets BSS Class 'C' working pressure : 2" i/d	Each	98.58	198.68	Each	98.58	198.68		
24-28-b-02	Providing and installing PVC sockets BSS Class 'C' working pressure : 3" i/d	Each	542.50	738.78	Each	542.50	738.78		
24-28-b-03	Providing and installing PVC sockets BSS Class 'C' working pressure : 4" i/d	Each	147.25	380.60	Each	147.25	380.60		
24-28-b-04	Providing and installing PVC sockets BSS Class 'C' working pressure : 6" i/d	Each	206.15	1,039.85	Each	206.15	1,039.85		
24-28-b-05	Providing and installing PVC sockets BSS Class 'C' working pressure : 8" i/d	Each	294.50	2,925.85	Each	294.50	2,925.85		
24-28-b-06	Providing and installing PVC sockets BSS Class 'C' working pressure : 10" i/d	Each	368.13	2,652.49	Each	368.13	2,652.49		
24-28-b-07	Providing and installing PVC sockets BSS Class 'C' working pressure : 12" i/d	Each	441.75	3,733.21	Each	441.75	3,733.21		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-28-c-01	Providing and installing PVC sockets BSS Class 'D'working pressure : 2" i/d	Each	98.58	198.68	Each	98.58	198.68		
24-28-c-02	Providing and installing PVC sockets BSS Class 'D'working pressure : 3" i/d	Each	103.07	295.81	Each	103.07	295.81		
24-28-c-03	Providing and installing PVC sockets BSS Class 'D'working pressure : 4" i/d	Each	147.25	380.60	Each	147.25	380.60		
24-28-c-04	Providing and installing PVC sockets BSS Class 'D'working pressure : 6" i/d	Each	206.15	1,039.85	Each	206.15	1,039.85		
24-28-c-05	Providing and installing PVC sockets BSS Class 'D'working pressure : 8" i/d	Each	294.50	2,925.85	Each	294.50	2,925.85		
24-28-c-06	Providing and installing PVC sockets BSS Class 'D'working pressure : 10" i/d	Each	368.13	3,189.29	Each	368.13	3,189.29		
24-28-c-07	Providing and installing PVC sockets BSS Class 'D'working pressure : 12" i/d	Each	441.75	4,135.81	Each	441.75	4,135.81		
24-29-a-01	Providing and installing PVC Tapered core BSS Class 'B'working pressure : 2" i/d	Each	201.81	304.09	Each	201.81	304.09		
24-29-a-02	Providing and installing PVC Tapered core BSS Class 'B'working pressure : 3" i/d	Each	220.88	343.44	Each	220.88	343.44		
24-29-a-03	Providing and installing PVC Tapered core BSS Class 'B'working pressure : 4" i/d	Each	294.50	437.79	Each	294.50	437.79		
24-29-a-04	Providing and installing PVC Tapered core BSS Class 'B'working pressure : 6" i/d	Each	427.02	618.35	Each	427.02	618.35		
24-29-a-05	Providing and installing PVC Tapered core BSS Class 'B'working pressure : 8" i/d	Each	589.00	915.83	Each	589.00	915.83		
24-29-a-06	Providing and installing PVC Tapered core BSS Class 'B'working pressure : 10" i/d	Each	736.25	1,278.99	Each	736.25	1,278.99		
24-29-a-07	Providing and installing PVC Tapered core BSS Class 'B'working pressure : 12" i/d	Each	871.10	1,468.60	Each	871.10	1,468.60		
24-29-b-01	Providing and installing PVC Tapered core BSS Class 'C'working pressure : 2" i/d	Each	201.81	310.80	Each	201.81	310.80		
24-29-b-02	Providing and installing PVC Tapered core BSS Class 'C'working pressure : 3" i/d	Each	220.88	350.15	Each	220.88	350.15		
24-29-b-03	Providing and installing PVC Tapered core BSS Class 'C'working pressure : 4" i/d	Each	294.50	451.20	Each	294.50	451.20		
24-29-b-04	Providing and installing PVC Tapered core BSS Class 'C'working pressure : 6" i/d	Each	427.58	632.33	Each	427.58	632.33		
24-29-b-05	Providing and installing PVC Tapered core BSS Class 'C'working pressure : 8" i/d	Each	589.00	929.25	Each	589.00	929.25		
24-29-b-06	Providing and installing PVC Tapered core BSS Class 'C'working pressure : 10" i/d	Each	736.25	1,305.83	Each	736.25	1,305.83		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-29-b-07	Providing and installing PVC Tapered core BSS Class 'C'working pressure : 12" i/d	Each	885.36	1,563.50	Each	885.36	1,563.50		
24-29-c-01	Providing and installing PVC Tapered core BSS Class 'D'working pressure : 2" i/d	Each	201.81	304.09	Each	201.81	304.09		
24-29-c-02	Providing and installing PVC Tapered core BSS Class 'D'working pressure : 3" i/d	Each	220.88	343.44	Each	220.88	343.44		
24-29-c-03	Providing and installing PVC Tapered core BSS Class 'D'working pressure : 4" i/d	Each	294.50	484.76	Each	294.50	484.76		
24-29-c-04	Providing and installing PVC Tapered core BSS Class 'D'working pressure : 6" i/d	Each	427.02	698.87	Each	427.02	698.87		
24-29-c-05	Providing and installing PVC Tapered core BSS Class 'D'working pressure : 8" i/d	Each	589.00	1,050.03	Each	589.00	1,050.03		
24-29-c-06	Providing and installing PVC Tapered core BSS Class 'D'working pressure : 10" i/d	Each	736.25	1,574.23	Each	736.25	1,574.23		
24-29-c-07	Providing and installing PVC Tapered core BSS Class 'D'working pressure : 12" i/d	Each	883.50	1,850.16	Each	883.50	1,850.16		
24-30-a-01	Providing and Laying HDPE pipe Din-/Din-/ISO-4427 incl testing & disinfect complete (20mm dia)	Rft	26.84	44.14	m	88.06	144.81		
24-30-a-02	Providing and Laying HDPE pipe Din-8074/Din-8075/ISO-4427 including testing & disinfect complete (25mm dia)	Rft	26.84	50.24	m	88.06	164.82		
24-30-a-03	Providing and Laying HDPE pipe Din-8074/Din-8075/ISO-4427 incl testing & disinfect complete (32mm dia)	Rft	26.84	58.78	m	88.06	192.84		
24-30-a-04	Providing and Laying HDPE pipe Din-8074/Din-8075/ISO-4427 including testing & disinfect complete (40mm dia)	Rft	35.91	85.00	m	117.83	278.89		
24-30-a-05	Providing and Laying HDPE pipe Din-8074/Din-8075/ISO-4427 including testing & disinfect complete (50mm dia)	Rft	35.91	110.62	m	117.83	362.94		
24-30-a-06	Providing and Laying HDPE pipe Din-8074/Din-8075/ISO-4427 incl testing & disinfect complete (75mm dia)	Rft	35.91	199.68	m	117.83	655.13		
24-30-a-07	Providing and Laying HDPE pipe Din-8074/Din-8075/ISO-4427 including testing & disinfect complete (110mm dia)	Rft	40.40	389.65	m	132.56	1,278.38		
24-30-b-01	Providing and installing HDPE Socket 20mm dia	Each	70.68	156.65	Each	70.68	156.65		
24-30-b-02	Providing and installing HDPE Socket 25mm dia	Each	70.68	205.45	Each	70.68	205.45		
24-30-b-03	Providing and installing HDPE Socket 32mm dia	Each	70.68	266.45	Each	70.68	266.45		
24-30-b-04	Providing and installing HDPE Socket 40mm dia	Each	98.58	465.38	Each	98.58	465.38		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-30-b-05	Providing and installing HDPE Socket 50mm dia	Each	558.93	1,173.44	Each	558.93	1,173.44		
24-30-b-06	Providing and installing HDPE Socket 75mm dia	Each	103.07	1,506.91	Each	103.07	1,506.91		
24-30-b-07	Providing and installing HDPE Socket 110mm dia	Each	147.25	5,028.44	Each	147.25	5,028.44		
24-30-c-01	Providing and installing HDPE Tee 20mm dia	Each	235.60	377.80	Each	235.60	377.80		
24-30-c-02	Providing and installing HDPE Tee 25mm dia	Each	235.60	463.20	Each	235.60	463.20		
24-30-c-03	Providing and installing HDPE Tee 32mm dia	Each	235.60	573.00	Each	235.60	573.00		
24-30-c-04	Providing and installing HDPE Tee 40mm dia	Each	294.50	937.38	Each	294.50	937.38		
24-30-c-05	Providing and installing HDPE Tee 50mm dia	Each	294.50	1,394.88	Each	294.50	1,394.88		
24-30-c-06	Providing and installing HDPE Tee 75mm dia	Each	353.40	2,735.25	Each	353.40	2,735.25		
24-30-c-07	Providing and installing HDPE Tee 110mm dia	Each	471.20	8,161.00	Each	471.20	8,161.00		
24-30-d-01	Providing and installing HDPE bend 20mm dia	Each	148.80	241.50	Each	148.80	241.50		
24-30-d-02	Providing and installing HDPE bend 25mm dia	Each	148.80	296.40	Each	148.80	296.40		
24-30-d-03	Providing and installing HDPE bend 32mm dia	Each	148.80	357.40	Each	148.80	357.40		
24-30-d-04	Providing and installing HDPE bend 40mm dia	Each	191.27	497.81	Each	191.27	497.81		
24-30-d-05	Providing and installing HDPE bend 50mm dia	Each	191.27	863.81	Each	191.27	863.81		
24-30-d-06	Providing and installing HDPE bend 75mm dia	Each	220.88	2,052.66	Each	220.88	2,052.66		
24-30-d-07	Providing and installing HDPE bend 110mm dia	Each	279.00	5,405.25	Each	279.00	5,405.25		
24-30-e-01	Providing and installing HDPE adaptor 20mm	Each	78.12	145.85	Each	78.12	145.85		
24-30-e-02	Providing and installing HDPE adaptor 25mm	Each	78.12	176.35	Each	78.12	176.35		
24-30-e-03	Providing and installing HDPE adaptor 32mm	Each	78.12	219.05	Each	78.12	219.05		
24-30-e-04	Providing and installing HDPE adaptor 40mm	Each	93.31	338.06	Each	93.31	338.06		
24-30-e-05	Providing and installing HDPE adaptor 50mm	Each	93.31	521.06	Each	93.31	521.06		
24-30-e-06	Providing and installing HDPE adaptor 75mm	Each	97.65	1,142.76	Each	97.65	1,142.76		
24-30-e-07	Providing and installing HDPE adaptor 110mm	Each	139.50	3,190.63	Each	139.50	3,190.63		
24-31-a	S/H/J G.I. Flanged Pipe 18" i/d 6.35mm thick	Rft	1,224.88	8,249.76	m	4,018.63	27,066.13		
24-31-b	S/H/J G.I. Flanged Pipe 16" i/d 6.35mm thick	Rft	514.15	6,313.29	m	1,686.83	20,712.90		
24-31-c	S/H/J G.I. Flanged Pipe 12" i/d 6.35mm thick	Rft	612.44	6,107.38	m	2,009.31	20,037.33		
24-31-d	S/H/J G.I. Flanged Pipe 10" i/d 6.35mm thick	Rft	510.37	4,784.48	m	1,674.43	15,697.12		
24-31-e	S/H/J G.I. Flanged Pipe 8" i/d 5mm thick	Rft	408.29	4,071.59	m	1,339.54	13,358.22		
24-31-f	S/H/J G.I. Flanged Pipe 6" i/d 5mm thick	Rft	306.22	2,443.69	m	1,004.66	8,017.35		
24-31-g	S/H/J G.I. Flanged Pipe 4" i/d 5mm thick	Rft	204.15	1,864.99	m	669.77	6,118.74		
24-32-a	S/H/J MS Flanged Pipe 18" i/d 6.35mm thick	Rft	1,020.73	7,433.96	m	3,348.86	24,389.64		
24-32-b	S/H/J MS Flanged Pipe 16" i/d 6.35mm thick	Rft	680.49	8,615.98	m	2,232.57	28,267.64		
24-32-c	S/H/J MS Flanged Pipe 12" i/d 6.35mm	Rft	510.37	4,601.48	m	1,674.43	15,096.73		
24-32-d	S/H/J MS Flanged Pipe 10" i/d 6.35mm thick	Rft	408.29	3,644.59	m	1,339.54	11,957.30		
24-32-e	S/H/J MS Flanged Pipe 8" i/d 5mm thick	Rft	340.24	2,965.99	m	1,116.29	9,730.93		
24-32-f	S/H/J MS Flanged Pipe 6" i/d 5mm thick	Rft	272.20	2,104.39	m	893.03	6,904.17		
24-32-g	S/H/J MS Flanged Pipe 4" i/d 5mm thick	Rft	170.12	1,208.49	m	558.14	3,964.88		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-33	Supplying and Fixing MS manhole cover of 0.25" thick sheet & angle iron frame 2"x2"x0.25" with lock complete	Sft	81.82	695.94	m2	880.40	7,488.31		
24-34	Supplying and Fixing flat iron (2"x3/8") ladder for OHR, holes @ 15" c/c, steps of MS bars 5/8" i/d & paint compl	Rft	46.12	672.23	m	151.32	2,205.47		
24-35	Supplying and Fixing C.I. vent pipe for storage tanks including jally etc	Rft	3.40	55.50	m	11.16	182.10		
24-36-a	Supplying and Fixing MS cap of 3/16" thick sheet : 10" i/d	Each	19.84	3,680.00	Each	19.84	3,680.00		
24-36-b	Supplying and Fixing MS Cap of 3/16" thick sheet : 8" i/d	Each	19.84	3,436.00	Each	19.84	3,436.00		
24-36-c	Supplying and Fixing MS Cap of 3/16" thick sheet : 6" i/d	Each	19.84	3,192.00	Each	19.84	3,192.00		
24-38-a	Supplying and Fixing Flanged Expansion Joints BSS 2035: 18" i/d	Each	31,248.00	110,800.00	Each	31,248.00	110,800.00		
24-38-b	Supplying and Fixing Flanged Expansion Joint BS-2035 : 16" i/d	Each	22,320.00	83,500.00	Each	22,320.00	83,500.00		
24-38-c	Supplying and Fixing Flanged Expansion Joint BS-2035 : 12" i/d	Each	9,523.20	41,320.00	Each	9,523.20	41,320.00		
24-38-d	Supplying and Fixing Flanged Expansion Joint BSS-2035 : 10" i/d	Each	7,142.40	26,110.00	Each	7,142.40	26,110.00		
24-38-e	Supplying and Fixing Flanged Expansion Joint BSS 2035 : 8" i/d	Each	5,803.20	20,490.00	Each	5,803.20	20,490.00		
24-38-f	Supplying and Fixing Flanged Expansion Joints BSS 2035 : 6" i/d	Each	3,124.80	12,910.00	Each	3,124.80	12,910.00		
24-38-g	Supplying and Fixing Flanged Expansion Joint BSS-2035 : 4" i/d	Each	2,678.40	11,240.00	Each	2,678.40	11,240.00		
24-39-a	Supplying and Fixing MS Suspension Clamp 3/8" thick for housing pipe : 18" i/d	Each	2,678.40	6,055.00	Each	2,678.40	6,055.00		
24-39-b	Supplying and Fixing MS Suspension Clamp 3/8" thick for housing pipe : 16" i/d	Each	1,785.60	3,935.00	Each	1,785.60	3,935.00		
24-39-c	Supplying and Fixing MS Suspension Clamp 3/8" thick for housing pipe : 12" i/d	Each	1,116.00	2,345.00	Each	1,116.00	2,345.00		
24-39-d	Supplying and Fixing MS Suspension Clamp 3/8" thick for housing pipe : 10" i/d	Each	669.60	1,651.00	Each	669.60	1,651.00		
24-39-e	Supplying and Fixing MS Suspension Clamp 3/8" thick for housing pipe : 8" i/d	Each	446.40	1,108.80	Each	446.40	1,108.80		
24-39-f	Supplying and Fixing MS Suspension Clamp 3/8" thick for housing pipe : 6" i/d	Each	334.80	910.90	Each	334.80	910.90		
24-39-g	Supplying and Fixing MS Suspension Clamp 3/8" thick for housing pipe : 4" i/d	Each	223.20	774.00	Each	223.20	774.00		
24-40	Supplying and Fixing PVC Water Stopper 8" wide 3/8" thick	Rft	13.61	257.72	m	44.65	845.54		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 24 TUBEWELL AND WATER SUPPLY

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
24-41	Conducting Elec: Resistivity survey of the area and furnishing its reports.	No	1,550.00	36,942.50	no	1,550.00	36,942.50		
24-42	Logging of bore hole with electrical equipment and furnishing reports.	Job	1,860.00	26,275.00	job	1,860.00	26,275.00		
24-43	Providing and lowering pezu meter 1.25" GI pipe including all accessories.	Rft	71.79	224.87	m	235.54	737.76		
24-44	P&L Reflux valves (C.I) of BSS quality/weight including jointing material 3" i/d-6" i/d.	Rft	604.88	2,082.68	m	1,984.51	6,832.95		
24-45-a	Laying cut, joint, test & disinfect of 8"i/d of GI pipe line including cost of welding, excavation and filling compaction etc complete.	No	235.48	1,291.45	joint	235.48	1,291.45		
24-45-b	Laying cut, joint, test & disinfect of 6"i/d of GI pipe line including cost of welding, excavation and filling compaction etc complete.	joint	235.48	1,365.88	joint	235.48	1,365.88		
24-45-c	Laying cut, joint, test & disinfect of 4"i/d of GI pipe line including cost of welding, excavation and filling compaction etc complete.	joint	235.48	822.97	joint	235.48	822.97		
24-45-d	Laying cut, joint, test & disinfect of 3"i/d of GI pipe line including cost of welding, excavation and filling compaction etc complete.	Joint	235.48	650.96	joint	235.48	650.96		
24-46	Testing of soil for bearing capacity & chemical contents upto any depth.	Rft	756.10	5,969.51	m	2,480.64	19,585.01		
24-47	Supply and Fixing Affridev type hand pump upto 170 Feet	Each	744.00	18,989.00	Each	744.00	18,989.00		
24-48-a	Supply and Fixing Voltage Regulator 20 KVA	Each	1,116.00	45,045.00	Each	1,116.00	45,045.00		
24-48-b	Supply and Fixing Voltage Regulator 25 KVA	Each	1,116.00	47,485.00	Each	1,116.00	47,485.00		
24-48-c	Supply and Fixing Voltage Regulator 30 KVA	Each	1,116.00	51,145.00	Each	1,116.00	51,145.00		
24-48-d	Supply and Fixing Voltage Regulator 50 KVA	Each	1,116.00	62,125.00	Each	1,116.00	62,125.00		
24-48-e	Supply and Fixing Voltage Regulator 75 KVA	Each	1,116.00	92,625.00	Each	1,116.00	92,625.00		
24-48-f	Supply and Fixing Voltage Regulator 100 KVA	Each	1,116.00	135,325.00	Each	1,116.00	135,325.00		
24-49-a	Providing and Fixing Brass peet / gate valve 1" dia	Each	69.44	1,412.00	Each	69.44	1,412.00		
24-49-b	Providing and Fixing Brass peet / gate valve 1.25" dia	Each	69.44	2,205.00	Each	69.44	2,205.00		
24-49-c	Providing and Fixing Brass peet / gate valve 1.5" dia	Each	69.44	2,632.00	Each	69.44	2,632.00		
24-49-d	Providing and Fixing Brass peet / gate valve 2" dia	Each	69.44	3,974.00	Each	69.44	3,974.00		
24-49-e	Providing and Fixing Brass peet / gate valve 2.5" dia	Each	69.44	5,316.00	Each	69.44	5,316.00		
24-49-f	Providing and Fixing Brass peet / gate valve 3" dia	Each	69.44	9,220.00	Each	69.44	9,220.00		
24-49-g	Providing and Fixing Brass peet / gate valve 4" dia	Each	69.44	13,490.00	Each	69.44	13,490.00		

**MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA****CSR CELL FINANCE DEPARTMENT****As on Apr-Jun (QTR-2) 2015****Chapter # : 25 IRON WORK**

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
25-01	Laying, linking and packing tramway line	Rft	19.85	20.01	m	65.12	65.64		
25-02	Dismantling tramway track	Rft	6.51	6.56	m	21.36	21.53		
25-03	Laying, linking of BG track, including packing, straightening and levelling	Rft	53.34	53.77	m	174.99	176.40		
25-04	Linking points and crossings, complete with fastenings	Each	5,208.00	5,250.00	Each	5,208.00	5,250.00		
25-05	Bending or straightening BG rail with jim crow	Each	589.00	593.75	Each	589.00	593.75		
25-06	Fixing street lamp posts	Each	1,860.00	1,875.00	Each	1,860.00	1,875.00		
25-07	Binding ends of sleepers and timbers of all sizes & kinds, including spreading & restacking	Each	65.72	66.25	Each	65.72	66.25		
25-08	Opening stacks of sleepers & timber of all kinds and sizes, including spreading for inspection	Each	7.82	7.89	Each	7.82	7.89		
25-09	Small iron work, such as gusset plates, knees, bends, stirrups, straps, rings etc excluding erection	tonne	58,528.00	177,340.00	tonne	58,528.00	177,340.00		
25-10	Fabrication of heavy steel work with angle, tees, sheet iron etc for making trusses, girders etc	tonne	39,680.00	158,340.00	tonne	39,680.00	158,340.00		
25-11	Erection and fitting in position iron trusses, staging of water tanks, etc	tonne	8,660.04	8,729.88	tonne	8,660.04	8,729.88		
25-12	Fixing corrugated iron sheet including rivetting, etc	Sft	13.83	13.94	m2	148.83	150.03		
25-13	Erecting corrugated iron sheet tanks, upto 20' height	tonne	12,995.20	13,100.00	tonne	12,995.20	13,100.00		
25-14	Erecting rolled steel beams or old rails, in roof etc, erection & fixing in position	tonne	763.84	770.00	tonne	763.84	770.00		
25-15	Erecting rolled steel beams or rails, erection for posts etc (other than in roofs)	tonne	379.44	382.50	tonne	379.44	382.50		
25-16	Making bolts & nuts of iron rods	kg	130.20	218.82	kg	130.20	218.82		
25-17-a	Cutting rails,rolled steel joist & beams, with hacksaw : Upto 6" size	Each cut	227.32	229.16	Each cut	227.32	229.16		
25-17-b	Cutting rails,rolled steel joist & beams, with hacksaw : Above 6" size	Each cut	341.00	343.75	Each cut	341.00	343.75		
25-18	Cutting rails or rolled steel beams of size below 6" with jim	Each cut	113.66	114.58	Each cut	113.66	114.58		
25-19	Bending rolled steel beams or rails	Per Bend	194.86	1,242.15	Per Bend	194.86	1,242.15		
25-20	Drilling holes,in plates upto 1/2" thick per inch dia. or part thereof	Each hole	53.72	54.16	Each hole	53.72	54.16		
25-21	Extra for drilling holes in plates over 1/2" thick per inch dia, or part thereof	Each hole	26.66	26.88	Each hole	26.66	26.88		
25-22	Rivetting 1/8" dia	Each	6.82	6.88	Each	6.82	6.88		
25-23	Cutting out Rivets, all sizes.	Each	22.37	22.56	Each	22.37	22.56		
25-24	Fitting and erection of gutters of sheet iron	Rft	40.32	40.64	m	132.27	133.33		
25-25	Cutting and fixing iron bars, for barred windows	Each	49.59	49.99	Each	49.59	49.99		
25-26	Cutting GI sheets of 2'-8" wide.	Each	26.86	27.07	Each	26.86	27.07		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 25 IRON WORK

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
25-27	Notching web or foot of rail posts for housing rail beams	Each cut	661.33	707.33	Each cut	661.33	707.33		
25-28	Hoop iron netted trellis work fixed with nails	Sft	55.13	57.67	m2	593.22	620.51		
25-29	Fixing zinc, iron or GI sheet on table tops	Sft	21.50	22.46	m2	231.35	241.62		
25-30	Making and fixing steel grated doors, complete with locking arrangements & angle iron frame	Sft	507.06	824.75	m2	5,456.00	8,874.27		
25-31	Making and fixing steel grated door, with 1/16" thick sheeting, including angle iron frame & lock	Sft	496.69	990.68	m2	5,344.40	10,659.74		
25-32	Making and fixing grating in opening, including fixing at site with flat iron 2"x3/8" and 3/4" sq. bars	Sft	136.41	241.38	m2	1,467.80	2,597.21		
25-33	Providing and Fixing terrace railing of 2" i/d conduit pipe 16 SWG welded with 5/8"x5/8" sq bar 2.75' high complete	Sft	84.89	341.34	m2	913.37	3,672.78		
25-34	Providing and Fixing collapsible gate made of 2"x2"x1/4" tee iron at top & bottom, lock etc complete	Sft	257.80	839.08	m2	2,773.88	9,028.51		
25-35	Providing and Fixing 24 SWG GI sheet rolling shutter of steel frame of MS channel 2"x1.25"x1/8" complete	Sft	32.25	256.70	m2	347.03	2,762.12		
25-36	Providing and Fixing MS angle iron 1"x1"x1/4" edge protector nozing of steps of stairs, complete	Rft	37.52	202.94	m	123.10	665.81		
25-37	Providing and Fixing stair railing of 2.5" i/d GI pipe, welded with 5/8"x5/8" MS bars 2'-9" high, fixed in each step	Rft	151.33	543.58	m	496.48	1,783.39		
25-38	Providing and Fixing GI wire gauze 24 SWG, 12x12 meshes per sq.in., fixed to steel windows or doors etc	Sft	93.53	175.21	m2	1,006.39	1,885.30		
25-39-a-01	Providing and Fixing steel windows 18 gauge with openable glazed panels Without wire gauze : Glass pane 2mm thick	Sft	29.77	689.25	m2	320.34	7,416.35		
25-39-a-02	Providing and Fixing steel windows 18 gauge with openable glazed panels Without wire gauze : Glass pane 2.5mm thick	Sft	29.77	689.25	m2	320.34	7,416.35		
25-39-a-03	Providing and Fixing steel windows 18 gauge with openable glazed panels Without wire gauze : Glass pane 3mm thick	Sft	29.77	701.45	m2	320.34	7,547.62		
25-39-a-04	Providing and Fixing steel windows 18 gauge with openable glazed panels Without wire gauze : Glass pane 4mm thick	Sft	29.77	713.65	m2	320.34	7,678.89		
25-39-a-05	Providing and Fixing steel windows 18 gauge with openable glazed panels Without wire gauze : Glass pane 5mm thick	Sft	29.77	722.19	m2	320.34	7,770.78		
25-39-b-01	Providing and Fixing steel windows 18 gauge with openable glazed panels With 22 SWG wire gauze : Glass pane 2mm	Sft	32.87	782.80	m2	353.71	8,422.98		

**MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA****CSR CELL FINANCE DEPARTMENT****As on Apr-Jun (QTR-2) 2015****Chapter # : 25 IRON WORK**

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
25-39-b-02	Providing and Fixing steel windows 18 gauge with openable glazed panels With 22 SWG wire gauze : Glass pane 2.5mm	Sft	32.87	782.80	m2	353.71	8,422.98		
25-39-b-03	Providing and Fixing steel windows 18 gauge with openable glazed panels With 22 SWG wire gauze : Glass pane 3mm	Sft	32.87	795.00	m2	353.71	8,554.25		
25-39-b-04	Providing and Fixing steel windows 18 gauge with openable glazed panels With 22 SWG wire gauze : Glass pane 4mm	Sft	32.87	807.20	m2	353.71	8,685.52		
25-39-b-05	Providing and Fixing steel windows 18 gauge with openable glazed panels With 22 SWG wire gauze : Glass pane 5mm	Sft	32.87	815.74	m2	353.71	8,777.41		
25-40	Supply and Fixing iron grating for fire place	Sft	496.18	803.47	m2	5,338.94	8,645.30		
25-41	Providing and Fixing angle iron railing, using 2.5"x2.5"x3/8" angle iron post 4.5'long, 5'to 6" apart, complete	Rft	307.02	1,299.10	m	1,007.30	4,262.14		
25-42	Providing and Fixing barbed wire fencing of 1.5"x1.5"x3/16" angle iron post 3.25' long, 5 to 6 ft. centre to centre	Rft	62.38	188.62	m	204.65	618.82		
25-43	Providing and Fixing barbed wire fencing on compound wall of 1.5"x1.5"x3/16" angle iron post 3' long, 4' apart	Rft	66.91	209.39	m	219.54	686.98		
25-46	Supplying and Fixing 18SWG Steel Almirah, 12" max depth including box shelves, back, shelves, lock, spray paint complete	Sft	124.00	809.48	m2	1,334.23	8,709.99		
25-47-a	Supplying and Fixing 18 SWG MS Sheet Door with angle iron frame (1.5"x1.5"x1/8"), bolt, hinges, paint etc complete	Sft	131.75	580.24	m2	1,417.58	6,243.35		
25-47-b	Supplying and Fixing 18 SWG MS Sheet Gate with angle iron frame (2"x2"x3/16") with side window, lock, painting etc	Sft	204.94	784.51	m2	2,205.13	8,441.35		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 26 MISCELLANEOUS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
26-01	Supplying bamboo jhandies 10' to 12' with iron shoes and flags 15" square	Each	80.60	438.71	Each	80.60	438.71		
26-02	Supplying wooden pegs for levelling 1.5" square 6" long	100 No.	325.50	1,136.98	100 No.	325.50	1,136.98		
26-03	Supplying wooden pegs for alignment, 2" to 3" square, 9" long	100 No.	1,147.00	2,753.23	100 No.	1,147.00	2,753.23		
26-04	Fixing enamelled iron gauges flush with masonry including cost of hooks	Each	1,736.00	1,896.40	Each	1,736.00	1,896.40		
26-05	Supply & fix boundry pillars in position, including digging pits	Each	310.00	885.70	Each	310.00	885.70		
26-06	Fixing main line type distance mark in position including making 1:3:6 cement concrete base block	Each	186.00	505.41	Each	186.00	505.41		Composite rate does not include cost of iron distance marks.
26-07-a	Boring and fixing 1.5" dia pressure pipe in ordinary soil	Rft	88.84	89.56	m	291.47	293.83		
26-07-b	Boring and fixing 1.5 dia pressure pipe in clay	Rft	173.90	175.30	m	570.55	575.15		
26-07-c	Boring and fixing 1.5" dia pressure pipe in shingle	Rft	258.96	261.05	m	849.62	856.47		
26-08	Repairs to hand pump, pulling out & refitting	Rft	63.24	63.75	m	207.48	209.15		
26-09	Fixing hand pump (machine only)	Each	297.60	300.00	Each	297.60	300.00		
26-10-a	Washing of Durries / Synthetic Matting	100 Sft	2,593.35	2,614.27	m2	279.04	281.30		Capacity of cart, 20 cubic feet
26-10-b	Washing of Bed Sheets	Each	56.02	56.47	Each	56.02	56.47		
26-10-c	Washing of Table Cloth / Napkins / Dusters etc	Each	27.97	28.20	Each	27.97	28.20		
26-11-a	Recaning of chairs/stools : With plastic cane.	kg	186.00	553.50	kg	186.00	553.50		
26-11-b	Recaning of chairs/stools : With willow cane.	kg	260.40	1,177.50	kg	260.40	1,177.50		
26-12	Sweeping chimneys	Each	155.00	276.30	Each	155.00	276.30		
26-13	Cleaning of water tanks upto 400 gallons capacity	Each	156.24	157.50	Each	156.24	157.50		For capacity other than 400 gallons, the rate shall be work out on proper rate basis.
26-14	Supplying manure	Cart load	248.00	43,333.93	Cart load	248.00	43,333.93		Capacity of cart, 20 cubic feet
26-15	Spraying anti-termite liquid mixed with water in the ratio of 1:40	100 Sft/spr	18.60	132.69	m2	2.00	14.28		
26-16-a	Providing and Fixing barbed wire fencing with 4 horizontal & 2 cross wires : Without PCC base	Rft	9.80	174.96	m	32.15	574.01		
26-16-b	Providing and Fixing barbed wire fencing with 4 horizontal & 2 cross wires : With PCC 1:4:8 base 12"x12"x21"	Rft	9.80	180.74	m	32.15	592.99		
26-17	Making notice board 1/2" thick of c/s mortar 1:3 with 2"x1/2" beading	100 Sft	10,188.17	11,108.68	m2	1,096.25	1,195.29		
26-18	Binding office books/registers.	Each	43.40	147.45	Each	43.40	147.45		
26-19	Cutting of Pipes upto 2" Dia	Per Cut	122.76	123.75	Per Cut	122.76	123.75		



MARKET RATE SYSTEM 2015(Q-2) KHYBER PAKHTUNKHWA

CSR CELL FINANCE DEPARTMENT

As on Apr-Jun (QTR-2) 2015

Chapter # : 26 MISCELLANEOUS

Item Code	Description	Rate (British System)			Rate (Metric System)			Spec. No	Remarks
		Unit	Labour	Composite	Unit	Labour	Composite		
26-20	Cutting of Pipes above 2" Dia upto 4" dia	Per Cut	223.20	225.00	Per Cut	223.20	225.00		